

October 21, 2019

Facilities Development Division
2020 West El Camino Avenue, Suite 800
Sacramento, CA 95833
Attention: Carl Scheuerman, Compliance Officer

RE. AB 2190 Attestation of Commitment to meet 2030 SB499 Compliance
Santa Monica UCLA Medical Center and Orthopaedic Hospital – 12033

Dear Mr. Scheuerman,

This letter is in response to your correspondence to Ms. Johnese Spisso, CEO, dated July 23, 2019, requesting attestation of UCLA Health's commitment to comply with provisions of Assembly Bill 2190. UCLA Health, under the direction and authority of our Governing Board, plans to complete the following:

BACKGROUND INFORMATION AND CURRENT STATUS

The Santa Monica UCLA Medical Center and Orthopaedic Hospital, OSHPD Facility 12033, is currently made up of six seismically independent buildings:

New North Wing, Bld-02775	SPC5	NPC4
New Orthopaedic Hospital, Bld-02776	SPC5	NPC4
Merle Norman Pavilion Building, Bld-01225	SPC3	NPC2
New Central Plant, Bld-02774*	SPC5 self-declared	NPC4
New Southwest Building, Bld-01231*	SPC5 self-declared	NPC4
New Central Wing, Bld-02774*	SPC5 self-declared	NPC4

*In evaluating these buildings, the OSHPD Seismic Compliance Unit identified two adjacent seismically independent structures, listed below. These applications are in process and will enable the three adjacent self-declared buildings to be approved as compliant SPC5, NPC4 structures.

Loading Dock Annex Building, Bld-06557 (SER-2019-00063)	SPC5	NPC4
Chapel Building, document submittal pending	SPC5	NPC4

The entire facility was also constructed with water and waste storage and critical utility back-up to allow for continuous operation for a 72 hour period, allowing the entire facility to meet an NPC5 rating by January 2030, when NPC4/4D compliance is complete.

PLANS FOR IMPROVEMENT

UCLA Health is in the process of bringing all critical care patient areas in the Merle Norman Pavilion (MNP) to SPC3, NPC3, and eventually the entire building to NPC4 or NPC4D. Overall target completion is 2029, with a nonstructural evaluation and an Operational Plan submittal for NPC4D by January 1, 2024.

CONCLUSION

Bringing the Merle Norman Pavilion to SPC3 and NPC4/4D, enables the SMUMC Facility to achieve a SPC3/SPC5, NPC5 Seismic Performance Rating, as required by provisions of Assembly Bill 2190 for January 1, 2030 compliance.

Sincerely,



Richard Azar
Chief Operating Officer
UCLA Health

cc. Johnese Spisso, CEO
File