

October 14, 2019

Seismic Compliance Unit
Office of Statewide Health Planning and Development
2020 West El Camino Avenue, Suite 800
Sacramento, California 95833

Subject: USC Kenneth Norris Jr. Cancer Hospital
1441 Eastlake Ave, Los Angeles, CA 90033
OSHPD Facility No. 15179
State of California, Health and Safety Code, Section 130066, Attestation Letter

To Whom It May Concern:

I write this letter as required by the State of California, Health and Safety Code, Section 130066. As a representative of the board of directors for the USC Kenneth Norris Jr. Cancer Hospital, an acute care inpatient hospital, I acknowledge the current seismic compliance status of the buildings on this hospital campus reflected in the chart below.

Building No.	Building Name	SPC	NPC
BLD-00317	Cancer Research Institute (Ezralow)	3	2
BLD-03689	Topping Tower	5	2

I also acknowledge that all hospital buildings on this campus are required to meet the January 1, 2030 deadline for substantial compliance with those regulations and standards. The Cancer Research Institute is SPC-3 and Topping Tower is SPC-5 and thus have already met the January 1, 2030 Structural compliance deadline. However, the Non-Structural compliance status of the Cancer Research Institute and the Topping Tower is currently NPC-2 and as such each building is required to be NPC-4D compliant and the entire hospital campus is required to be NPC-5 compliant by January 1, 2030.

Sincerely,



Rod Hanners
Chief Executive Officer &
Representative of the Board of Directors
USC Kenneth Norris Jr. Cancer Hospital

