



October 10, 2019

Carl Scheuerman  
Compliance Officer - Seismic Compliance Unit  
Facility Development Division  
2020 West El Camino Avenue Suite 800  
Sacramento, CA 95833


RE: AB 2190 Attestation Response  
Los Robles Hospital & Medical Center – East Campus – 16244  
150 Via Merida  
Westlake Village, CA 91362

Dear Mr. Scheuerman:

As a response to your recent correspondence; this letter is to serve as the attestation as required by Assembly Bill 2190 (2018).

On behalf of the governing board of the above mentioned hospital, we therefore acknowledge that one or more of the buildings at our facility has performance ratings less than SPC-3 or NPC-5 as required by the Hospital Facilities Seismic Safety Act. We understand the current deadline to bring these building into compliance with the SPC-3 and NPC-5 standards or remove all acute care services from these structures is January 1, 2030.

Please feel free to contact me if there is any additional information or clarifications necessary.

signed 

  
dated

Bryan Seely  
HCA - AVP Capital Deployment – Design  
One Park Plaza Bldg 2 – 3E  
Nashville, TN 37203  
t: 615.344.1231  
e: [bryan.seely@hcahealthcare.com](mailto:bryan.seely@hcahealthcare.com)

cc: Natalie Mussi – CEO  
Brian Cook - CEO Far West Division  
Steve Killian – CFO Far West Division