

October 14, 2019

Seismic Compliance Unit  
**Office of Statewide Health Planning and Development**  
2020 West El Camino Avenue, Suite 800  
Sacramento, California 95833

**Subject: Keck Hospital of University of Southern California**  
**1500 San Pablo St., Los Angeles, California 90033**  
**OSHDP Facility No. 16483**  
**State of California, Health and Safety Code, Section 130066, Attestation Letter**

To Whom It May Concern:

I write this letter as required by the State of California, Health and Safety Code, Section 130066. As a representative of the board of directors for the Keck Hospital of University of Southern California, an acute care inpatient hospital, I acknowledge the current seismic compliance status of the buildings on this hospital campus reflected in the chart below.

Building	Building	SPC	NPC
BLD-	Main	4	3

I also acknowledge that all hospital buildings on this campus are required to meet the January 1, 2030 deadline for substantial compliance with those regulations and standards. The Main Hospital is SPC-4 and thus has already met the January 1, 2030 Structural compliance deadline. However, the Non-Structural compliance status of the Main Hospital is currently NPC-3 and as such is required to be NPC-4D and NPC-5 by January 1, 2030.

Sincerely,



Rod Hanners  
Chief Executive Officer &  
Representative of the Board of Directors  
Keck Hospital of USC

