



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

This program is prepared and submitted for an OSHPD 1 project. OSHPD 1 projects include all construction and remodel projects for: general acute care hospitals, acute psychiatric hospitals, and general acute care hospitals providing only acute medical rehabilitation center services (2019 CBC 1224.1).

SECTION A		PROJECT INFORMATION	
Facility #:	Facility Name:		Project #:
Street Address:			
City:		County:	
Record Name (Scope of Project):			
Abbreviations: CAC: California Administrative Code CBC: California Building Code CEC: California Electrical Code CMC: California Mechanical Code CPC: California Plumbing Code AAMA: American Architectural Manufacturers Association NFPA: National Fire Protection Association FM: FM Approval Standards DPOR: Design Professional of Record			
			Version: R04.26

Testing, Inspection, and Observation Stages

Stage No.	Stage Name	Stage Scope / Description
1		

DESIGN PROFESSIONAL OF RECORD RESPONSIBILITY

The administration of the work of construction, including this TIO, shall be under the responsible charge of an architect and structural engineer. When a structural engineer is not substantially involved, the architect shall be solely responsible. Where neither structural nor architectural elements are substantially involved, a mechanical or electrical engineer registered in the branch of engineering most applicable to the project may be in responsible charge. (CAC 7-141(a))

Note: HCAI plan review staff must provide verification that the TIO program has been "Reviewed" prior to plan approval to confirm the applicability of the tests and inspections identified in the TIO program for work scope, building systems, and the construction materials shown in the design drawings. Field staff will issue subsequent "TIO Program Approval".

The "TIO Program Approval" from HCAI field staff must be obtained and included with the notice of start of construction required by CAC Section 7-137(a)4 and 7-145(a)5.A)

Construction shall not commence until the health facility has obtained from HCAI "TIO Program Approval". (CAC Section 7-135(a)3)



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
STRUCTURAL TESTS							
Foundation							
B-F1		Soil fill CBC 1705A.6 Fill material acceptance test					
B-F2		Soil fill CBC 1705A.6 Compaction test					
B-F3		Soil and rock anchors CBC 1811A Load test					
B-F4		Deep foundation elements CBC 1810A.3.3.1.2, 1810A.3.1.5.1, 1810A.3.3.1.5, 1810A.3.3.2, & 1810A.3.10.4 Load test					
B-F5		Shoring CBC 1812A Tie-Back Anchors					
B-F6		Vibro Stone Columns (VSC) CBC 1813A Acceptance Test					
B-F7							
B-F8							
Concrete							
B-C1		Concrete CBC 1705A.3, 1903A.6 & 1910A.1; ACI-318 1.9.1 & 26.4 Cementitious materials					
B-C2		Concrete CBC 1705A.3, 1903A.5; ACI-318 1.9.1 & 26.4 Aggregates/Reactive aggregates					
B-C3		Concrete CBC 1705A.3, ACI-318 26.4.1.3, ASTM C1602 Water					
B-C4		Concrete CBC 1705A.3 & 1905A.1.15; ACI-318 26.12 Strength test					
B-C5		Concrete CBC 1705A.3 & 1910A.2 & ACI-318 20.2, 25.4.5.1 & 26.6.1.2 Metal reinforcement (including welded wire fabric and headed rebar)					
B-C6		Concrete CBC 1705A.3, 1901A.3 & ACI-318 20.4 Headed studs and headed stud assemblies					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-C7		Concrete CBC Table 1705A.3, 1903A.8 Weldability of reinforcing bars					
B-C8		Concrete CBC 1705A.3 & 1910A.3; ACI-318 20.3, 25.8 & 26.6.1.2 Prestressing tendons and anchorage					
B-C9		Concrete CBC 1911A.2; ACI-503.7 Crack repair by epoxy injection					
B-C10		Concrete CBC 1911A.3; ICC-ES AC 178 Sec. 9 Strengthening by externally bonded FRP					
B-C11		Shotcrete CBC 1908A.5 Preconstruction test					
B-C12		Shotcrete CBC 1908A.10 Strength test					
B-C13		Shotcrete CBC 1705A.19.1 Core test					
B-C14		Post-installed anchors CBC 1910A.5 Installation verification test (includes adhesive, shot pins and mechanical anchors)					
B-C15		Existing post-installed anchors CBC 1708A and CAC Chapter 6, Section 11.3 Direct tension test					
B-C16							
B-C17							
Masonry							
B-MA1		Masonry CBC 2105A.2; TMS 602 1.4.B.3 Material standards tests					
B-MA2		Masonry CBC 2105A.3 Mortar test					
B-MA3		Masonry CBC 2105A.3 Grout test					
B-MA4		Masonry CBC 2105A.2; TMS 602 1.4.B.3 Compressive strength f'm - prism test					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.					
Facility #:		Facility Name:		Project #:				
		Select with "X" or provide required OPAA information:						
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)	
B-MA5		Masonry CBC 2105A.4 Core test						
B-MA6		Masonry CBC 1705A.4 Masonry anchors						
B-MA7		Veneer CBC 1410.2 Veneer bond strength test						
B-MA8		Architectural Cast Stone CBC 2103A.1 Strength of stone anchorage ASTM C1354						
B-MA9								
B-MA10								
Steel								
B-S1		Steel CBC 2202A.1 Identification test for structural steel and cold formed steel						
B-S2		Steel CBC 2213A.1 & 1705A.13.1 High strength bolts, nuts, and washers						
B-S3		Steel CBC 2213A.2 & 1705A.13.1 End-welded studs						
B-S4		Steel CBC 1705A.2.1 & 1705A.13.1.2 Nondestructive testing of welds						
B-S5		Steel 1705A.13.1.2 & AISC-341 K3 Buckling restrained brace load test						
B-S6		Steel 2205A.4, 1705A.13.1 & AISC-341 K2 Beam to Column Moment Connections						
B-S7								
B-S8								
Other Structural Materials								
B-OM1		Aluminum CBC 2003.1 Testing and Inspection						



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-OM2		Structural Sealant Glazing CBC 2410.1.2 AAMA 501.4 & 501.6 tests - Exterior glass curtain walls					
B-OM3							
B-OM4							
Alternative Systems							
B-AS1		Seismic Isolation System CBC 1705A.13.4 Prototype and production test					
B-AS2		Seismic Damping System CBC 1705A.13.4 Prototype and production test					
B-AS3		Structural Design Criteria CBC 104.11 Tests to support alternative system					
B-AS4							
B-AS5							
B-AS6							
Nonstructural Components, Supports and Attachments							
B-N1		Nonstructural components CBC 1705A.13.2					
B-N2		Special Seismic Certification CBC 1705A.13.3 Shake Table test					
B-N3							
B-N4							
ELECTRICAL TESTS							
B-E1		Ground Fault Protection of Equipment CEC 230.95(C) & 517.17(D)					
B-E2		Emergency Generator Tests CEC 700.3(A) & NFPA 110-2016 § 7.13					
B-E3		Automatic Transfer Switch Test NFPA 110-2016 § 7.13.4.1					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-E4		Emergency Stored Electrical Energy System Test NFPA 111-2016 Section 7.6					
B-E5		Fire Pump Coordination Study and Testing CEC 695.3(C)(3)					
B-E6		Essential Electrical System Coordination Study CEC 517.31(G) & 700.32					
B-E7		Elevator Selective Coordination Study CEC 620.62					
B-E8		Grounding System in Patient Care Spaces 2018 NFPA 99 6.3.3.1					
B-E9		Hospital Grade Receptacles 2018 NFPA 99 6.3.3.2.5					
B-E10		Isolated Power Systems – Line Isolation Monitor Test 2018 NFPA 99 6.3.3.3.2					
B-E11		Isolated Power Systems – Impedance of Isolated Wiring Test 2018 NFPA 99 6.3.2.9.2.1					
B-E12		Medium Voltage Outdoor Systems – Inspections and Test CEC 225.56					
B-E13		Medium Voltage Cable Testing CEC 328.14 & ANSI/NECA/NCSCB 600-2014					
B-E14		Insulation Testing CEC 110.7, 2018 NFPA 99 6.7.4.1.2.2					
B-E15		Torque Electrical Connections CEC 110.3(B) & 110.14(D)					
B-E16		Temporary Installation Grounding CEC 590.6					
B-E17		Nurse call system CEC 517.123					
B-E18		Arc Energy Reduction CEC 240.67 & 240.87					
B-E19		Short-Circuit Current Calculations CEC 110.24(A), 409.22, 430.99, 440.10(B)					
B-E20		Available Fault and Short-Circuit Current Field Marking CEC 110.16(B), 110.24(A), 620.51(D)(1), 700.5(E)					
B-E21		Means of Egress Illumination CBC 1008.2 and 1008.3 Illumination and Emergency Power					
B-E22							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-E23							
MECHANICAL TESTS							
B-ME1		Listed hood assemblies CMC 508.2					
B-ME2		Commercial kitchen hood ventilation CMC 511.2.2.1 Performance test					
B-ME3		Refrigeration equipment CMC 1116.0					
B-ME4		Refrigeration detection and alarm system CMC 1108.4 & CFC 605.6 Acceptance testing					
B-ME5		Refrigeration flaring system CMC 1114.3 Safety and effectiveness					
B-ME6		Steam and hot water boilers CMC 1013.0					
B-ME7		Hydronics CMC 1205.2, 1220.2.6 & 1221.3 Pressure test of steam and water piping					
B-ME8		Process piping CMC 1405.2.2 Pressure test					
B-ME9		Pre Demolition Air Balance CMC 407.3.1 Pre-demolition Air Balance Test and Report					
B-ME10		Post Demolition Air Balance CMC 407.3.1 Air Balance Test and Report					
B-ME11		Ventilation system Air Balance CMC 407.3.1 & Table 4-A Areas tested and balanced					
B-ME12		Duct Leakage Test CMC 603.10.1 SMACNA HVAC Air Duct Leakage Test					
B-ME13		Airborne Infection Isolation Rooms and Protective Environment Rooms CMC 416.4 Alarm system test					
B-ME14		Airborne Infection Isolation Rooms and Protective Environment Rooms CMC 417.0 Mechanical system tested and balanced					
B-ME15							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-ME16							
PLUMBING TESTS							
B-P1		Disinfection of potable water systems CPC 609.9					
B-P2		Medical gas and vacuum NFPA 99-2018 § 5.1.12 Gas and vacuum system performance testing					
B-P3		Medical gas and vacuum NFPA 99-2018 § 5.1.12 Gas and vacuum system verification testing					
B-P4		Existing sewers and drains CPC 102.4.1, 105.3, 105.3.2, & 712.0 Tested for conformance with requirements for new work					
B-P5		Water supply system CPC 105.3, 105.3.2, & 609.4 Pressure tested prior to covering or concealment					
B-P6		Plumbing, drainage, and venting systems CPC 105.3, 105.3.2, & 712.0 Water or air tested prior to use, covering or concealment. No air test for plastic piping.					
B-P7		Building sewer CPC 105.3, 105.3.2, 712.0 & 723.0 Water or air tested prior to use, covering or concealment. No air test for plastic piping.					
B-P8		Storm drain piping CPC 1107.1 Water or air tested prior to use, covering or concealment					
B-P9		Fuel piping CPC 1213.0 Air, CO2 or nitrogen tested prior to use, covering or concealment					
B-P10		Private sewer disposal system CPC 105.0, 105.3.2, & CPC Appendix H H1001.2 Tested prior to use, covering or concealment					
B-P11		Protectively coated pipe CPC 312.5 Tested for voids, damage and imperfections					
B-P12		Defective systems CPC 105.3.1, 105.3.2, 712.0 Air test of defective drainage and plumbing systems					
B-P13		Shower receptors CPC 408.7.5					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-P14		Backflow prevention devices and assemblies CPC 603.2 & 603.4.2 Assembly tested					
B-P15		Nonpotable water CPC 1502.0 Testing of alternate water sources and cross-connections					
B-P16		Recycled water supply systems CPC 1505.5 & 1505.13 Initial cross-connection test and system testing before initial operation					
B-P17		On-site treated nonpotable gray water systems CPC 1506.5, 1506.12, 1502.1 Initial cross-connection test and system testing before initial operation					
B-P18							
B-P19							
FIRE PROTECTION AND LIFE SAFETY SYSTEMS							
B-FP1		Fire Alarm CFC 901.5 & CFC 907.7 NFPA 72-2016 §14.4 Acceptance and Reacceptance Testing					
B-FP2		Fire and smoke dampers CFC 901.5 & CFC 907.8 Acceptance testing					
B-FP3		Duct Detectors CFC 901.5, NFPA 72-2016 §14.4 Differential Pressure Test					
B-FP4		Smoke control system CFC 901.5, CFC 909.18 & CBC 1705.18 and 1705A.18 Acceptance testing					
B-FP5		Fire sprinkler CFC 901.5 & NFPA 13-2016 Chapter 25 Acceptance testing – Aboveground piping					
B-FP6		Fire sprinkler CFC 901.5 & NFPA 13-2016 Chapter 25 Acceptance testing – Underground piping					
B-FP7		Standpipe system CFC 901.5 & NFPA 14-2016 Chapter 11 Acceptance testing – Aboveground piping					
B-FP8		Standpipe system CFC 901.5, CFC 905.3.1 & NFPA 14-2016 Chapter 11 Acceptance testing in buildings 4-stories or more					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-FP9		Standpipe system CFC 901.5 & NFPA 14-2016 Chapter 11 Acceptance testing – Underground piping					
B-FP10		Private fire mains CFC 901.5 & NFPA 24-2016 § 10.10 Acceptance testing					
B-FP11		Fire pumps CFC 901.5 & NFPA 20-2016 § 14.1 & 14.2 Acceptance testing					
B-FP12		Fire protection water tank CFC 901.5 & NFPA 22-2018 Chapter 17 Acceptance testing					
B-FP13		Wet chemical extinguishing system CFC 901.5 & NFPA 17A-2017 § 6.4 Acceptance testing					
B-FP14		Clean agent extinguishing system CFC 901.5 & NFPA 2001-2015 § 7.7 Acceptance testing					
B-FP15		CO2 extinguishing system CFC 901.5 & NFPA 12-2015 § 4.4.3 & 4.4.4 Acceptance testing					
B-FP16		Dry chemical extinguishing system CFC 901.5 & NFPA 17-2017 § 10.4 Acceptance testing					
B-FP17		Halon 1301 extinguishing system CFC 901.5 & NFPA 12A-2015 § 6.7 Acceptance testing					
B-FP18		Underground fuel storage tank CFC 5704.2.12 & NFPA 30-2018 § 21.5.1 Initial testing					
B-FP19		Underground fuel storage tank CFC 5704.2.12 & NFPA 30-2018 § 21.5.2 Tightness testing					
B-FP20		Flammable and combustible liquid fuel piping CFC 5703.6.3 Pressure testing					
B-FP21		Emergency Responder Radio Coverage CFC 510.5.3 Acceptance test procedure					
B-FP22		Testing of Elevator Shutdown 2019 C.B.C. 3005.5, NFPA 72-2016 21.4 and ASME A17.1-2013					
B-FP23		Elevator Emergency Operation 2019 CBC 3003.2 Emergency Recal and In-cart operation					
B-FP24		Elevator Emergency Standby Power 2019 CBC 3003.1 Backup Generator Engaged					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION B			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	TESTS	Samples of Test & Inspection Reports Included	OPAA No. and Expiration Date	Responsible Approved Agency And/Or Individual	Compliance Verification by IOR (Initial/Date)	HCAI/FDD Use (Initial/Date)
B-FP25							
B-FP26							
OTHER TESTS							
B-OT1		Radiation Shielding Barriers CBC 1705A.1.1 and 3102C Radiation shielding barrier test					
B-OT2		Exit Signs CBC 1013.1 Location, Illumination and Physical Characteristics					
B-OT3		Aluminum Mullion Systems CBC 2411.1.2 Testing and Inspection of Thermal Barriers					
B-OT4		Accessibility CBC 11B Accessibility to Public Commercial Buildings					
B-OT5							
B-OT6							
B-OT7							
B-OT8							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION C		NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.					
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	ON-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)

STRUCTURAL SPECIAL INSPECTIONS

Foundation

C-F1		Soils CBC 1705A.6 Soil fill					
C-F2		Foundation CBC 1705A.7 Driven deep foundations					
C-F3		Foundation CBC 1705A.8 Cast-in-place deep foundations					
C-F4		Foundation CBC 1705A.9 Helical pile foundations					
C-F5		Shoring CBC 1812A Shoring					
C-F6		Vibro Stone Columns (VSC) CBC 1813A Vibro Stone Columns					
C-F7		Prestressed soil and rock anchors CBC 1705A.3, 1811A & 1812A Installation and testing					
C-F8							
C-F9							

Concrete

C-C1		Concrete CBC 1705A.3; ACI-318 26.5.2 & 26.13 Placement of concrete					
C-C2		Concrete CBC 1705A.3; ACI-318 26.4.1.5 Admixtures					
C-C3		Concrete CBC 1705A.3; ACI-318 26.4 Mix Design					
C-C4		Concrete CBC 1705A.3; ACI-318 26.13 Reinforcing steel & prestressing steel					
C-C5		Concrete CBC 1705A.3 CIP & Post-installed anchors					
C-C6		Concrete CBC Table 1705A.3 Adhesive anchors in horizontal and upwardly inclined positions with sustained tension load					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION C			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
			Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	ON-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
C-C7		Concrete CBC 1705A.3; ACI-318 26.13 Specialty inserts, Stud rails, Rebar mechanical conn., Headed rebar					
C-C8		Concrete CBC 1705A.3.3 Batch plant inspection					
C-C9		Concrete CBC 1705A.3.4; ACI-318 26.13 Prestressed concrete					
C-C10		Concrete CBC 1705A.3 & 1705A.12.5 Precast concrete erection					
C-C11		Shotcrete CBC 1705A.19 & 1908A Installation					
C-C12		Concrete CBC 1705A.3 Insulating concrete					
C-C13		Concrete CBC 1705A.3, 1705A.3.1 & 1903A.8 Welding of reinforcing bars					
C-C14		Concrete CBC 1705A.12.5 GFRC panels					
C-C15		Concrete CBC 1911A.2; ACI-503.7 Crack repair by epoxy injection					
C-C16		Concrete CBC 1911A.3, ICC AC178 Sec. 3 to 8 Strengthening by externally bonded FRP					
C-C17							
C-C18							
C-C19							
Masonry							
C-MA1		Masonry CBC 1705A.4 Laying and grouting					
C-MA2		Masonry CBC 2104A.1.3 Low lift grout					
C-MA3		Masonry CBC 2104A.1.3 High lift grout					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION C			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
			Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	ON-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
C-MA4		Masonry CBC 1705A.4 Masonry anchors					
C-MA5							
C-MA6							
Steel							
C-S1		Steel CBC 1705A.2.5 & 1705A.12.1 Automatic end-welded studs					
C-S2		Steel CBC 1705A.2.5 & 1705A.12.1 Shop and field welding					
C-S3		Steel AWS D1.1 3 & 4 and AWS D1.8 6.1 Shop and field welding - WPS / WPQR					
C-S4		Steel CBC 1705A.2 & 1705A.12.1 High strength bolt installation					
C-S5		Steel CBC 1705A.2, 1705A.11.2 & 1705A.12.3 Cold-formed steel light frame construction					
C-S6							
C-S7							
C-S8							
Wood							
C-W1		Wood CBC 1705A.5, 1705A.5.4, 1705A.11.1 & 1705A.12.2 Glue laminated timber					
C-W2		Wood CBC 1705A.5.6, 1705A.11.1 & 1705A.12.2 Installation of timber connectors					
C-W3		Wood CBC 1705A.5, 1705A.5.2 & 1705A.5.5 Manufactured trusses					
C-W4		Wood CBC 1705A.11.1 & 1705A.12.2 Nailing, screw attachment, bolting, anchoring, field gluing operations and other fastening					
C-W5							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION C		NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.					
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	ON-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
C-W6							
Other Structural Materials							
C-OM1		Aluminum CBC 2003.1 Testing and Inspection					
C-OM2		Structural Sealant Glazing CBC 2410.1.2 Structural sealants for exterior glass curtain walls					
C-OM3							
C-OM4							
Alternative Systems							
C-AS1		Alternative system CBC 1705A.1.1 Construction materials and methods for alternative system					
C-AS2		Seismic Isolation System CBC 1705A.12.8 Fabrication, installation, prototype, and production testing					
C-AS3		Seismic Damping System CBC 1705A.12.8 Fabrication, installation, prototype, and production testing					
C-AS4							
Nonstructural components, supports and attachments							
C-N1		Architectural components CBC 1705A.12.5 & 1705A.16 Cladding, nonbearing walls and veneer					
C-N2		Ceiling CBC 1705A.12.5 Suspended ceiling systems and their anchorage					
C-N3		Access floors CBC 1705A.12.5.1 Anchorage of access floor systems					
C-N4		Storage racks 8' or taller CBC 1705A.12.7 Anchorage					
C-N5		Plumbing, mechanical and electrical components CBC 1705A.12.6 Anchorage, bracing, and vibration isolators					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION C			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
			Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	ON-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
C-N6		Special Seismic Certification CBC 1705A.12.4 Special Seismic Certification label, anchorage and mounting					
C-N7							
C-N8							
ELECTRICAL INSPECTIONS							
C-E1		Available Fault and Short-Circuit Current Field Marking CEC 110.16(B), 110.24(A), 620.51(D)(1), 700.5(E)					
C-E2							
C-E3							
MECHANICAL INSPECTIONS							
C-M1							
C-M2							
PLUMBING INSPECTIONS							
C-P1							
C-P2							
FIRE PROTECTION AND LIFE SAFETY SYSTEM SPECIAL INSPECTIONS							
C-FP1		Sprayed fire-resistant materials CBC 1705A.14 Spray-applied fireproofing					
C-FP2		Mastic and intumescent fire-resistant coatings CBC 1705A.15 In accordance with AWCI 12-B					
C-FP3		Penetration firestops CBC 1705A.17.1 Penetration firestop systems that are tested and listed					
C-FP4		Fire-resistant joint systems CBC 1705A.17.2 Fire-resistant joint systems that are tested and listed					
C-FP5		Smoke control systems CFC 909.18.8 & CBC 170.17 & 1705A.18 Ductwork and operation					
C-FP6		Sprinkler system piping NFPA 13-2016 § 6.5.2 Welded pipe and fittings					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION C			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
			Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	ON-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
C-FP7		Standpipe system piping NFPA 14-2016 § 4.4.2 Welded pipe and fittings					
C-FP8							
C-FP9							
OTHER SPECIAL INSPECTIONS							
C-OT1		Exterior insulation and finish systems (EIFS). CBC 1705A.16 EIFS applications					
C-OT2		Water-resistive barrier coating CBC 1705A.16.1 ASTM E2570 Barrier coating when installed over a sheathing substrate.					
C-OT3							
C-OT4							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION D		NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.					
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	OFF-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)

STRUCTURAL SPECIAL INSPECTIONS

Concrete

D-C1		Concrete CBC 1705A.3; ACI-318 26.5.2 & 26.13 Placement of concrete					
D-C2		Concrete CBC 1705A.3; ACI-318 26.4.1.5 Admixtures					
D-C3		Concrete CBC 1705A.3; ACI-318 26.4 Mix Design					
D-C4		Concrete CBC 1705A.3; ACI-318 26.13 Reinforcing steel & prestressing steel					
D-C5		Concrete CBC 1705A.3 CIP & Post-installed anchors					
D-C6		Concrete CBC Table 1705A.3 Adhesive anchors in horizontal and upwardly inclined positions with sustained tension load					
D-C7		Concrete CBC 1705A.3; ACI-318 26.13 Specialty inserts, Stud rails, Rebar mechanical conn., Headed rebar					
D-C8		Concrete CBC 1705A.3.3 Batch plant inspection					
D-C9		Concrete CBC 1705A.3.4; ACI-318 26.13 Prestressed concrete					
D-C10		Concrete CBC 1705A.3 Precast concrete fabrication & precast panels					
D-C11		Concrete CBC 1705A.3 Insulating concrete					
D-C12		Concrete CBC 1705A.3, 1705A.3.1 & 1903A.8 Welding of reinforcing bars					
D-C13		Concrete CBC 1705A.12.5 GFRC panels					
D-C14		Concrete CBC 1911A.3, ICC AC178 Sec. 3 to 8 Strengthening by externally bonded FRP					
D-C15							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION D		NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.					
Facility #:		Facility Name:		Project #:			
		Select with "X" or provide required OPAA information:					
Index #	Stage 1 Required (Select with "X")	OFF-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
D-C16							
Masonry							
D-MA1		Masonry CBC 1705A.4 Masonry anchors					
D-MA2							
D-MA3							
Steel							
D-S1		Steel CBC 1705A.2 & 1705A.12.1, AISC-360 & AISC-341 Steel shop fabrication					
D-S2		Steel CBC 1705A.2.5 & 1705A.12.1 Automatic end-welded studs					
D-S3		Steel CBC 1705A.2.5 & 1705A.12.1 Shop welding					
D-S4		Steel AWS D1.1 3 & 4 and AWS D1.8 6.1 Shop welding - WPS / WPQR					
D-S5		Steel CBC 1705A.2 & 1705A.12.1 High strength bolt installation					
D-S6		Steel CBC 1705A.2, 1705A.11.2 & 1705A.12.3 Cold-formed steel light frame construction					
D-S7							
D-S8							
Wood							
D-W1		Wood CBC 1705A.5, 1705A.5.4, 1705A.11.1 & 1705A.12.2 Glue laminated timber					
D-W2		Wood CBC 1705A.5.6, 1705A.11.1 & 1705A.12.2 Installation of timber connectors					
D-W3		Wood CBC 1705A.5, 1705A.5.2 & 1705A.5.5 Manufactured trusses					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION D			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.					
Facility #:		Facility Name:		Project #:				
				Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	OFF-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)	
D-W4		Wood CBC 1705A.11.1 & 1705A.12.2 Nailing, screw attachment, bolting, anchoring, field gluing operations and other fastening						
D-W5								
D-W6								
Other Structural Materials								
D-OM1		Aluminum CBC 2003.1 Inspection						
D-OM2		Structural Sealant Glazing CBC 2410.1.2 Structural sealants for exterior glass curtain walls						
D-OM3								
Alternative Systems								
D-AS1		Alternative system CBC 1705A.1.1 Construction materials and methods for alternative system						
D-AS2		Seismic Isolation System CBC 1705A.12.8 Fabrication, installation, prototype, and production testing						
D-AS3		Seismic Damping System CBC 1705A.12.8 Fabrication, installation, prototype, and production testing						
D-AS4								
Nonstructural components, supports and attachments								
D-N1		Architectural components CBC 1705A.12.5 & 1705A.16 Cladding, nonbearing walls and veneer						
D-N2		Ceiling CBC 1705A.12.5 Suspended ceiling systems and their anchorage						
D-N3		Access floors CBC 1705A.12.5.1 Anchorage of access floor systems						
D-N4		Storage racks 8' or taller CBC 1705A.12.7 Anchorage						



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION D			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
			Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	OFF-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
D-N5		Plumbing, mechanical and electrical components CBC 1705A.12.6 Anchorage, bracing, and vibration isolators					
D-N6		Special Seismic Certification CBC 1705A.12.4 Special Seismic Certification label, anchorage and mounting					
D-N7							
D-N8							
MECHANICAL INSPECTIONS							
D-M1							
D-M2							
PLUMBING INSPECTIONS							
D-P1							
D-P2							
FIRE PROTECTION AND LIFE SAFETY SYSTEMS SPECIAL INSPECTIONS							
D-FP1		Sprayed fire-resistant materials CBC 1705A.14 Spray-applied fireproofing					
D-FP2		Mastic and intumescent fire-resistant coatings CBC 1705A.15 In accordance with AWCI 12-B					
D-FP3		Penetration firestops CBC 1705A.17.1 Penetration firestop systems that are tested and listed					
D-FP4		Fire-resistant joint systems CBC 1705A.17.2 Fire-resistant joint systems that are tested and listed					
D-FP5		Smoke control systems CFC 909.18.8 & CBC 170.17 & 1705A.18 Ductwork and operation					
D-FP6		Sprinkler system piping NFPA 13-2016 § 6.5.2 Welded pipe and fittings					
D-FP7		Standpipe system piping NFPA 14-2016 § 4.4.2 Welded pipe and fittings					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION D			NOTE: Approved agencies, individuals, and all changes to the TIO program shall be identified, evaluated by the DPOR and approved by HCAI prior to proceeding with the related work.				
Facility #:		Facility Name:		Project #:			
			Select with "X" or provide required OPAA information:				
Index #	Stage 1 Required (Select with "X")	OFF-SITE SPECIAL INSPECTIONS	Samples of test & inspection reports included	OPAA No. and Expiration Date	RESPONSIBLE APPROVED AGENCY AND/OR INDIVIDUAL (IDENTIFY SPECIAL INSPECTOR)	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
D-FP8							
D-FP9							
OTHER SPECIAL INSPECTIONS							
D-OT1		Exterior insulation and finish systems (EIFS). CBC 1705A.16 EIFS applications					
D-OT2		Water-resistive barrier coating CBC 1705A.16.1 ASTM E2570 Barrier coating when installed over a sheathing substrate.					
D-OT3							
D-OT4							



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION E			REQUIRED COMPLIANCE FORMS		
Facility #:		Facility Name:		Project #:	
FORM #	Required (Select with "X")	DOCUMENT NAME	RESPONSIBLE DESIGNER OR INSTALLING CONTRACTOR	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
CALIFORNIA ENERGY CODE					
NON-RESIDENTIAL CERTIFICATE OF INSTALLATION (NRCI)					
NRCI-ENV-01-E		ENVELOPE			
NRCI-MCH-01-E		MECHANICAL			
NRCI-PLB-01-E		PLUMBING			
NRCI-LTI-01-E		INDOOR LIGHTING (conditioned, processed spaces)			
NRCI-LTI-02-E		ENERGY MANAGEMENT CONTROL SYSTEM OR LIGHTING CONTROL SYSTEM (conditioned, processed spaces)			
NRCI-LTI-04-E		TWO INTERLOCKED LIGHTING SYSTEMS (conditioned, processed spaces)			



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION E			REQUIRED COMPLIANCE FORMS		
Facility #:		Facility Name:		Project #:	
FORM #	Required (Select with "X")	DOCUMENT NAME	RESPONSIBLE DESIGNER OR INSTALLING CONTRACTOR	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
NRCI-LTI-05-E		ENERGY MANAGEMENT CONTROL SYSTEM OR LIGHTING CONTROL SYSTEM <i>(conditioned, processed spaces)</i>			
NRCI-LTI-06-E		VIDEO CONFERENCE STUDIO LIGHTING <i>(conditioned, processed spaces)</i>			
NRCI-LTI-01-E		INDOOR LIGHTING <i>(conditioned, processed spaces)</i>			
NRCI-LTI-02-E		ENERGY MANAGEMENT CONTROL SYSTEM OR LIGHTING CONTROL SYSTEM <i>(conditioned, processed spaces)</i>			
NRCI-LTI-05-E		ENERGY MANAGEMENT CONTROL SYSTEM OR LIGHTING CONTROL SYSTEM <i>(conditioned, processed spaces)</i>			
NRCI-LTO-01-E		OUTDOOR LIGHTING			



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION E			REQUIRED COMPLIANCE FORMS		
Facility #:		Facility Name:		Project #:	
FORM #	Required (Select with "X")	DOCUMENT NAME	RESPONSIBLE DESIGNER OR INSTALLING CONTRACTOR	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
NRCI-LTO-02-E		ENERGY MANAGEMENT CONTROL SYSTEM OR LIGHTING CONTROL SYSTEM <i>(outdoor lighting)</i>			
NRCI-ELC-01-E		ELECTRICAL POWER DISTRIBUTION			
NRCI-PRC-01-E		COVERED PROCESSES <i>(commercial refrigeration)</i>			
NRCI-PRC-01-E		COVERED PROCESSES <i>(parking garage)</i>			
NRCI-PRC-01-E		COVERED PROCESSES <i>(process boilers greater than 2.5 MM Btu/h)</i>			
NRCI-LTS-01-E		SIGN LIGHTING <i>(indoor and outdoor)</i>			
NON-RESIDENTIAL CERTIFICATE OF ACCEPTANCE (NRCA)					



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION E			REQUIRED COMPLIANCE FORMS		
Facility #:		Facility Name:	Project #:		
FORM #	Required (Select with "X")	DOCUMENT NAME	RESPONSIBLE DESIGNER OR INSTALLING CONTRACTOR	COMPLIANCE VERIFICATION BY IOR (Initial/Date)	HCAI/FDD USE (Initial/Date)
NRCA-ENV-02-F		FENESTRATION ACCEPTANCE			



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION F							CONSTRUCTION VERIFICATION							
Facility #:		Facility Name:						Project #:						
VERIFIED CONSTRUCTION INSPECTION AND OBSERVATION REPORTING												<div>HCAI/FDD USE</div>		
REFERENCE NUMBER	PROJECT STAGE(S), MILESTONE, OR INTERVAL (Clearly indicate which Stage(s) apply to which Milestone/Interval)	VERIFIED COMPLIANCE REPORT REQUIRED AS INDICATED (Form OSH-FD-123) (See "PERSONAL KNOWLEDGE" as defined in California Administrative Code, Section 7-151)												
		GEOR	AOR	SEOR	MEOR	EEOR	CONT	IOR	SP INSP	TEST LAB				
	Clear all plan review Outstanding Items List (OIL) Items													
	Installation of temporary equipment													
	Removal of temporary equipment													
	Substantial Compliance (Remodel, Renovations, Maintenance projects, Equipment Replacement)													
	Certificate of Occupancy (New Buildings, Additions, Changes in Occupancy)													
	Construction Final													
ABBREVIATIONS: <div><div>GEOR - Geotechnical Engineer of Record</div><div>MEOR - Mechanical Engineer of Record</div><div>SP. INSP - Special Inspector</div></div> <div><div>AOR - Architect of Record</div><div>EEOR - Electrical Engineer of Record</div><div>IOR - Inspector of Record</div></div> <div><div>SEOR - Structural Engineer of Record</div><div>CONT O/B - Contractor or Owner/Builder</div><div>Test Lab – Engr. For the approved agency</div></div>														



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

[illegible]



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION H	HCAI REVIEWED	
Facility #:	Facility Name:	Project #:
NOTE: A structural engineer's signature is required for H and I projects or when they are substantially involved on an S project		
Submitted By:		
I have reviewed the approved construction documents for this project and all tests and special inspections required by Code are marked as "required" on this form.		
Architect/Engineer of Record (Print Name)	Architect/Engineer of Record (Signature)	Date
Structural Engineer of Record (Print Name)	Structural Engineer of Record (Signature)	Date
FOR HCAI USE		
TIO Program Reviewed by HCAI Plan Review Staff:		
Note: HCAI plan review staff must provide verification that the TIO program has been "Reviewed" prior to plan approval to confirm the applicability of the tests and inspections identified in the TIO program for work scope, building systems, and the construction materials shown in the design drawings. Field staff will issue subsequent "TIO Program Approval".		



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

SECTION I	TIO PROGRAM APPROVAL		
Facility #:	Facility Name:	Project #:	
<p>This program is prepared and submitted for an OSHPD 1 project. OSHPD 1 projects include all construction and remodel projects for: general acute care hospitals, acute psychiatric hospitals, and general acute care hospitals providing only acute medical rehabilitation center services (2019 CBC 1224.1).</p>			
<p>Samples of Test and Inspection Reports are NOT required for tests performed by laboratories approved through OPAA Program</p>			
<p>All test and special inspection reports shall be submitted to the IOR, hospital owner, architect in responsible charge, and the structural engineer by the testing agency per CAC 7-149(a).</p>			
<p>Verified compliance reports shall be signed by the individual who performed the special inspection(s) as outlined in CAC 7-151 (c). All reports shall clearly state whether the tests or special inspections were performed in accordance with the HCAI stamped approved documents and whether the results indicate compliance with those documents per CAC 7-149 (a). All IORs performing special inspections shall hold the appropriate certification and equipment, and shall obtain approval from the design professional of record and HCAI prior to performing such work.</p>			
<p>NOTE: This Test, Inspection, and Observation Report shall be approved by HCAI field personnel prior to start of construction.</p>			
Architect/Engineer of Record (Print Name)	Professional License #	Architect/Engineer of Record (Signature)	Date
FOR HCAI FIELD STAFF USE			
<p>TIO Program Approved by HCAI Field Staff:</p>			
<p>Note: HCAI plan review staff must provide verification that the TIO program has been "Reviewed" prior to plan approval to confirm the applicability of the tests and inspections identified in the TIO program for work scope, building systems, and the construction materials shown in the design drawings. HCAI Field staff will issue subsequent "TIO Program Approval".</p>			
<p>If "Approved with Comments" is checked the following comments shall be resolved by the designer prior to proceeding with the related construction:</p>			



Testing, Inspection, and Observation Program

2019 California Building Standards Code - OSHPD 1

[illegible]