

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Alameda	Alameda Hospital	8.2% (1;13)	5.6% (3;114)	3.3% (2;56)	3.4% (5;150)	0.0% (0;13)	2.7% (6;220) Better			
	Alta Bates Summit Medical Center	3.6% (16;422) Better	9.9% (28;359)	2.1% (6;267)	2.1% (21;755)	1.9% (2;73)	2.4% (9;342) Better	0.0% (0;9)	12.3% (1;5)	2.7% (7;273)
	Alta Bates Summit Medical Center – Alta Bates Campus	7.1% (2;21)	5.3% (15;194) Better	2.2% (5;184)	2.1% (8;291)	0.9% (1;95)	5.4% (9;159)			
	Eden Medical Center	3.5% (1;22)	9.9% (59;506)	5.2% (11;133) Worse	3.3% (12;303)	0.6% (1;129)	5.9% (23;326)	9.7% (1;25)		
	Highland Hospital	1.9% (2;136)	10.7% (17;131)	1.8% (4;222)	1.2% (5;553)	2.2% (3;95)	5.3% (20;414)	0.0% (0;5)	0.0% (0;5)	3.7% (3;108)
	Kaiser Foundation Hospital – Fremont	11.6% (8;88)	9.3% (14;143)	2.1% (4;162)	2.9% (8;270)	0.0% (0;67)	6.0% (15;219)			4.5% (1;41)
	Kaiser Foundation Hospital – Oakland Medical Center**	4.0% (13;360)	9.8% (40;568)	2.0% (7;379)	3.7% (30;983)	1.4% (2;174)	7.5% (41;657)		1.0% (1;121)	3.8% (7;232)
	Kaiser Foundation Hospital – San Leandro	4.2% (3;34)	9.7% (17;226)	2.0% (3;214)	3.3% (17;447)	1.2% (1;87)	5.0% (19;388)			
	St. Rose Hospital	7.5% (18;155)	11.6% (2;30)	4.2% (3;70)	9.2% (12;216) Worse	0.0% (0;25)	10.8% (27;196) Worse			5.3% (7;130)
	Stanford Health Care Tri-Valley	6.4% (16;153)	6.9% (10;161)	1.9% (5;177)	1.7% (12;384)	0.0% (0;75)	3.5% (19;366) Better	0.0% (0;21)		4.6% (11;153)
	Washington Hospital – Fremont	6.0% (16;254)	9.7% (29;262)	2.3% (5;259)	2.3% (13;586)	1.8% (2;109)	9.0% (56;593) Worse	0.0% (0;19)		6.4% (8;165)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Amador	Sutter Amador Hospital	0.0% (0;8)	12.6% (3;69)	1.8% (1;53)	0.0% (0;120)	1.9% (1;65)	2.9% (4;174)			
Butte	Enloe Health**	5.5% (19;338)	10.1% (35;375)	2.9% (15;418)	3.1% (32;1,021)	0.5% (1;198)	7.2% (49;789)	0.0% (0;47)	0.0% (0;8)	4.6% (13;288)
	Orchard Hospital	0.0% (0;4)	0.0% (0;5)		5.8% (1;19)		4.9% (1;41)			
	Oroville Hospital	10.6% (6;55)	6.3% (4;140)	1.9% (3;165)	1.1% (4;413)	0.8% (1;81)	4.0% (29;954) Better	0.0% (0;12)		0.0% (0;21)
Calaveras	Mark Twain Medical Center		11.4% (1;29)		4.8% (1;40)	0.0% (0;15)	8.7% (5;73)			
Colusa	Colusa Medical Center			55.6% (2;4) Worse	0.0% (0;45)		3.4% (2;73)			
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;8)	4.7% (1;73)	5.2% (4;78)	3.3% (5;324)	0.0% (0;14)	10.5% (9;160)			
	John Muir Medical Center – Concord Medical Center**	5.3% (17;387)	9.7% (9;201)	3.0% (7;322)	3.2% (22;788)	0.0% (0;93)	7.1% (26;431)	0.0% (0;65)		5.3% (10;249)
	John Muir Medical Center – Walnut Creek Medical Center**	6.1% (8;93)	10.1% (97;611) Worse	3.0% (9;278)	2.7% (17;496)	1.1% (3;250)	7.0% (40;558)	4.5% (1;3)	6.9% (1;14)	7.7% (2;37)
	Kaiser Foundation Hospital – Antioch	2.6% (1;50)	8.7% (15;262)	2.8% (4;246)	2.6% (10;471)	1.0% (1;98)	7.2% (20;339)			
	Kaiser Foundation Hospital – Walnut Creek	5.4% (9;267)	7.9% (13;250)	2.5% (6;261)	3.8% (22;488)	0.8% (2;267)	8.4% (41;511)	0.0% (0;17)		3.3% (3;192)
	San Ramon Regional Medical Center	5.7% (5;89)	0.0% (0;47)	2.3% (3;98)	2.2% (5;164)	0.0% (0;42)	6.6% (13;216)			6.1% (4;68)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Contra Costa (continued)	Sutter Delta Medical Center	4.9% (9;187)	5.0% (2;77)	2.5% (4;190)	1.9% (8;476)	0.0% (0;26)	4.7% (12;252)			4.0% (7;206)
Del Norte	Sutter Coast Hospital	0.0% (0;8)	22.7% (5;38) Worse	0.0% (0;25)	1.2% (1;79)	2.0% (1;49)	6.9% (9;149)			
El Dorado	Barton Memorial Hospital		12.6% (1;17)	0.0% (0;21)	0.0% (0;42)	0.0% (0;30)	13.0% (3;74)			
	Marshall Medical Center	8.4% (2;25)	7.4% (8;103)	2.1% (2;91)	3.1% (7;185)	2.3% (2;98)	6.0% (16;318)			
Fresno	Adventist Health Reedley		0.0% (0;18)		0.0% (0;17)		0.0% (0;23)			
	Clovis Community Medical Center	6.7% (12;219)	5.7% (9;331)	4.9% (16;452) Worse	4.7% (28;750) Worse	2.1% (4;211)	7.5% (48;810)		6.5% (1;7)	2.6% (4;173)
	Coalinga Regional Medical Center		26.3% (1;4)		23.9% (1;12)		6.4% (2;65)			
	Community Regional Medical Center – Fresno	5.9% (29;530)	9.5% (131;1,136) Worse	2.6% (17;662)	4.3% (35;1,472) Worse	1.7% (3;204)	8.6% (48;909) Worse	2.1% (1;75)	0.0% (0;11)	3.3% (12;333)
	Kaiser Foundation Hospital – Fresno	5.4% (4;118)	11.4% (18;197)	4.3% (6;152)	4.5% (15;349)	0.7% (1;153)	5.8% (17;339)	0.0% (0;17)		0.0% (0;39)
	Saint Agnes Medical Center	8.1% (47;530) Worse	11.4% (24;376)	3.8% (25;690)	4.3% (41;1,354) Worse	2.5% (5;233)	11.9% (77;1,009) Worse	0.0% (0;7)	0.0% (0;10)	4.1% (21;403)
	San Joaquin Valley Rehab Hospital	0.0% (0;4)	0.0% (0;33)		0.0% (0;7)					
Glenn	Glenn Medical Center				0.0% (0;4)		7.6% (1;34)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Humboldt	Jerold Phelps Community Hospital						93.2% (1;6)			
	Mad River Community Hospital	0.0% (0;3)	17.4% (2;13)	3.2% (1;16)	4.0% (1;33)	6.5% (1;19)	6.3% (2;68)			
	Providence Redwood Memorial Hospital		37.3% (1;4)	0.0% (0;17)	0.0% (0;26)		2.5% (2;69)			
	Providence St. Joseph Hospital – Eureka	8.7% (14;174)	11.6% (12;95)	1.5% (3;190)	4.6% (19;336) Worse	2.4% (5;121)	5.4% (25;385)	0.0% (0;62)		8.4% (10;118) Worse
Imperial	El Centro Regional Medical Center	2.9% (1;19)	6.9% (4;115)	6.0% (8;137)	4.3% (8;209)		11.3% (33;277) Worse			
	Pioneers Memorial Healthcare District	19.6% (1;9)	7.1% (2;74)	3.8% (1;18)	2.9% (4;131)	0.0% (0;36)	5.3% (11;201)			
Inyo	Northern Inyo Hospital		9.7% (2;18)	0.0% (0;7)	0.0% (0;24)	0.0% (0;19)	11.5% (3;26)			
	Southern Inyo Hospital				0.0% (0;5)		18.8% (1;4)			
Kern	Adventist Health Bakersfield	6.9% (29;433)	8.0% (43;458)	3.6% (18;451)	4.4% (23;589) Worse	0.5% (1;215)	6.3% (62;950)	0.0% (0;15)		5.0% (15;295)
	Adventist Health Delano		0.0% (0;10)		2.4% (2;79)		9.1% (6;100)			
	Adventist Health Tehachapi Valley		0.0% (0;8)	2.3% (1;30)	1.8% (1;56)	14.2% (1;4)	3.4% (2;107)			
	Bakersfield Heart Hospital	4.2% (4;161)	7.0% (2;37)	0.0% (0;6)	3.2% (6;275)		15.1% (8;90) Worse			1.9% (2;112)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Kern (continued)	Bakersfield Memorial Hospital	8.6% (29;344) Worse	11.6% (59;492) Worse	5.0% (19;389) Worse	4.6% (25;655) Worse	4.6% (5;149)	9.6% (26;348) Worse	0.0% (0;45)		5.2% (13;253)
	Good Samaritan Hospital – Bakersfield				7.3% (1;11)		7.3% (1;21)			
	Kern Medical Center	13.9% (3;35)	10.4% (6;85)	4.9% (7;129)	3.1% (4;197)	3.8% (2;63)	7.0% (4;113)	0.0% (0;4)	0.0% (0;8)	
	Kern Valley Healthcare District				0.0% (0;13)		0.0% (0;40)			
	Mercy Hospital – Bakersfield	4.8% (2;30)	10.8% (23;254)	3.0% (4;215)	3.0% (9;345)	3.6% (4;157)	8.2% (21;391)	0.0% (0;5)		
	Ridgecrest Regional Hospital		17.6% (2;27)	6.8% (1;15)	8.4% (4;43)	0.0% (0;11)	7.9% (2;51)			
Kings	Adventist Health Hanford	5.9% (2;42)	6.7% (4;180)	2.8% (6;169)	2.8% (13;426)	1.3% (1;124)	7.6% (29;448)	0.0% (0;3)		
Lake	Adventist Health Clearlake		0.0% (0;38)	0.0% (0;6)	5.5% (3;90)	0.0% (0;18)	4.4% (3;107)			
	Sutter Lakeside Hospital		0.0% (0;11)	0.0% (0;24)	3.3% (2;71)	0.0% (0;47)	0.0% (0;89) Better			
Lassen	Banner Lassen Medical Center		0.0% (0;3)	0.0% (0;4)	4.7% (1;28)	0.0% (0;11)	11.5% (4;60)			
Los Angeles	Adventist Health Glendale	3.8% (16;454)	6.9% (43;432)	1.4% (4;337)	1.6% (12;733)	2.4% (5;182)	4.9% (64;1,140) Better	0.0% (0;28)	0.0% (0;15)	2.2% (8;374) Better
	Adventist Health White Memorial**	6.8% (20;314)	5.9% (10;237)	4.2% (8;268)	2.3% (11;538)	0.0% (0;39)	9.1% (29;349) Worse	7.9% (1;10)		4.7% (12;258)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	Adventist Health White Memorial Montebello	9.0% (6;73)	9.3% (7;122)	1.9% (4;172)	3.9% (8;261)	7.0% (3;52)	5.4% (13;278)			4.2% (1;29)
	Alhambra Hospital Medical Center	5.4% (2;28)	4.3% (2;70)	5.6% (7;165)	3.8% (5;142)	0.0% (0;25)	9.6% (28;279) Worse			
	Antelope Valley Medical Center**	6.2% (16;337)	8.9% (45;612)	5.1% (19;555) Worse	3.5% (14;502)	0.9% (1;159)	10.4% (65;728) Worse	0.0% (0;13)		10.9% (16;212) Worse
	California Hospital Medical Center – Los Angeles	1.1% (1;164)	6.4% (12;302)	0.9% (2;270)	1.7% (9;851)	4.4% (2;44)	8.8% (16;266)	0.0% (0;3)		2.2% (1;55)
	Casa Colina Hospital			0.0% (0;18)	0.0% (0;15)	0.0% (0;15)	6.9% (3;53)			
	Catalina Island Medical Center				0.0% (0;4)					
	Cedars – Sinai Marina Hospital**	0.0% (0;8)	5.3% (1;65)	0.0% (0;109)	2.5% (5;222)	3.8% (3;68)	6.2% (22;262)			
	Cedars – Sinai Medical Center	5.1% (32;464)	8.9% (86;793)	2.9% (23;816)	2.4% (47;1,555)	1.5% (4;291)	7.3% (126;1,293)	0.0% (0;78)	1.5% (2;118)	3.7% (36;700)
	Centinela Hospital Medical Center	4.1% (8;268)	6.9% (18;307)	2.3% (5;303)	1.1% (7;940) Better	0.0% (0;52)	5.6% (53;633)	0.0% (0;9)		2.3% (3;168)
	City of Hope Helford Clinical Research Hospital	6.6% (1;6)	29.3% (8;35) Worse	0.0% (0;35)	0.0% (0;10)		7.9% (24;259)		0.0% (0;84)	
	Coast Plaza Hospital	0.0% (0;20)	9.5% (3;24)	4.2% (3;71)	8.3% (6;117) Worse	0.0% (0;19)	11.2% (30;298) Worse			
	College Medical Center	0.0% (0;10)	0.0% (0;7)	3.3% (1;73)	4.7% (3;103)	4.7% (1;21)	11.5% (11;133)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	Community Hospital of Huntington Park	5.6% (2;52)	0.0% (0;53)	0.0% (0;116)	1.5% (3;330)	0.0% (0;24)	9.1% (19;233)			
	East Los Angeles Doctors Hospital	8.6% (1;14)	0.0% (0;22)	5.9% (2;21)	1.7% (2;184)	0.0% (0;21)	7.6% (10;136)			
	Emanate Health Foothill Presbyterian Hospital	8.1% (5;34)	11.3% (5;84)	4.4% (6;148)	2.1% (5;254)	7.6% (4;63) Worse	8.0% (25;312)		0.0% (0;7)	
	Emanate Health Inter – Community Hospital	6.3% (24;456)	7.7% (5;89)	4.7% (6;177)	2.5% (8;396)	6.5% (4;62) Worse	6.2% (19;351)	0.0% (0;9)		3.8% (10;260)
	Emanate Health Queen of the Valley Hospital	0.0% (0;27)	6.1% (31;466)	5.8% (11;278) Worse	4.1% (13;374)	0.0% (0;94)	9.4% (49;603) Worse			
	Encino Hospital Medical Center	0.0% (0;3)	11.4% (2;17)	0.0% (0;32)	3.1% (3;69)	0.0% (0;34)	5.5% (11;134)			
	Garfield Medical Center	9.4% (17;281) Worse	8.8% (21;280)	6.7% (10;147) Worse	5.7% (14;375) Worse	5.9% (1;22)	15.0% (47;362) Worse	0.0% (0;11)	8.3% (2;19)	6.6% (6;171)
	Glendale Memorial Hospital and Health Center	4.5% (8;219)	6.8% (12;206)	5.2% (10;145) Worse	2.1% (9;439)	1.6% (1;74)	6.5% (29;433)	0.0% (0;4)		3.5% (4;168)
	Greater El Monte Community Hospital	5.5% (1;20)	10.0% (2;31)	5.1% (4;76)	6.5% (5;109)		15.1% (42;276) Worse			
	Henry Mayo Newhall Hospital	10.5% (17;235) Worse	7.6% (10;208)	3.6% (12;256)	4.3% (18;452)	1.8% (2;148)	8.4% (31;502)	0.0% (0;4)		5.0% (8;188)
	Hollywood Presbyterian Medical Center	4.1% (8;195)	7.1% (10;183)	3.1% (7;216)	2.7% (13;501)	4.3% (3;97)	8.4% (47;437) Worse	0.0% (0;5)		4.3% (6;132)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	Huntington Hospital	2.8% (9;291) Better	7.8% (47;501)	2.7% (13;489)	1.6% (14;769) Better	2.6% (7;236)	5.3% (50;855)	0.0% (0;3)	2.8% (1;22)	1.6% (3;201)
	Kaiser Foundation Hospital – Baldwin Park	7.3% (6;75)	7.0% (15;262)	3.0% (9;260)	4.6% (31;585) Worse	0.6% (1;168)	9.1% (33;350) Worse	0.0% (0;17)		0.0% (0;12)
	Kaiser Foundation Hospital – Downey	3.8% (4;113)	3.2% (7;393) Better	2.2% (5;412)	2.0% (11;659)	2.3% (3;130)	7.3% (40;606)	0.0% (0;16)	5.9% (1;20)	
	Kaiser Foundation Hospital – Los Angeles	4.7% (30;1,165)	9.0% (60;761)	3.4% (7;312)	3.5% (29;712)	2.8% (4;141)	7.0% (39;430)	0.0% (0;29)	0.0% (0;53)	4.6% (15;677)
	Kaiser Foundation Hospital – Panorama City	2.1% (2;68)	3.7% (10;249) Better	2.2% (6;283)	3.4% (18;369)	1.0% (2;167)	3.6% (16;369) Better	0.0% (0;13)		
	Kaiser Foundation Hospital – South Bay	3.8% (5;116)	6.4% (15;350)	3.2% (8;330)	3.9% (20;659)	1.0% (1;126)	9.7% (42;453) Worse	4.3% (1;14)	0.0% (0;15)	0.0% (0;4)
	Kaiser Foundation Hospital – West LA	3.6% (4;94)	9.4% (23;288)	3.2% (5;223)	4.8% (22;401) Worse	3.0% (4;140)	8.9% (34;304) Worse	0.0% (0;9)	0.0% (0;25)	0.0% (0;4)
	Kaiser Foundation Hospital – Woodland Hills	2.7% (2;73)	4.9% (11;202)	1.1% (3;175)	1.7% (10;369)	0.9% (2;196)	5.0% (30;416)	1.8% (1;9)		
	Keck Hospital of USC	5.2% (12;107)	6.4% (55;407) Better	1.6% (3;117)	2.9% (13;206)	0.0% (0;13)	4.6% (4;51)	0.0% (0;13)	2.6% (2;76)	5.4% (23;173)
	L.A. Downtown Medical Center			0.0% (0;14)	0.0% (0;12)	0.0% (0;9)	0.0% (0;57)			
	Los Angeles Community Hospital	0.0% (0;25)	0.0% (0;70)	2.0% (3;165)	1.7% (4;350)	2.8% (1;28)	3.0% (17;507) Better			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	Los Angeles County Olive View – UCLA Medical Center	5.2% (3;99)	5.2% (2;102)	1.3% (2;162)	1.4% (5;516)	0.0% (0;4)	4.3% (8;242)	0.0% (0;5)	0.0% (0;5)	3.5% (1;87)
	Los Angeles County/Harbor – UCLA Medical Center	5.9% (23;299)	12.8% (32;272) Worse	2.6% (11;280)	2.9% (12;722)	2.5% (3;102)	6.9% (26;326)	0.0% (0;8)	0.0% (0;14)	6.2% (21;265) Worse
	Los Angeles County/Rancho Los Amigos National Rehab Center		5.6% (3;127)		0.0% (0;11)		0.0% (0;6)			
	Los Angeles General Medical Center**	2.9% (8;234) Better	9.5% (55;433)	1.7% (11;1,159) Better	1.0% (11;1,159) Better	4.0% (5;106)	3.7% (18;516) Better	1.3% (1;7)	3.1% (2;23)	2.8% (7;262)
	Memorial Hospital of Gardena	13.5% (5;49)	4.7% (4;149)	5.4% (13;184) Worse	3.3% (11;453)	0.0% (0;35)	6.7% (33;408)			
	MemorialCare Long Beach Medical Center	4.3% (18;311)	9.5% (52;588)	4.5% (13;350)	3.7% (25;731)	4.1% (5;109)	6.0% (23;404)	0.0% (0;21)	9.1% (1;11)	3.6% (11;208)
	Mission Community Hospital – Panorama Campus	8.4% (1;11)	11.4% (2;38)	3.5% (3;61)	0.0% (0;141)	0.0% (0;30)	10.9% (48;331) Worse			
	Monterey Park Hospital	9.7% (4;40)	5.2% (1;58)	3.6% (3;71)	0.9% (1;144)		7.9% (10;147)			
	Northridge Hospital Medical Center	2.7% (11;440) Better	4.0% (21;370) Better	3.2% (9;291)	1.1% (9;566) Better	1.2% (3;174)	2.7% (13;417) Better	0.0% (0;8)		2.4% (11;372) Better
	Norwalk Community Hospital	0.0% (0;19)	0.0% (0;8)	0.0% (0;58)	0.0% (0;98)	0.0% (0;9)	5.3% (14;187)			
	PIH Health Good Samaritan Hospital	8.1% (27;184) Worse	5.2% (6;173)	3.7% (14;234)	2.9% (14;580)	1.6% (1;91)	10.6% (40;397) Worse	0.0% (0;5)		5.2% (12;189)
	PIH Health Hospital – Downey	7.0% (8;151)	5.8% (5;194)	2.9% (7;298)	1.8% (9;595)	1.7% (1;93)	4.9% (22;495)	0.0% (0;3)		8.2% (5;85)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	PIH Health Whittier Hospital**	5.6% (32;531)	9.7% (79;726) Worse	1.6% (9;527) Better	3.8% (29;891)	2.9% (5;183)	6.1% (42;736)	3.1% (1;19)	0.0% (0;10)	5.5% (17;320)
	Pacifica Hospital of the Valley	0.0% (0;3)		8.7% (1;23)	0.0% (0;34)		27.3% (9;65) Worse			
	Palmdale Regional Medical Center	4.6% (12;238)	9.1% (16;205)	2.3% (6;174)	1.8% (7;456)	0.0% (0;80)	5.7% (27;502)			0.8% (1;185) Better
	Pomona Valley Hospital Medical Center	5.0% (25;382)	10.1% (119;809) Worse	3.9% (17;427)	3.0% (30;941)	4.2% (10;258) Worse	6.2% (28;470)	0.0% (0;7)		4.6% (15;236)
	Providence Cedars – Sinai Tarzana Medical Center	6.5% (13;202)	5.3% (4;133)	1.6% (3;236)	3.3% (15;438)	1.6% (2;128)	5.9% (22;326)	0.0% (0;47)		4.1% (6;184)
	Providence Holy Cross Medical Center	4.4% (12;262)	6.3% (35;420)	0.3% (1;287) Better	2.2% (22;858)	1.7% (3;116)	4.3% (20;428)	0.0% (0;10)	6.6% (1;20)	3.6% (8;270)
	Providence Little Company of Mary Medical Center – San Pedro	13.7% (4;13) Worse	9.0% (3;53)	3.8% (4;119)	2.8% (6;249)	0.0% (0;47)	10.5% (18;205) Worse			
	Providence Little Company of Mary Medical Center – Torrance	5.9% (24;433)	7.9% (56;675)	3.5% (14;333)	1.8% (18;731)	1.8% (3;152)	6.3% (38;490)	0.0% (0;15)	0.0% (0;4)	3.3% (11;269)
	Providence Saint John's Health Center	4.0% (6;164)	8.6% (30;359)	2.6% (7;206)	3.4% (18;360)	1.6% (2;155)	7.4% (36;381)	0.0% (0;15)	0.0% (0;14)	5.3% (7;157)
	Providence Saint Joseph Medical Center	5.7% (19;406)	7.8% (48;562)	3.4% (13;380)	2.9% (19;619)	1.1% (2;227)	6.6% (53;761)	0.0% (0;10)	0.0% (0;3)	3.4% (10;288)
	Ronald Reagan UCLA Medical Center	5.0% (19;215)	6.8% (51;378)	1.8% (5;242)	2.9% (23;523)	0.0% (0;59)	5.8% (39;518)	0.0% (0;22)	0.0% (0;124)	3.5% (13;201)
	San Dimas Community Hospital	5.9% (2;27)	3.0% (1;37)	1.9% (1;84)	0.0% (0;98)	0.0% (0;35)	6.7% (26;357)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	San Gabriel Valley Medical Center	18.7% (4;26) Worse	0.0% (0;115) Better	2.2% (5;153)	2.4% (4;192)	3.1% (3;115)	5.3% (38;552)			
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	6.7% (11;109)	6.5% (5;112)	2.2% (6;202)	1.3% (6;392) Better	1.7% (2;139)	5.4% (41;543)			5.0% (8;125)
	Sherman Oaks Hospital	4.2% (1;37)	4.3% (1;44)	1.9% (2;92)	2.1% (7;249)	0.0% (0;59)	6.7% (34;320)			0.0% (0;11)
	Southern California Hospital at Culver City	5.4% (5;153)	3.5% (2;62)	1.9% (3;187)	1.9% (6;295)	0.0% (0;34)	5.1% (48;651)	0.0% (0;6)		1.6% (1;64)
	Southern California Hospital at Hollywood	8.3% (1;18)	10.7% (1;18)	0.8% (1;90)	1.8% (2;92)	0.0% (0;14)	2.6% (19;514) Better			
	St. Francis Medical Center	4.5% (19;399)	6.8% (27;324)	1.5% (5;277)	2.5% (12;587)	0.0% (0;47)	5.2% (32;419)			3.8% (13;221)
	St. Mary Medical Center – Long Beach	3.3% (8;222)	6.8% (19;269)	2.9% (8;154)	2.8% (10;443)	2.9% (1;41)	5.5% (18;302)			2.3% (3;112)
	Torrance Memorial Medical Center	4.5% (18;331)	9.8% (64;709)	2.6% (13;578)	2.0% (31;1,212)	2.0% (6;302)	6.7% (58;862)	0.0% (0;18)	4.6% (1;18)	2.5% (10;291)
	UC Irvine Health – Lakewood**	6.5% (19;263)	8.2% (32;304)	1.6% (3;201)	2.6% (13;490)	1.8% (1;68)	6.1% (30;429)	0.0% (0;21)		3.3% (10;197)
	UCLA West Valley Medical Center**	6.0% (14;294)	3.9% (8;187) Better	3.2% (6;153)	2.9% (10;353)	1.9% (2;108)	3.8% (24;454) Better			4.8% (6;179)
	USC Arcadia Hospital	7.3% (19;206)	9.5% (58;434)	3.3% (10;301)	2.6% (13;508)	2.6% (4;144)	8.7% (63;597) Worse	7.2% (1;18)	0.0% (0;15)	7.2% (11;127)
	USC Verdugo Hills Hospital	0.0% (0;17)	4.5% (1;65)	0.9% (1;93)	2.8% (7;213)	0.0% (0;77)	2.4% (6;251) Better			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Los Angeles (continued)	Valley Presbyterian Hospital	10.2% (12;163) Worse	6.2% (7;169)	1.6% (2;222)	3.4% (12;547)	2.4% (1;74)	8.5% (43;528) Worse		0.0% (0;5)	7.7% (7;129)
	Whittier Hospital Medical Center	9.7% (6;24)	2.9% (1;77)	3.5% (5;156)	5.1% (7;226)	0.0% (0;30)	7.9% (22;306)			
Marin	Kaiser Foundation Hospital – San Rafael	1.2% (1;87)	5.1% (5;146)	0.0% (0;114)	1.5% (4;202)	1.3% (2;157)	4.3% (9;253)			5.8% (1;28)
	MarinHealth Medical Center	4.0% (7;209)	11.8% (19;178)	0.7% (1;157)	1.4% (7;363)	2.4% (3;156)	5.6% (19;302)	0.0% (0;39)		3.1% (6;142)
	Novato Community Hospital		15.0% (2;38)	3.1% (1;42)	1.5% (1;67)	3.1% (1;33)	2.7% (2;94)			
Mariposa	John C Fremont Healthcare District	15.3% (1;4)			25.2% (1;12)		10.5% (1;24)			
Mendocino	Adventist Health Howard Memorial		7.8% (1;27)	10.0% (1;18)	2.4% (1;58)	0.0% (0;84)	3.8% (2;78)			
	Adventist Health Mendocino Coast		0.0% (0;21)	4.2% (1;14)	0.0% (0;59)		6.5% (3;54)			
	Adventist Health Ukiah Valley	0.0% (0;5)	4.9% (2;63)	2.2% (1;54)	2.4% (4;151)	3.0% (1;25)	8.4% (15;170)			
Merced	Memorial Hospital Los Banos		10.4% (1;40)	19.8% (1;5)	8.2% (5;62) Worse	0.0% (0;26)	7.4% (5;94)			
	Mercy Medical Center – Merced	4.3% (1;30)	2.2% (2;214) Better	6.6% (4;137)	1.7% (8;623)	2.9% (3;109)	8.1% (33;549)			0.0% (0;10)
Modoc	Modoc Medical Center				0.0% (0;6)		31.6% (2;20)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Mono	Mammoth Hospital			0.0% (0;8)	0.0% (0;10)	0.0% (0;13)	0.0% (0;8)			
Monterey	Community Hospital of the Monterey Peninsula	6.5% (10;190)	8.8% (20;349)	1.7% (6;306)	3.5% (20;503)	3.3% (5;155)	6.0% (45;722)	0.0% (0;16)	0.0% (0;14)	3.5% (4;157)
	George L. Mee Memorial Hospital				12.9% (1;8)		19.9% (1;17)			
	Natividad Medical Center	0.0% (0;7)	11.7% (5;62)	1.8% (1;101)	3.8% (3;143)	1.1% (1;79)	5.7% (4;129)	0.0% (0;4)		
	Salinas Valley Health Medical Center	5.3% (12;218)	8.6% (25;301)	4.3% (9;292)	3.1% (18;626)	1.5% (1;67)	5.4% (21;419)	0.0% (0;28)		6.3% (10;191)
Napa	Adventist Health St. Helena	3.6% (5;205)	7.9% (2;29)	4.0% (3;80)	2.7% (4;129)	1.7% (1;29)	6.4% (8;95)	0.0% (0;8)		4.0% (4;120)
	Providence Queen of the Valley Medical Center	5.7% (7;151)	9.7% (16;183)	2.8% (5;138)	4.0% (14;250)	1.0% (1;87)	6.7% (17;271)	0.0% (0;9)		5.4% (3;83)
Nevada	Sierra Nevada Memorial Hospital	0.0% (0;23)	9.8% (6;122)	4.8% (5;117)	2.4% (7;218)	3.6% (4;105)	2.1% (3;164) Better			
	Tahoe Forest Hospital			0.0% (0;10)	0.0% (0;39)	4.5% (1;35)	5.9% (2;45)			
Orange	AHMC Anaheim Regional Medical Center	3.5% (6;139)	6.6% (2;93)	1.8% (3;145)	2.7% (4;194)	0.0% (0;48)	4.3% (20;441)	0.0% (0;13)		2.1% (2;73)
	Anaheim Global Medical Center	0.0% (0;7)	0.0% (0;4)	0.0% (0;7)	0.0% (0;57)	0.0% (0;5)	4.7% (3;93)			
	Chapman Global Medical Center	0.0% (0;6)	0.0% (0;11)	0.0% (0;48)	0.0% (0;28)	0.0% (0;5)	10.1% (5;59)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Orange (continued)	Foothill Regional Medical Center	0.0% (0;5)	0.0% (0;15)	2.8% (2;91)	1.8% (1;92)	0.0% (0;22)	3.5% (11;311) Better			
	Garden Grove Hospital and Medical Center	6.0% (2;27)	7.7% (1;27)	0.0% (0;120)	0.0% (0;101)	0.0% (0;27)	4.7% (28;368)			
	Hoag Memorial Hospital Presbyterian	4.8% (23;496)	5.6% (32;675) Better	1.9% (11;768)	1.9% (20;913)	1.8% (6;406)	4.9% (45;1,118)	0.0% (0;31)	0.0% (0;53)	4.6% (19;429)
	Hoag Orthopedic Institute					0.0% (0;59)				
	Huntington Beach Hospital	2.8% (1;32)	0.0% (0;16)	2.2% (1;56)	0.9% (1;134)	0.0% (0;25)	6.4% (19;223)			
	Kaiser Foundation Hospital – Orange County – Anaheim	5.9% (11;261)	4.7% (26;592) Better	2.3% (9;430)	2.6% (22;767)	1.7% (6;364)	7.7% (74;893)	0.0% (0;41)	4.3% (1;30)	4.9% (5;197)
	La Palma Intercommunity Hospital	0.0% (0;38)	0.0% (0;17)	0.0% (0;72)	2.1% (2;135)	1.9% (1;33)	5.9% (12;173)			
	MemorialCare Orange Coast Medical Center	2.7% (9;284) Better	3.1% (3;143)	1.2% (2;252)	1.9% (11;481)	1.7% (2;125)	3.2% (12;407) Better	0.0% (0;8)	1.6% (1;37)	1.9% (4;161)
	MemorialCare Saddleback Medical Center	5.2% (13;242)	6.8% (28;318)	1.5% (5;267)	1.2% (7;488) Better	0.5% (1;213)	3.8% (15;342) Better	0.0% (0;30)		3.9% (10;199)
	Orange County Global Medical Center	7.3% (13;161)	6.8% (27;250)	1.1% (1;107)	1.4% (3;226)	0.0% (0;49)	6.5% (25;323)	0.0% (0;4)		6.4% (6;123)
	Providence Mission Hospital	5.5% (24;360)	7.3% (46;472)	2.2% (10;348)	1.9% (11;419)	0.3% (1;286)	4.5% (43;733) Better	0.0% (0;7)	0.0% (0;21)	5.8% (20;282)
	Providence Mission Hospital – Laguna Beach	0.0% (0;13)	0.0% (0;4)	0.0% (0;20)	2.3% (2;67)	1.1% (1;79)	3.7% (5;143)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Orange (continued)	Providence St. Joseph Hospital	5.8% (26;364)	6.4% (24;426)	3.7% (16;365)	2.8% (23;644)	0.4% (1;222)	4.7% (39;783)	4.5% (1;48)	12.2% (2;15)	5.5% (23;315)
	Providence St. Jude Medical Center	5.2% (21;337)	8.0% (57;622)	2.1% (9;378)	3.1% (20;548)	1.1% (3;285)	5.4% (80;985)	0.0% (0;16)	0.0% (0;31)	4.7% (14;265)
	South Coast Global Medical Center	0.0% (0;8)	0.0% (0;9)	16.8% (1;13)	8.3% (3;67)	0.0% (0;5)	9.3% (7;106)			
	UC Irvine Health – Fountain Valley**	6.6% (26;279)	8.2% (53;389)	4.7% (11;264)	4.2% (24;582) Worse	1.0% (1;70)	6.2% (52;666)		7.1% (1;10)	1.8% (3;143)
	UC Irvine Health – Los Alamitos**	10.2% (22;203) Worse	9.2% (54;452)	3.8% (12;240)	2.0% (13;429)	2.6% (5;183)	6.1% (29;450)	0.0% (0;13)		6.0% (7;150)
	UC Irvine Health – Placentia Linda**	5.3% (3;86)	8.1% (3;44)	4.6% (3;93)	2.4% (6;234)	1.9% (1;68)	6.8% (19;277)			5.2% (1;44)
	UC Irvine Medical Center	5.0% (13;211)	3.2% (20;438) Better	0.6% (3;359) Better	2.2% (17;579)	2.8% (4;103)	4.6% (26;529)	0.0% (0;15)	4.0% (3;79)	3.8% (10;182)
	West Anaheim Medical Center	6.2% (11;187)	10.5% (2;49)	3.4% (5;164)	2.7% (6;246)	1.6% (1;58)	5.6% (54;658)	0.0% (0;7)		4.5% (4;97)
Placer	Kaiser Foundation Hospital – Roseville	6.1% (27;592)	7.6% (15;337)	1.4% (5;480)	4.2% (35;780) Worse	2.9% (9;339)	7.0% (49;772)	0.0% (0;42)		4.2% (11;412)
	Sutter Auburn Faith Hospital	3.8% (1;13)	11.4% (7;85)	0.0% (0;67)	3.7% (7;134)	0.0% (0;80)	5.9% (13;235)	0.0% (0;10)		
	Sutter Roseville Medical Center	3.7% (17;537)	7.0% (41;716)	3.3% (24;692)	1.9% (20;920)	0.8% (4;365)	5.1% (48;958)	0.0% (0;72)		3.8% (12;348)
Plumas	Eastern Plumas Hospital – Portola Campus						0.0% (0;9)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Plumas (continued)	Plumas District Hospital				4.9% (1;25)		32.3% (2;25)			
	Seneca District Hospital						0.0% (0;8)			
Riverside	Corona Regional Medical Center – Main	5.0% (6;144)	9.5% (6;155)	2.6% (8;247)	2.3% (12;480)	2.5% (2;101)	6.3% (28;403)			1.7% (1;96)
	Desert Regional Medical Center	6.2% (22;351)	10.1% (80;563) Worse	4.4% (19;346) Worse	3.5% (17;523)	4.1% (13;289) Worse	8.6% (49;546) Worse	0.0% (0;6)		3.1% (7;238)
	Doctors Hospital of Riverside	0.0% (0;6)	5.1% (1;54)	2.7% (3;102)	1.8% (5;305)	3.9% (2;43)	4.8% (14;306)	0.0% (0;4)		
	Eisenhower Medical Center	5.2% (24;511)	5.1% (23;562) Better	2.0% (9;518)	1.7% (17;997) Better	0.4% (1;339)	4.8% (45;971) Better	0.0% (0;43)		3.0% (11;378)
	Hemet Global Medical Center	5.6% (3;23)	4.4% (2;80)	4.0% (7;190)	2.5% (6;324)	1.2% (1;104)	5.2% (30;665)	0.0% (0;13)		
	John F. Kennedy Memorial Hospital	7.8% (14;158)	5.0% (3;93)	2.2% (4;119)	3.2% (6;223)	1.7% (1;103)	7.7% (29;318)			7.0% (9;122)
	Kaiser Foundation Hospital – Moreno Valley	8.3% (5;68)	5.1% (4;93)	4.4% (4;87)	3.2% (7;186)	0.0% (0;43)	7.9% (10;152)			0.0% (0;28)
	Kaiser Foundation Hospital – Riverside	2.9% (2;83)	6.7% (9;162)	3.2% (7;160)	4.7% (15;301)	3.2% (3;109)	7.6% (15;225)	0.0% (0;33)	0.0% (0;51)	0.0% (0;27)
	Loma Linda University Medical Center – Murrieta	6.3% (32;501)	6.8% (6;185)	1.5% (3;247)	2.7% (16;703)	1.1% (1;115)	11.2% (44;492) Worse	0.0% (0;14)	0.0% (0;5)	5.3% (31;565)
	Menifee Global Medical Center	3.9% (1;11)	0.0% (0;3)	0.0% (0;8)	2.8% (3;105)	3.6% (1;33)	4.5% (5;146)			
	Rehab Hospital of Southern California**		3.0% (1;75)			0.0% (0;82)				

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Riverside (continued)	Riverside Community Hospital	4.8% (43;865)	3.1% (42;999) Better	0.5% (1;223)	0.8% (7;997) Better	0.0% (0;197)	2.7% (33;1,014) Better	0.0% (0;27) Better	0.0% (0;26)	3.7% (22;598)
	Riverside University Health System – Medical Center Click to view Comment Letter	5.3% (2;58)	9.3% (33;395)	3.4% (24;618)	2.4% (12;634)	3.8% (4;143)	5.6% (17;407)		43.6% (4;8) Worse	0.0% (0;18)
	San Geronio Memorial Hospital	0.0% (0;3)	0.0% (0;18)	5.1% (4;68)	4.0% (7;128)	0.0% (0;41)	7.4% (13;171)			
	Southwest Healthcare Rancho Springs Hospital**	0.0% (0;25)	7.1% (35;474)	3.7% (9;228)	3.0% (11;420)	2.0% (5;226)	4.4% (22;590)	0.0% (0;29)		
	Temecula Valley Hospital	7.5% (43;521) Worse	7.7% (25;331)	2.7% (6;248)	3.4% (23;645)	0.9% (1;112)	6.6% (26;425)	0.0% (0;28)		6.1% (27;574) Worse
Sacramento	Kaiser Foundation Hospital – Sacramento	2.8% (3;119)	9.4% (75;797)	3.3% (9;294)	3.0% (16;661)	2.3% (4;186)	5.9% (27;505)	2.4% (1;21)	4.3% (1;35)	0.0% (0;3)
	Kaiser Foundation Hospital – South Sacramento	7.2% (32;415)	10.3% (36;359)	3.8% (14;320)	3.1% (24;808)	0.4% (1;239)	8.8% (50;589) Worse			5.0% (11;257)
	Mercy General Hospital	5.4% (56;1,158)	9.9% (15;217)	2.9% (8;318)	3.3% (31;898)	2.9% (3;86)	8.2% (32;388)	0.0% (0;13)	0.0% (0;24)	3.6% (27;767)
	Mercy Hospital of Folsom	11.7% (6;24)	7.8% (7;162)	2.4% (7;212)	2.4% (11;463)	1.7% (2;136)	6.8% (19;340)			
	Mercy San Juan Medical Center	5.3% (30;440)	10.5% (43;911) Worse	2.1% (11;396)	4.1% (43;1,000) Worse	3.3% (6;190)	7.3% (47;727)	0.0% (0;75)		4.0% (18;342)
	Methodist Hospital of Sacramento	8.7% (9;35)	10.5% (11;200)	2.1% (2;155)	2.6% (15;584)	1.3% (1;75)	4.3% (14;369)			
	Sutter Medical Center – Sacramento	5.6% (40;732)	8.6% (51;586)	2.3% (12;550)	2.3% (24;985)	3.7% (7;139)	3.8% (20;570) Better	0.0% (0;119)	0.0% (0;24)	4.4% (11;339)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Sacramento (continued)	UC Davis Medical Center	3.1% (7;209)	4.4% (41;581) Better	1.8% (7;256)	1.9% (20;1,237)	1.0% (3;165)	4.0% (23;529) Better	0.0% (0;21)	6.9% (2;34)	2.8% (8;249)
San Benito	Hazel Hawkins Memorial Hospital	0.0% (0;4)	14.1% (1;16)	5.2% (1;33)	0.0% (0;69)	0.0% (0;18)	7.9% (4;78)			
San Bernardino	Arrowhead Regional Medical Center	3.4% (2;106)	10.1% (39;337)	3.3% (7;334)	2.6% (11;621)	0.0% (0;82)	8.1% (38;467)	0.0% (0;11)	0.0% (0;5)	0.0% (0;54)
	Barstow Community Hospital	0.0% (0;4)	0.0% (0;12)	3.1% (1;54)	0.0% (0;111)	0.0% (0;27)	4.5% (4;135)			
	Bear Valley Community Hospital				0.0% (0;9)		0.0% (0;17)			
	Chino Valley Medical Center	3.8% (2;96)	0.0% (0;43)	0.0% (0;96)	0.5% (1;189)	6.5% (2;34)	4.2% (17;356)			0.0% (0;10)
	Colorado River Medical Center				0.0% (0;9)		0.0% (0;15)			
	Community Hospital of San Bernardino	0.0% (0;25)	4.2% (1;52)	2.1% (2;96)	1.4% (2;215)	0.0% (0;22)	3.0% (3;189)			
	Desert Valley Hospital	3.5% (10;369)	0.0% (0;97)	2.7% (4;229)	1.0% (4;586) Better	0.0% (0;101)	4.2% (26;698) Better	0.0% (0;4)		3.9% (9;219)
	Hi-Desert Medical Center	0.0% (0;4)	7.2% (1;41)	8.0% (2;48)	1.3% (1;94)	6.1% (2;33)	9.4% (17;209)			
	Kaiser Foundation Hospital – Fontana	6.6% (18;474)	8.0% (52;749)	4.0% (18;598)	4.6% (43;821) Worse	0.4% (1;291)	10.4% (74;809) Worse	0.0% (0;27)	0.0% (0;3)	4.2% (6;218)
	Loma Linda University Medical Center	5.5% (33;472)	8.9% (97;753)	3.2% (15;446)	3.5% (30;1,040)	1.6% (3;138)	7.0% (55;724)	4.9% (1;23)	6.3% (2;37)	2.5% (15;387) Better

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
San Bernardino (continued)	Montclair Hospital Medical Center	3.0% (1;39)	0.0% (0;12)	2.2% (1;56)	0.0% (0;132)	0.0% (0;12)	5.2% (18;306)			
	Mountains Community Hospital				24.9% (1;6)		0.0% (0;15)			
	Providence St. Mary Medical Center**	6.0% (20;387)	3.7% (4;287)	3.4% (8;277)	1.6% (8;765)	1.2% (2;135)	3.7% (18;630) Better	53.4% (1;5) Worse		2.0% (4;250)
	Redlands Community Hospital	3.9% (1;20)	10.4% (27;237)	3.3% (6;201)	4.1% (18;368)	1.9% (3;142)	4.4% (28;536) Better	1.7% (1;6)		
	San Antonio Regional Hospital	6.4% (36;547)	13.3% (51;469) Worse	4.7% (13;393)	4.2% (31;826) Worse	1.4% (2;194)	9.7% (76;968) Worse	0.0% (0;15)	0.0% (0;9)	3.6% (13;411)
	St. Bernardine Medical Center	6.0% (42;682)	9.0% (32;374)	2.3% (11;371)	2.1% (16;746)	1.5% (1;89)	5.6% (26;581)			5.7% (21;419)
	Victor Valley Global Medical Center	0.0% (0;19)	7.3% (1;28)	3.0% (1;76)	1.9% (2;205)	0.0% (0;28)	5.9% (13;286)	0.0% (0;5)		
San Diego	Grossmont Hospital	5.2% (23;441)	9.8% (64;752)	4.5% (20;419) Worse	2.3% (15;1,095)	2.2% (3;186)	4.4% (27;946)	0.0% (0;21)		3.6% (16;423)
	Kaiser Foundation Hospital – San Diego – Zion	5.4% (9;104)	7.1% (27;443)	2.3% (8;417)	2.9% (33;1,079)	2.4% (12;422)	5.0% (40;796)	0.0% (0;43)	0.0% (0;28)	
	Kaiser Foundation Hospital – San Marcos	0.0% (0;10)	10.3% (6;41)	2.9% (1;49)	1.6% (2;94)		5.1% (4;90)			
	Palomar Medical Center	5.7% (28;443)	12.2% (71;503) Worse	6.0% (21;420) Worse	4.9% (36;624) Worse	2.3% (6;301)	11.2% (87;890) Worse	0.0% (0;48)		4.4% (18;376)
	Palomar Medical Center Poway	0.0% (0;3)	13.1% (6;56)	3.7% (4;115)	4.7% (8;167)	2.1% (1;66)	8.4% (25;377)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
San Diego (continued)	Paradise Valley Hospital	6.8% (4;76)	10.8% (12;92)	0.0% (0;72)	0.7% (1;200)	11.4% (2;15)	6.2% (20;255)			5.6% (3;85)
	Scripps Green Hospital		5.0% (3;110)	2.8% (6;182)	2.6% (3;79)	1.3% (1;72)	3.5% (9;244)	0.0% (0;21)	0.0% (0;29)	
	Scripps Memorial Hospital – Encinitas	5.1% (8;206)	5.0% (11;233)	0.0% (0;297) Better	1.2% (10;629) Better	0.4% (1;212)	3.3% (27;625) Better	0.0% (0;5)		1.9% (2;218)
	Scripps Memorial Hospital – La Jolla	6.0% (50;795)	8.6% (58;547)	3.3% (15;400)	2.7% (37;979)	1.3% (5;308)	5.3% (43;643)	4.2% (2;35)	0.0% (0;5)	5.3% (42;905)
	Scripps Mercy Hospital	3.2% (12;380) Better	7.4% (52;643)	2.0% (12;594)	1.6% (20;1,180) Better	1.8% (6;322)	5.2% (56;892)	0.0% (0;50)	0.0% (0;5)	2.3% (5;245)
	Sharp Chula Vista Medical Center	4.3% (14;377)	8.1% (32;428)	3.0% (10;337)	2.9% (18;869)	4.5% (4;112)	4.6% (30;801)	0.0% (0;17)	0.0% (0;3)	2.0% (6;275) Better
	Sharp Coronado Hospital and Healthcare Center	17.3% (1;5)	0.0% (0;47)	3.7% (2;64)	2.9% (3;112)	0.0% (0;34)	4.3% (4;175)			
	Sharp Memorial Hospital	5.0% (18;360)	8.9% (38;586)	2.5% (10;425)	2.5% (21;916)	1.3% (6;357)	5.6% (38;813)	0.0% (0;15)	8.4% (2;36)	3.3% (12;337)
	Tri-City Medical Center	7.6% (13;182)	11.0% (28;235)	3.7% (5;154)	3.5% (10;293)	3.0% (2;83)	9.4% (26;322) Worse	7.4% (1;32)		1.6% (2;141)
	UC San Diego Health Hillcrest – Hillcrest Medical Center	4.2% (19;347)	4.2% (31;634) Better	1.1% (8;580) Better	1.7% (23;1,050) Better	1.7% (5;242)	3.3% (35;929) Better	0.0% (0;37)	0.0% (0;94)	3.5% (12;309)
	UC San Diego Health – East Campus Medical Center**	9.1% (4;87)	4.9% (3;61)	7.0% (7;79) Worse	0.9% (1;187)	0.0% (0;18)	9.8% (25;281) Worse			6.5% (1;34)
San Francisco	California Pacific Medical Center – Davies Campus Hospital		9.0% (46;390)	7.0% (3;43)	1.6% (2;100)	0.0% (0;5)	4.2% (5;100)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
San Francisco (continued)	California Pacific Medical Center – Mission Bernal Campus	5.3% (1;11)	8.2% (3;48)	1.5% (1;100)	2.4% (7;275)	1.6% (2;127)	6.7% (14;244)			
	California Pacific Medical Center – Van Ness Campus	4.0% (13;244)	9.2% (18;182)	2.7% (8;271)	2.9% (22;521)	0.0% (0;5)	6.9% (23;267)	0.0% (0;4)	5.3% (3;49)	3.4% (8;232)
	Chinese Hospital	9.9% (2;10)	0.0% (0;53)	0.0% (0;51)	3.1% (3;73)	0.0% (0;22)	8.5% (9;92)			
	Kaiser Foundation Hospital – San Francisco	4.6% (14;534)	9.5% (13;205)	1.9% (3;235)	5.0% (24;436) Worse	0.9% (1;88)	10.7% (20;228) Worse	0.0% (0;54)	0.0% (0;72)	4.7% (10;270)
	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center	6.1% (9;105)	8.2% (40;372)	2.8% (5;192)	2.7% (14;482)	2.9% (3;89)	6.8% (20;364)	0.0% (0;5)	0.0% (0;9)	5.9% (6;76)
	Saint Francis Memorial Hospital	0.0% (0;10)	3.8% (1;46)	2.6% (2;52)	1.2% (1;110)	3.7% (1;28)	6.1% (5;123)			
	UC San Francisco Health – St. Mary's Hospital**	4.4% (4;67)	7.1% (4;75)	2.7% (6;119)	1.2% (5;212) Better	2.4% (2;44)	3.4% (7;136)	0.0% (0;13)		2.8% (2;69)
	UC San Francisco Medical Center	4.4% (24;218)	5.6% (46;480) Better	1.8% (10;315)	1.6% (18;619) Better	0.8% (1;103)	4.5% (48;662) Better	0.0% (0;37)	1.3% (2;131)	3.2% (18;205)
San Joaquin	Adventist Health Lodi Memorial	7.5% (2;15)	3.5% (4;168) Better	5.0% (6;165)	1.4% (8;499) Better	1.2% (1;119)	4.3% (22;546)			
	Dameron Hospital	8.2% (19;195) Worse	0.0% (0;55)	2.3% (2;98)	4.6% (11;267)	0.0% (0;20)	4.9% (9;238)	0.0% (0;3)		9.4% (11;121) Worse
	Doctors Hospital of Manteca	0.0% (0;4)	8.9% (2;83)	5.3% (3;97)	1.7% (2;184)	0.0% (0;44)	9.6% (15;224)			
	Kaiser Foundation Hospital – Manteca	4.5% (6;211)	9.4% (13;167)	1.5% (4;314)	3.4% (15;567)	1.8% (3;178)	6.5% (20;408)	0.0% (0;42)		1.7% (1;125)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
San Joaquin (continued)	San Joaquin General Hospital	8.4% (1;22)	11.8% (22;163)	2.8% (5;94)	2.6% (10;387)	0.0% (0;133)	4.4% (12;330)	0.0% (0;7)	0.0% (0;6)	
	St. Joseph's Medical Center of Stockton	5.1% (38;637)	6.9% (20;366)	2.0% (12;409)	2.0% (25;1,068)	1.1% (1;80)	6.7% (46;624)	0.0% (0;38)		2.3% (11;399) Better
	Sutter Tracy Community Hospital	0.0% (0;19)	6.2% (2;60)	0.0% (0;97)	3.0% (6;173)	0.0% (0;35)	5.9% (8;169)			
San Luis Obispo	Adventist Health Sierra Vista**		8.1% (11;118)	3.2% (4;81)	2.0% (2;81)	1.4% (1;75)	6.5% (11;158)	0.0% (0;21)	0.0% (0;4)	
	Adventist Health Twin Cities**	18.3% (1;4)	11.0% (8;117)	3.3% (4;135)	2.5% (5;180)	2.2% (2;103)	8.4% (24;273)			
	French Hospital Medical Center	3.5% (9;266)	3.2% (1;56)	0.8% (1;96)	3.5% (15;290)	2.4% (2;52)	6.2% (14;201)	0.0% (0;29)		2.9% (7;236)
	Marian Regional Medical Center – Arroyo Grande	20.8% (1;4)	2.9% (1;64)	2.0% (1;72)	2.8% (3;94)	2.4% (1;79)	5.3% (4;116)	0.0% (0;4)	0.0% (0;3)	
San Mateo	AHMC Seton Medical Center	4.9% (10;178)	6.0% (3;67)	0.0% (0;107) Better	2.6% (6;200)	0.0% (0;32)	7.4% (19;225)	13.9% (1;4)		4.9% (10;187)
	Kaiser Foundation Hospital – Redwood City	5.5% (4;54)	10.7% (66;592) Worse	6.2% (5;83)	4.3% (8;172)	0.0% (0;87)	10.8% (16;176) Worse	9.8% (1;24)		5.6% (2;31)
	Kaiser Foundation Hospital – South San Francisco	7.2% (3;29)	7.2% (9;215)	4.3% (4;179)	3.4% (16;446)	0.0% (0;79)	3.3% (12;439) Better			
	Mills-Peninsula Medical Center	4.1% (16;301)	11.3% (61;469) Worse	2.8% (9;274)	3.0% (22;517)	1.3% (2;145)	5.1% (16;263)	5.5% (1;29)	4.4% (1;24)	3.6% (17;305)
	San Mateo Medical Center	27.6% (1;6)	12.4% (3;36)	3.6% (2;40)	1.9% (1;106)	0.0% (0;12)	8.2% (4;84)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
San Mateo (continued)	Sequoia Hospital	6.1% (4;93)	6.2% (3;90)	3.0% (2;58)	4.8% (12;227)	0.0% (0;61)	5.8% (7;125)	0.0% (0;48)		5.7% (4;86)
Santa Barbara	Goleta Valley Cottage Hospital				0.0% (0;22)	1.9% (1;75)	0.0% (0;40)			
	Lompoc Valley Medical Center		9.0% (1;35)	3.4% (1;59)	3.4% (2;62)	0.0% (0;25)	18.9% (15;123) Worse			
	Marian Regional Medical Center	7.9% (15;249)	9.1% (18;195)	4.8% (11;211)	2.6% (11;305)	2.4% (4;138)	5.8% (16;273)	0.0% (0;27)		2.9% (3;150)
	Santa Barbara Cottage Hospital	3.8% (9;220)	7.0% (44;521)	2.0% (7;339)	2.8% (19;548)	1.2% (2;174)	3.8% (22;506) Better	0.0% (0;8)	0.0% (0;19)	1.7% (4;203) Better
	Santa Ynez Valley Cottage Hospital				0.0% (0;12)		12.6% (2;30)			
Santa Clara	El Camino Health	5.8% (10;274)	10.8% (43;459) Worse	1.5% (5;365)	3.4% (30;750)	0.9% (2;224)	6.2% (47;703)	0.0% (0;16)	0.0% (0;15)	0.9% (1;198)
	Good Samaritan Hospital – San Jose	4.2% (18;313)	4.6% (23;486) Better	1.7% (6;262)	1.1% (6;556) Better	0.9% (2;190)	4.9% (43;740)	0.0% (0;7)		3.0% (10;251)
	Kaiser Foundation Hospital – San Jose	6.5% (11;204)	9.6% (18;309)	3.0% (8;238)	3.3% (16;519)	0.7% (1;143)	4.6% (17;454)		0.0% (0;40)	4.1% (3;138)
	Kaiser Foundation Hospital – Santa Clara	6.4% (33;624)	11.1% (27;337)	3.0% (11;309)	3.9% (34;721) Worse	1.9% (4;176)	4.7% (24;428)	5.2% (1;21)		4.6% (16;417)
	O'Connor Hospital	4.6% (7;202)	6.6% (10;187)	2.6% (5;267)	1.4% (7;655)	1.4% (1;71)	6.3% (27;492)	0.0% (0;5)	7.4% (2;5)	3.4% (4;169)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Santa Clara (continued)	Regional Medical Center of San Jose	5.7% (21;268)	3.1% (27;641) Better	2.8% (4;153)	2.2% (9;471)	2.0% (2;140)	3.8% (29;755) Better	0.0% (0;5)		6.0% (11;165)
	Santa Clara Valley Medical Center	4.6% (6;150)	10.6% (23;274)	0.4% (1;308) Better	3.0% (16;725)	0.0% (0;82)	6.2% (20;387)	0.0% (0;11)	11.4% (1;3)	3.3% (2;110)
	St. Louise Regional Hospital	0.0% (0;3)	0.0% (0;82)	1.8% (2;109)	1.1% (2;218)	0.0% (0;32)	5.2% (12;236)			
	Stanford Health Care	4.8% (17;290)	7.8% (59;657)	2.6% (18;526)	1.6% (0;995) Better	0.0% (0;213) Better	3.8% (41;854) Better	1.6% (1;57)	1.3% (2;225)	4.8% (17;251)
Santa Cruz	Dominican Hospital	5.4% (13;221)	8.1% (17;251)	2.2% (7;241)	1.5% (9;492)	1.8% (2;146)	6.7% (16;344)	0.0% (0;12)		5.3% (11;185)
	Watsonville Community Hospital		3.6% (1;66)	0.0% (0;39)	1.2% (1;109)	2.1% (1;43)	5.5% (7;191)			
Shasta	Mayers Memorial Hospital				0.0% (0;19)		5.2% (1;37)			
	Mercy Medical Center – Redding	6.7% (21;278)	14.4% (65;451) Worse	3.3% (13;289)	3.8% (25;536)	1.7% (4;196)	9.9% (41;451) Worse	6.4% (1;17)		4.0% (9;219)
	Shasta Regional Medical Center	6.5% (7;146)	12.3% (5;105)	2.3% (4;170)	2.9% (6;265)	1.1% (1;52)	7.7% (30;417)	0.0% (0;28)		3.6% (2;105)
Siskiyou	Fairchild Medical Center	0.0% (0;8)	18.8% (3;51)	0.0% (0;15)	8.0% (2;41)	6.0% (1;24)	14.8% (7;123)			
	Mercy Medical Center Mt. Shasta	0.0% (0;3)	0.0% (0;17)	0.0% (0;14)	0.0% (0;23)	0.0% (0;21)	25.1% (4;25) Worse			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023



County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Solano	Kaiser Foundation Hospital & Rehab Center – Vallejo	6.7% (15;243)	14.7% (23;168) Worse	5.7% (9;154) Worse	6.2% (20;315) Worse	1.6% (3;137)	11.7% (34;296) Worse	19.9% (1;16)		5.4% (6;181)
	Kaiser Foundation Hospital – Vacaville	4.7% (1;14)	13.2% (18;144) Worse	4.8% (3;101)	4.3% (11;217)	3.4% (4;91)	10.8% (22;267) Worse			
	NorthBay Medical Center	4.9% (13;251)	9.6% (32;315)	3.8% (11;240)	3.2% (14;531)	7.3% (6;107) Worse	5.9% (20;498)	0.0% (0;25)		4.7% (8;183)
	Sutter Solano Medical Center	0.0% (0;18)	9.5% (4;81)	0.0% (0;96)	0.6% (1;246)	0.0% (0;48)	4.3% (4;155)			
Sonoma	Healdsburg Hospital		0.0% (0;7)	18.0% (1;3)	9.2% (2;20)	15.5% (1;10)	11.3% (2;37)			
	Kaiser Foundation Hospital – Santa Rosa	3.9% (2;56)	9.9% (14;221)	2.0% (4;257)	2.5% (11;442)	0.7% (1;164)	7.5% (21;376)	0.0% (0;19)		
	Petaluma Valley Hospital	12.9% (1;10)	0.0% (0;37)	0.0% (0;7)	3.5% (5;98)	2.7% (1;33)	5.6% (6;101)			
	Providence Santa Rosa Memorial Hospital – Montgomery	6.1% (22;291)	9.4% (38;325)	4.2% (16;350)	2.9% (16;484)	3.4% (7;192)	4.8% (18;355)	0.0% (0;19)		5.1% (12;190)
	Sonoma Specialty Hospital		0.0% (0;8)		64.4% (2;5) Worse		0.0% (0;5)			
	Sonoma Valley Hospital		0.0% (0;23) Better		0.0% (0;45)	0.0% (0;35)	6.0% (3;54)			
	Sutter Santa Rosa Regional Hospital	3.4% (4;186)	9.2% (5;112)	1.9% (6;218)	1.8% (7;374)	0.0% (0;89)	6.2% (14;256)			1.7% (1;128)
Stanislaus	Doctors Medical Center	6.6% (42;612)	7.6% (131;1,046)	3.8% (18;540)	3.7% (35;949)	2.5% (4;162)	7.7% (52;708)	0.0% (0;42)		4.6% (16;357)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Stanislaus (continued)	Emanuel Medical Center	4.2% (11;374)	6.8% (3;102)	2.8% (3;179)	2.1% (11;599)	0.9% (1;85)	4.9% (27;508)			1.9% (4;254)
	Memorial Medical Center – Modesto	6.3% (22;320)	6.6% (20;346)	2.9% (11;585)	3.4% (27;881)	2.1% (5;227)	6.0% (35;762)	0.0% (0;79)	0.0% (0;8)	4.8% (13;343)
	Oak Valley Hospital District		11.3% (1;14)		5.3% (2;32)		2.8% (1;61)			
Tehama	St. Elizabeth Community Hospital	0.0% (0;20)	0.0% (0;60)	3.4% (1;37)	2.8% (5;160)	2.7% (1;55)	10.4% (9;94)			
Trinity	Trinity Hospital		0.0% (0;4)		13.5% (1;6)		19.8% (1;16)			
Tulare	Adventist Health Tulare		3.8% (1;47)		3.5% (2;70)	7.8% (1;9)	5.7% (8;135)			
	Kaweah Health Medical Center	7.2% (33;507)	11.7% (41;505) Worse	4.1% (19;503)	3.9% (30;983) Worse	1.8% (3;232)	12.4% (59;748) Worse	0.0% (0;34)	0.0% (0;4)	3.6% (11;369)
	Sierra View Medical Center	6.4% (2;55)	4.7% (3;102)	4.7% (7;216)	2.9% (4;168)	1.6% (1;49)	7.7% (23;325)			0.0% (0;28)
Tuolumne	Adventist Health Sonora – Greenley	4.7% (3;57)	11.2% (4;47)	3.7% (3;58)	0.5% (1;148)	3.3% (3;93)	2.8% (9;268) Better			
Ventura	Adventist Health Simi Valley	4.8% (7;161)	5.9% (6;156)	2.9% (4;151)	3.9% (14;341)	1.0% (1;94)	3.8% (18;510) Better			4.5% (5;152)
	Community Memorial Hospital – Ojai**				0.0% (0;6)		15.4% (1;16)			
	Community Memorial Hospital – San Buenaventura	3.6% (6;262)	7.4% (9;213)	2.9% (7;265)	3.1% (13;479)	0.0% (0;114)	7.6% (24;442)	0.0% (0;32)		3.3% (5;241)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

**Hospital name changed from 2022 to 2023, see Technical Note for details.

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators, 2023

County	Hospital Name	Medical Conditions						Surgical Procedures		
		Acute Myocardial Infarction	Acute Stroke	Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia	Carotid Endarterectomy	Pancreatic Resection	Percutaneous Coronary Intervention
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
	STATEWIDE	5.5% (2,687;49,205)	8% (5,378;67,064)	2.8% (1,611;58,066)	2.7% (3,240;118,951)	1.7% (486;29,251)	6.2% (6,999;112363)	0.8% (25;3,280)	2.4% (56;2,344)	4% (1,395;34,787)
Ventura (continued)	Los Robles Hospital & Medical Center	4.3% (11;245)	7.3% (24;302)	1.8% (3;181)	1.9% (10;427)	2.1% (4;212)	4.7% (38;689)	0.0% (0;12)	0.0% (0;9)	2.2% (5;239)
	St. John's Hospital Camarillo	6.6% (2;25)	12.4% (3;68)	3.0% (2;84)	4.7% (10;177)	0.0% (0;61)	6.9% (17;223)			
	St. John's Regional Medical Center	3.9% (15;322)	8.4% (50;410)	2.2% (6;264)	2.8% (15;449)	3.5% (3;85)	5.9% (24;365)	0.0% (0;11)		2.9% (12;218)
	Ventura County Medical Center	0.0% (0;19)	10.4% (11;109)	1.7% (3;173)	3.2% (8;240)	0.0% (0;68)	8.5% (17;248)		0.0% (0;5)	
Yolo	Sutter Davis Hospital	0.0% (0;8)	0.0% (0;72) Better	1.3% (1;90)	1.0% (2;159)	0.0% (0;57)	1.5% (1;77)			
	Woodland Memorial Hospital	18.2% (4;12) Worse	6.9% (4;68)	1.4% (1;61)	2.9% (5;112)	2.8% (1;44)	4.7% (7;152)			
Yuba	Adventist Health and Rideout	7.0% (14;256)	5.3% (7;228)	2.2% (5;211)	4.0% (25;669)	0.0% (0;125)	6.4% (32;523)	3.1% (1;37)		5.1% (11;216)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

****Hospital name changed from 2022 to 2023, see Technical Note for details.**

Note: Blank cells indicate that fewer than three patients were treated.

Definition of Terms: Risk Adjustment: The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. Total Deaths: number of patients that died in this hospital. Total Cases: number of patients with this medical condition or undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, Major Diagnostic Categories, AHRQ CCSR for diagnoses and procedures. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.