



PIN 75 (AB1882) Hospital Seismic Safety Public Notices and Annual Status Update Reporting

Ali Sumer
Supervisor, Seismic Compliance Unit
August 31, 2023

1

The AIA California logo consists of the letters 'AIA' in white inside a red circle, followed by the word 'California' in a bold, black, sans-serif font.

**Proudly Partnered with
AIA California**

Attendees will earn 1.0 AIA LU/HSW for attending this presentation live.
AIA CA will submit you for AIA credit within 10 days of the presentation.



**AIA
Continuing
Education
Provider**

The slide features a white background with a pattern of thin, grey, concentric circles. A large red rectangular box is centered on the slide, containing the main text. The AIA California logo is positioned in the top right corner of the slide, and the 'AIA Continuing Education Provider' logo is in the bottom left corner.

2

Seismic Compliance

SPC 3, SPC 4D, SPC 4, SPC 5 AND NPC 5 → 2030 Seismic Compliant



3

What is AB 1882?

AB 1882 seeks to raise the awareness of a general acute care hospital's compliance with the seismic safety regulations or standards outlined in the Alfred E. Alquist Hospital Facilities Seismic Safety Act of 1983 (HFSSA) through:

- 1) Seismic information on HCAI website (Effective 1/1/23)
- 2) Seismic information on project documentation (Effective 1/1/23)
- 3) Updating Emergency Training, Response, and Recovery Plans, Capital Outlay Plans (Effective 7/1/23)
- 4) Annual status updates, reporting services in each building (Deadline 1/1/24, then annual)
- 5) Facility wide signage/notice showing seismic rating (Deadline 1/1/24)

until seismic compliance is achieved




4

AB 1882 Implementation

PIN 75 Hospital Seismic Safety Public Notices and Annual Status Update Reporting:

- Provides the policy for the implementation of AB1882
- Published on HCAI website: [Codes and Regulations – HCAI](#)
- Published 12/12/2022
- Revised 5/30/2023

PIN 75 requirements are in 2022 California Administrative Code [intervening code cycle] (publication date 1/1/2024)



5

1) AB1882: HCAI Website

Identification of General Acute Care Buildings on HCAI Website (Effective 1/1/2023)

- SPC-2 buildings are identified on the HCAI website as “These buildings do not significantly jeopardize life, but may not be repairable or functional following an earthquake”.
- SPC-5/NPC-5 buildings are identified on the HCAI website as “Earthquake Resilient”.



6

AB1882: HCAI Website (Effective 1/1/2023)

Building Safety & Finance | Loan Repayments, Scholarships & Grants | Healthcare Work

Back to Building Safety and Finance

Facility Detail

Click on the **Facility List Drop-down** below and scroll to find and select a facility. Or click the name or number to filter the list. Data is updated every 2 weeks.

New: AB 2190 Quarterly Reports are now available.
For accessible copies of facility site plans email [Seismic Compliance Unit](#).

Facility Info | Building List/Seismic Info | Instrumented Buildings | AB2190 Report | Unauthorized Construction

Show facilities:
 (All)
 Do not have AB 2190 Extensions
 Have AB 2190 Extensions

Facility List Drop-down
 11722 Hollywood Presbyterian Medical Center

11722 Hollywood Presbyterian Medical Center
 (OSHPD ID: 106190382)
 1300 N. Vermont Ave.
 Los Angeles, CA-90027
 County:

1-Website

7

11722 Hollywood Presbyterian Medical Center

Bldg Num	Bldg Name	Classification & Status	RACs Date	NPC Extension Date	Building Code	Year Built	Stories	Height in Feet	Hazus Score	Instrumented	Construction Type	Sprinklered
BLD-01977	North Wing	OSHPD 1, In Service	AB2190 Extension 05/22/2024 Rebuild	1/1/2030	Unknown	1923	6	76	2010 HAZUS SCORE = 17.8	No		
BLD-01978	South Wing	OSHPD 1, In Service	1/1/2030	1/1/2030	1959 City of Los Angeles (COLA)	1960	4	51	2007 HAZUS SCORE = 3.10 2010 HAZUS SCORE = 1.10	Yes		SPC: 2 NPC: 2 This building does not significantly jeopardize life, but may not be repairable or functional following an earthquake
BLD-01979	D & T Tower	OSHPD 1, In Service	1/1/2030	1/1/2030	1971 City of Los Angeles (COLA)	1971	11	147	2007 HAZUS SCORE = 3.79 2010 HAZUS SCORE = 0.59	Yes		SPC: 2 NPC: 2 This building does not significantly jeopardize life, but may not be repairable or functional following an earthquake
BLD-01980	Patient Tower	OSHPD 1, In Service		1/1/2030	1979 California Building Code (CBC)	1992	10	Unknown		No		SPC: 3 NPC: 2

1-Website

8

2) AB1882: Documentation (Effective 1/1/2023)

Identification of General Acute Care Buildings for HCAI Projects (Effective 1/1/2023)

SPC-2 buildings, the following documentation shall include building identification as, "These buildings do not significantly jeopardize life, but may not be repairable or functional following an earthquake",


and for SPC-5/NPC-5 buildings, the following documentation shall may include building identification as "Earthquake Resilient":

- On the title sheet of construction drawings and title sheet of specifications.
 - Excluding:** Amended Construction Documents (ACD), Request for Information (RFI), Calculations, and Testing, Inspection & Observation (TIO).
- On the title sheet of seismic compliance evaluation reports.




AB1882: Documentation (Effective 1/1/2023)

Examples of title sheet AB1882 Notice:



AB1882 Notice: This building does not significantly jeopardize life, but may not be repairable or functional following an earthquake



AB1882 Notice: This building does not significantly jeopardize life, but may not be repairable or functional following an earthquake



3) AB1882: Emergency training, Response, and Recovery Plans, Capital Outlay Plans (Effective 7/1/2023)

On and after July 1, 2023, general acute hospital building owners shall do both of the following annually until each of the hospital buildings owned by that hospital building owner is compliant with Section 130065.

- a) Include all pertinent information regarding the building's expected earthquake performance in emergency training, response, and recovery plans.

- b) Include all pertinent information regarding the building's expected earthquake performance in capital outlay plans.



13

AB1882: Emergency training, Response, and Recovery Plans, Capital Outlay Plans (Effective 7/1/2023)

- There is no submittal requirements to OSHPD for Emergency training, Response, and Recovery Plans or Capital Outlay Plans.

- Facility is responsible to update these plans.



14

4) AB1882: Annual Status Reporting (Deadline 1/1/2024, then annual)

What is to be reported?

On or before January 1, 2024, and annually thereafter, the owner of an acute care inpatient hospital that includes a general acute care building that is not SPC-3/NPC-5, SPC-4D/NPC-5, SPC-4/NPC-5, or SPC-5/NPC-5 shall provide an annual status update on the **Structural Performance Category ratings** of the buildings and **the services** provided in each hospital building on the hospital campus



15

AB1882: Annual Status Reporting

What is to be reported?

- The reporting shall include all GAC buildings in a facility where any one GAC building is not compliant with HSC §130065.
- For example, if one of the GAC buildings is SPC-2/NPC-3 and all other GAC buildings are SPC-5/NPC-5, all services in all GAC buildings (including SPC-2 and SPC-5 buildings) are required to be reported annually per HSC §130066.5.
- This report shall be submitted annually so long as the facility contains any buildings providing general acute care services that are not SPC-3/NPC-5, SPC-4/NPC-5, SPC-4D/NPC-5, SPC-5/NPC-5.



16

AB1882: Annual Status Reporting

How is it reported to HCAI?

The annual status report shall be submitted electronically using the eServices Portal located on the HCAI website.



17

AB1882: Annual Status Reporting

When is the reporting to HCAI?

The typical annual reporting period to HCAI is November 1st through December 1st.

However, we have already opened reporting portal this first year, to give ample time to the facilities to go through the new reporting process.



18

AB1882: Annual Status Reporting

When is the reporting to HCAI?

The application deadline is December 1st.

Late Facilities:

Facilities that send an application *after December 1st and before January 1st* will be processed by HCAI but HCAI may not be able to generate a report to publish on the HCAI website by January 1st for those facilities. It is facilities' responsibility to send the required report to all listed entities by January 1st.



AB1882: Annual Status Reporting

The annual report will be published on our website before Dec 31st (for those who submit before December 1st).

A pdf report will be posted for each facility for easy download.

Facilities will be able to share the report with any other entity.



AB1882: Annual Status Reporting

Where else is it required to be reported?

Reporting to be submitted to all of the following entities (submitted by the facility):

- 1) The county board of supervisors in whose jurisdiction the hospital building is located.
- 2) The city council in whose jurisdiction the hospital building is located, if applicable.
- 3) Any labor union representing workers who work in a general acute care building that is not SPC-3/NPC-5, SPC-4D/NPC-5, SPC-4/NPC-5, or SPC-5/NPC-5.
- 4) The board of directors of the special district or joint powers agency that provides fire and emergency medical services in the jurisdiction in which the hospital building is located, if applicable.
- 5) The department. **[This is HCAI]**
- 6) The board of directors of the hospital.
- 7) The local office of emergency services or the equivalent agency.
- 8) The Office of Emergency Services.
- 9) The medical health operational area coordinator.



21

AB1882: Annual Status Reporting

Facilities (not HCAI) are responsible for submitting the required report to all entities.

HCAI does not track submittals to other entities.



22


AB1882: Application Process

AB1882 Service Reporting – Follow the user guide

- One application per facility (no \$250 fee)
- Please follow eSP user guide 25 on the HCAI website
- [Hospital Services Reporting](#)
- Multiple buildings listed on the same application

Project number examples:

GACSERV-2023-00030
GACSERV-2023-00035
GACSERV-2023-00121



23

AB1882: Services Application Process - STEPS


1- Go to OSHPD e-services portal: [OSHPD - eServices Portal \(ca.gov\)](https://osphpd.ca.gov/eServices)

Login with user name/password

Tip: If you don't have the facility PIN number (not user password), you won't be able to submit the application. Unfortunately PIN is prompted at the LAST step.

2- Start Create an application

Only registered users may create an Application for Hospital Services Reporting. Begin under Enforcement module by clicking on the "Create an Application" link.



24

AB1882: Services Application Process - STEPS

3- Select Hospital Services Reporting




A screenshot of a web application menu. The menu items are: 'Compliance Enforcement Applications' (with a sub-item 'Re-Open Closed Project'), 'Hospital Reporting' (with sub-items 'Hospital Services Reporting' and 'Hospital Signage Reporting'), and 'SNF/ICF Assessments' (with a sub-item 'SNF Backup Power Assessment'). The 'Hospital Services Reporting' option is selected and highlighted with a red rectangle.



25

AB1882: Services Application Process - STEPS



A screenshot of a web form titled 'Step 1: Facility Information > Facility Details'. The form has a 'Facility' section with instructions: 'Enter the HCAI Facility ID for this Project (or select 'Auto-fill' if available) and select a facility from the returned list. Both the Address and Owner sections will be auto-populated from our database. Please verify that this information is correct. If the facility information is incorrect or to add a new facility, click on the "Add New Facility" button.' The form includes a 'Facility ID' field with '12345' entered, a 'Facility Name' field, a 'Type of Facility' dropdown menu, and a 'County Code' dropdown menu. At the bottom, there are 'Search' and 'Clear' buttons. The 'Facility ID' field and the 'Search' button are highlighted with red rectangles.

Step 4. Enter Facility Information

Enter the HCAI Facility ID or Facility Name then click on "Search" button. If the facility is found, the facility information, address, and owner fields will be automatically populated and become read-only.



26

AB1882: Services Application Process - STEPS


Step 5. Enter Contact

A Contact is the individual representing the Facility to whom correspondence will be copied.

- If the logged in user is the contact, click **“Select from Account”** to add the contact.
- If the logged in user is not the contact, click **“Add New”** to enter the information. Click **Continue** to return to application.

Missing data from required fields must be completed to continue the application.

When entered, click on **“Continue Application”**.





27

AB1882: Services Application Process - STEPS

Step 6. Services

To enter services at a building listed on the page, check the box next to the building number and click **Edit Selected Building**.



The building with all potential services is listed. Check the box next to each service at the building.

When complete, click **Submit**.



28

AB1882: Services Application Process – Last Step

Step 7. Enter Facility PIN code

Before entering the Facility PIN Code, it is recommended that you have clicked on “Save and Resume Later” at least once!

If you are authorized by the facility and have obtained a valid Facility PIN, enter it on the screen, then click on “**Continue Application**” button to proceed to the next page flow screen.



What is HCAI's review scope?

- HCAI's review of services are very high level.
- HCAI is not verifying/questioning details of types of services in these buildings
- HCAI's brief review is about catching obvious major mistakes in the application such as:
 - Not including 8 basic services required in any of the buildings
 - Repetition of same service on all buildings
 - Lack of CUP service (mechanical/electrical source equipment) (every GAC has one), etc....
 - Leaving all checkboxes and Non-GAC use blank
- HCAI's acceptance of services report does not constitute approval of use.

Non GAC services

- If the building is OSHPD 1 then the non-GAC uses must be reported. Such as:
 - Corridors, canopies, outpatient clinic spaces, other non-GAC uses
- If the building is not OSHPD 1, then it shouldn't show up in the AB1882 reporting list. Contact SCU if you see any discrepancies (to add or delete buildings from the list).

31

AB1882 – Services on HCAI Website

Facility Detail

Click on the **Facility List Drop-down** below and scroll to find and select a facility. Or click the drop-down and begin typing a facility name or number to filter the list. Data is updated every 2 weeks.

New: AB 2190 Quarterly Reports are now available.

For accessibility copies of facility site plans email [Seismic Compliance Unit](#).

Facility Info | Building List/Seismic Info | Building Services | Instrumented Buildings | AB2190 Report | Unauthorized Construction | Building Operational Plan

Show facilities:

(All)

Do not have AB 2190 Extensions

Have AB 2190 Extensions

Facility List Drop-down

12295 Sharp Coronado Hospital and Healthcare Center

12295 Sharp Coronado Hospital and Healthcare Center
 (OSHPD ID: 106370689)
 250 Prospect Place
 Coronado, CA-92118
 County:
 San Diego
 License Type:
 General Acute Care
 HCAI Geographic Region:
 South Region



32

AB1882 – Services on HCAI Website

Facility Info | Building List/Seismic Info | Building Services | Instrumented Buildings | AB2320 Report | Unauthorized Construction | Building Operational Plan | [Back to Main](#)

12295 Sharp Coronado Hospital and Healthcare Center - Reported Services in 2023

BLD. Nbr	BLD. Name	Handed Off to 9	ICU/CCU	Pharmacy	Diabetic	Admin/Office	Brake/Pool/Hall	Server Storage	Morgue	Employee Clinic	Housekeeping	Special Procedure	ICU/CCU/ICU	Normal Intensive Care Unit	Public Address/PA/PT/ST/OT	Diagnostic Lab	Emergency Room	Nuclear	Isolation/Treatment	Physical Therapy	Respiratory	Inpatient Services	Outpatient Services	Skilled Nursing Unit	Emergency Department	Non-ICU Units	Notes
BLD. 02091	Main Tower	X	X	X	X	X	X	X	X	X	X	X							X	X	X	X				SPC: 2 NPC: 2 This building does not significantly exceed its, but may not be repairable.	
BLD. 02092	ICU Building (Emergency Department Building)	X										X										X				SPC: 2 NPC: 2 This building does not significantly exceed its, but may not be repairable.	
BLD. 02093	Ancillary Building			X	X	X	X			X													X			SPC: 2 NPC: 2 This building does not significantly exceed its, but may not be repairable.	
BLD. 02822	Prospect Plaza Canopy																							Entry Canopy Only		SPC: 5 NPC: 4	
BLD. 02889	Morgue Building		X	X					X													X				SPC: 4D NPC: 2	
BLD. 02891	Long Term Care Building (Outpatient Pavilion)	X	X	X					X		X											X				SPC: 4D NPC: 2	
BLD. 03052	Sub-Acute Care II Building																				X	X	X			SPC: 2 NPC: 2 This building does not significantly exceed its, but may not be repairable.	

SPC - Structural Performance Category
 NPC - Nonstructural Performance Category
 SPC and NPC are applicable to Hospital Buildings only
 3s, 4s and 5s indicate SPC/NPC rating self-reported by the hospital and not verified by OSHPD
 To download building data, select this page by clicking on the facility name at the top. Then use the "Download Data" option in the toolbar below.

33

FAQs - AB1882 Services Reporting

Do facilities need to hire a design professional to submit AB 1882 Service reporting?

- No. An authorized facility representative can submit the application without a design professional.



34

FAQs - AB1882 Services Reporting

Who must report yearly under AB 1882?

- All operational hospitals licensed as general acute hospitals or that have any general acute care category licensed beds that are subject to SB 1953 requirements.
- This means acute rehabilitation hospitals, surgical hospitals, etc., are subject to the reporting requirements.

What documents are required for AB 1882 service reporting application?

Please follow the eSP [Hospital Services Reporting](#) User Guide. No additional documents are required.



35

FAQs - AB1882 Services Reporting

What if my facility no longer has any acute care functions, but is licensed as a General Acute Hospital?

Contact CDPH L&C to see if the facility needs to be relicensed to reflect the current usage. Once the facility is relicensed as something other than a General Acute Care hospital, please email Seismic Compliance Unit (SCU) a scanned copy of the paper license and the record will be updated to exempt the AB 1882 reporting requirement.



36

FAQs - AB1882 Services Reporting

When filling out the services in the eSP application website, can I leave a blank for service type for a building?

- No, all buildings need at least one service selected. If the building doesn't contain any of the acute care services, select 'Non-GAC Uses' and enter a brief description of the building service(s).



37

FAQs - AB1882 Services Reporting

What if I need to add a GAC building to the inventory?

- Submit an “add a building” application to the Seismic Compliance Unit? Following the creation of the new building number, AB 1882 reporting of the services for the added building is required.



38

FAQs - AB1882 Services Reporting

What if I need to remove a GAC building from the inventory?

- Submit an application to the SCU explaining why the building should be removed from the building inventory.
- Reasons include demolition, reclassification as an OSHPD 1R, building returned to the local authority having jurisdiction, etc.
- The AB 1882 services list will be updated following the removal of the building.



39

5) AB1882: Public Notice (Deadline 1/1/24)

- Buildings compliant with HSC §130065 means buildings with SPC-3/NPC-5, SPC-4D/NPC-5, SPC-4/NPC-5, or SPC-5/NPC-5 ratings.
- Before January 1, 2024, the owner of an acute care inpatient hospital that includes a general acute care (GAC) building that is not SPC-3/NPC-5, SPC-4D/NPC-5, SPC-4/NPC-5, or SPC-5/NPC-5 shall post a notice in a public space, designated as **any lobby or waiting area.**



40

AB1882: Public Notice (Deadline 1/1/24)

- The proposed location and the content of the notice are required to be accepted by the department through an application.
- If there is no lobby/waiting area, an appropriate posting location will be chosen.



41

AB1882: Public Notice (Deadline 1/1/24)


- The notice sign shall be in accordance with the California Building Code, California Code of Regulations, Title 24, Part 2, Volume 2, CHAPTER 11B, Division 7, Section 11B-703 Signs.
- The size of the sign to be 8½ inches x 14 inches




42

This Building's Seismic Performance Rating

Structural Integrity



Equipment and Systems
Critical to Patient Care



The State of California has determined that this building does not significantly jeopardize life, but may not be repairable or functional following an earthquake.

More info:




Facility Number:

Building Number: BLD-

43 

43

AB1882: Public Notice (signage)

Notice Requirements of General Acute Care (GAC) Buildings

	NPC-1, 2, 3, 4D, 4	NPC-5
SPC-1	Notice Type A	Notice Type A
SPC-2	Notice Type B	Notice Type B
SPC-3	Notice Type C	Notice not required, see optional Notice Type D
SPC-4D	Notice Type C	Notice not required, see optional Notice Type D
SPC-4	Notice Type C	Notice not required, see optional Notice Type D
SPC-5	Notice Type C	Notice not required, see optional Notice Type E

Overview →
 1-Website →
 2-Project Doc →
 3-Outlay Plans →
 4-Services →
 5-Signage



44

AB1882: Public Notice

Notice Type A:

“The State of California has determined that this hospital building does not meet seismic safety standards. This building may jeopardize life and is a danger to the public in an earthquake.”

Notice Type B:

“The State of California has determined that this building does not significantly jeopardize life, but may not be repairable or functional following an earthquake.”

Notice Type C:

“The State of California has determined that the hospital building is at risk of not being functional to provide care to its patients or the community after an earthquake.”

Notice Type D:

“The State of California has determined that the hospital building meets seismic safety standards, but the hospital building may not be functional to provide care to its patients or the community after an earthquake.”

Notice Type E:

“The State of California has determined that the hospital building meets seismic safety standards and designated this building as an Earthquake Resilient Building.”



45

This Building's Seismic Performance Rating

Structural Integrity



Equipment and Systems Critical to Patient Care



The State of California has determined that the hospital building is at risk of not being functional to provide care to its patients or the community after an earthquake.


More info:




Facility Number: _____
Building Number: BLD- _____

This Building's Seismic Performance Rating

Structural Integrity



Equipment and Systems Critical to Patient Care



The State of California has determined that the hospital building meets seismic safety standards and designated this building as an Earthquake Resilient Building.

More info:



Facility Number: _____
Building Number: BLD- _____



46


AB1882: Signage



QR Code links to a specific HCAI landing page.

This webpage is being designed for general public.

Will try to explain the ratings without technical terms, but will also include details/resources for interested parties.



47

AB1882: Signage Application Process - STEPS

AB1882 Signage


- One application per building is required (no \$250 fee)
- Please follow eSP user guide 26 on the HCAI website:
[Hospital Signage Reporting User Guide](#)
- Once the documents are reviewed and accepted by HCAI, HCAI field staff will verify the signage on-site
- No permit is generated

Project number examples:

GACSIGN-2023-00019

GACSIGN-2023-00020

GACSIGN-2023-00021



48

AB1882: Signage Application Process - STEPS

1- Go to OSHPD e-services portal: [OSHPD - eServices Portal \(ca.gov\)](https://osphpd.ca.gov)


Login with user name/password

Tip: If you don't have the facility PIN number (not user password), you won't be able to submit the application. Unfortunately PIN is prompted at the LAST step.

2- Start Create an application

Only registered users may create an Application for Hospital Services Reporting.

Begin under Enforcement module by clicking on the "Create an Application" link.



49

AB1882: Signage Application Process - STEPS

Step 3. Select Record Type

Select the "Hospital Signage Reporting" then click on "Continue Application" button.



50

AB1882: Signage Application Process - STEPS

Step 1: Facility Information > Facility Details

Facility

Enter the HCAI Facility ID for this Project (or select 'Auto-fill' if available) and the facility from the returned list. Both the Address and Owner sections will be auto-populated from our database. **Please verify that this information is correct.** If the facility information is incorrect or to add a new facility.

* Facility ID: Facility Name:

Type of Facility:

County Code:

Step 4. Enter Facility Information

Enter the HCAI Facility ID or Facility Name then click on **“Search”** button. If the facility is found, the facility information, address, and owner fields will be automatically populated and become read-only.



51

AB1882: Signage Application Process - STEPS

Step 5. Enter Contact

A Contact is the individual representing the Facility to whom correspondence will be copied.

- If the logged in user is the contact, click **“Select from Account”** to add the contact.
- If the logged in user is not the contact, click **“Add New”** to enter the information. Click **Continue** to return to application.

Missing data from required fields must be completed to continue the application.

When entered, click on **“Continue Application”**.

Step 1: Select Facility > Contact

Authorized Agent

The contact entered on this page should be the facility representative such as the a



52

AB1882: Signage Application Process - STEPS


Step 6. OSHPD Building Number

Enter the OSHPD building number. Visit [Facility Details](#) web page to determine the number and type of buildings at each facility. If other buildings exist at the facility that do not have a building number, contact SeismicComplianceUnit@hcai.ca.gov. Building numbers will be issued for those buildings.

Step 7. Attachments

A Floor Plan showing location of all signs in building and a document showing the sign used are required to complete this section.


To add an attachment, click "Add".




53

AB1882: Signage Application Process - STEPS

On the next window, click "Add" to navigate to find the files.
Select one or more files and click "Open".



Once each file is uploaded 100%, click "Continue".



Select document type and enter description. Click "Save".
Repeat to add more documents.
Then, click "Continue Application"



54

AB1882: Signage Application Process - STEPS

Step 8. Facility PIN If you are authorized by the facility and have obtained a valid Facility PIN, enter it on the screen, then click on **“Continue Application”** button to proceed to the next page flow screen.

If you do not have a valid Facility PIN code, click on **“Save and Resume Later”** button to save the record.

* Indicates a required field.

PIN

SECURITY
Please enter your Facility's six digit PIN below. **You will not be able to complete this project without a valid PIN.** If you do not know your Facility's PIN, click "Save pending submittal" now. This will save your record and issue a temporary project number (e.g. 17TMP-00014); a confirmation email will be sent to you.

If you do not know the PIN but a PIN has been issued, forward the confirmation email to the PIN holder.

If your facility has not been issued a PIN, or you having other access issues, please contact the eCA Access Manager at eCA.Access.Manager@oshpd.ca.gov or call (916) 440-8400.

[Continue Application >](#)


[Save and resume later](#)




55

AB1882: Signage Application Process - STEPS

Signage pdf file:



Floor plan indicating signage locations (for one building)




Please note: If the building is multi story – at least 1 signage per floor above.



56

AB1882: Signage Application Process - STEPS

Floor plan indicating signage locations, multiple buildings:



59

FAQs - AB1882 Signage

PIN 75 states the following: "The proposed location and the content of the notice are required to be accepted by the department through a construction project submittal." Is an Amended Construction Document (ACD) or a new project acceptable to submit for posting?

Please submit an application with a specific record type (GACSIGN) using the [eServices Portal](#) (eSP). Please follow the [Hospital Signage Reporting User Guide](#) for the step-by-step application process.



60

FAQs - AB1882 Signage

What documents are required for the signage application?

Please follow the eSP [Hospital Signage Reporting User Guide](#).

A floor plan showing the signage locations and the signage page selected and filled in from PIN 75 are required to be uploaded as part of the AB 1882 signage application.



61

FAQs - AB1882 Signage

Is only one notice needed for each non-compliant structure?

The law requires posting in any lobby or waiting area generally accessible to patients. The department may agree with a fewer number of posting locations depending on the floor(s) layout and use of space. Please submit an application with proposed posting locations for the department's review and approval.

Can this be done as part of another ongoing project on the site?

No. Please submit a new AB 1882 signage application using eSP.

There are general acute care buildings without lobby or waiting areas, would posting still be required?

If there is no lobby or waiting area, the department will review the location of the posting on a case-by-case basis. AB 1882 posting is not required for equipment yards, tunnels, canopies, cooling towers, or emergency generator enclosures.



62

FAQs - AB1882 Signage

Are these signs expected to be printed pieces of paper? What about signage to wall connection detail?

There is no required material type for the signage. The signage should be protected from damage and securely adhered or hung on the wall.

Is it sufficient to provide a general location, such as pointing to the approximate area on a floor plan, or does the exact location need to be specified?

Pointing to the approximate area on a floor plan is acceptable. The installed signage is required to be verified and accepted by HCAI field staff.

Will the HCAI regions be reviewing these AB 1882 projects, or will they go through the Seismic Compliance Unit?

Review and approval will be done by the corresponding region or field staff.



63

FAQs - AB1882 Signage

Do we need to complete project kick-offs with the field staff? District Structural Engineer (DSE), Fire Life Safety Officer (FLSO), and Compliance Officer (CO)?

No.

Do we need an Inspector of Record (IOR), Testing Inspection Observation Program (TIO), or Verified Compliance Report (VCR) by the Design Professional of Record (DPOR)?

No.

Can the sign be moved at a later date?

For revised location, please submit a new AB 1882 signage application using eSP.

Is a version of the sign for the visually impaired required?

Braille signage is not required.

If the building SPC or NPC rating changes, would revised signage be required?

Yes.



64

FAQs - AB1882 Signage

Can the facility provide supplemental information to the posting?

- No supplemental information on the posting will be allowed. However, additional informational postings around the signage that does not interfere with the AB 1882 signage posting is allowed.

The statement says no deviation from the notice format. Assuming that the format remains as is, can the statement be adjusted?

- The statement, the size, or the format cannot be revised.



65

FAQs

- **What should be reported when the facility NPC / SPC ratings have “s” letters, such as SPC-5s, NPC-4s?**

“s” designation is a reported SPC/NPC rating to OSHPD, not an approved rating. This “s” designation typically indicates that there is some missing documentation that is required to be provided. Please contact SCU with steps to clear “s” designation.



66



Thank You!

Questions?
Please email

SeismicComplianceUnit@hcai.ca.gov