

STATE OF CALIFORNIA  
DEPARTMENT OF HEALTH CARE ACCESS AND INFORMATION

FORMAT AND FILE SPECIFICATIONS  
FOR SUBMISSION OF  
HOSPITAL EQUITY MEASURES REPORTS

Version 1.0  
April 15, 2024

FORMAT AND FILE SPECIFICATIONS  
FOR SUBMISSION OF  
HOSPITAL EQUITY MEASURE REPORTS  
GENERAL INFORMATION

This document specifies requirements for electronic files submitted to the Department of Health Care Access and Information (HCAI) in accordance with California Code of Regulations, Title 22, Section 95308. If a hospital chooses to submit the reports specified in Section 95308 by uploading comma separated value (.csv) files, the files must meet the following technical format and file specifications.

**General Acute Care Hospital section** displays all data elements required for general acute care hospitals, including specifications and formatting for data elements for general acute care hospitals.

**Children's Hospital section** displays all variables required for children's hospitals, including specifications and formatting for data elements for children's hospitals.

**Acute Psychiatric Hospital section** displays all variables required for acute psychiatric hospitals, including specifications and formatting for data elements for acute psychiatric hospitals.

Dates shall be formatted as: month (2 digits), day (2 digits), year (4 digits) separated by slashes ("/"). For example, 03/12/2009 (also commonly referred to as "mm/dd/yyyy" format).

Percents shall be formatted as 5 digits: 3 digits, 1 decimal point, 1 digit. For example, XXX.X

Rates shall be formatted as 6 digits: 4 digits, 1 decimal point, 1 digit. For example, XXXX.X

Whole numbers shall be formatted as 9 digits with no decimal point. For example, XXXXXXXXX

Yes/ No responses shall be formatted as 1 character value: Y or N

The Department may reject any report that does not comply with these specifications.

FORMAT AND FILE SPECIFICATIONS FOR SUBMISSION OF  
HOSPITAL EQUITY MEASURE REPORTS  
STANDARD RECORD FORMAT

**General Acute Care Hospital**

Label	Data Element	Data Description	Required	Format	Size
Hospital_Name	Hospital Name	Name of the hospital	Yes	Character	60
HCAI_ID	Hospital HCAI ID	A unique nine-digit identifier assigned to each facility by HCAI. The first digit indicates the facility's license type. The second and third digits indicate the State of the licensed facility (California). The fourth and fifth digits identify the county in which the facility is located. The last four digits are unique within each county for each type of data (i.e., IP, ED and AS).	Yes	Character	9
Reporting_Orga nization	Reporting Organization	Name of the organization creating and submitting the Hospital Equity Measures Report	Yes	Character	60
Report_Period_ Start_Date	Report Period Start Date	Start date for the reporting period covered in the Hospital Equity Measures Report (MM/DD/YYYY)	Yes	Date	10
Report_Period_ End_Date	Report Period End Date	End date for the reporting period covered in the Hospital Equity Measures Report (MM/DD/YYYY)	Yes	Date	10
Clean_Water_Ai r	Hospital Location with Clean Water and Air	Response to whether the hospitals is located in an area with access to clean water and air (Y/N)	Yes	Character	1
Report_Web_A ddress	Hospital Web Address for Equity Report	Web address for the location of the Hospital Equity Report on the hospital's website	Yes	Character	60
JCA_1_Leadshi p	Joint Commission	Designate an individual to lead hospital health equity activities (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
	Accreditation question 1				
JCA_2_Document	Joint Commission Accreditation question 2	Provide documentation of policy prohibiting discrimination (Y/N)	Yes	Character	1
JCA_3_Denominator	Joint Commission Accreditation Language Denominator	Number of patients that were asked their preferred language	Yes	Numeric	9
JCA_3_ASL_Num	Joint Commission Accreditation American Sign Language Numerator	Number of patients that reported their preferred language is American Sign Language	Yes	Numeric	9
JCA_3_ASL_Percent	Joint Commission Accreditation American Sign Language Percent	Percent of patients that reported their preferred language is American Sign Language	Yes	Decimal	3,1
JCA_3_English_Num	Joint Commission Accreditation English Language Numerator	Number of patients that reported their preferred language is English	Yes	Numeric	9
JCA_3_English_Percent	Joint Commission Accreditation	Percent of patients that reported their preferred language is English	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	English Language Percent				
JCA_3_API_Nu m	Joint Commission Accreditation Asian Pacific Islander Languages Numerator	Number of patients that reported their preferred language is an Asian/Pacific Islander Language	Yes	Numeric	9
JCA_3_API_Per cent	Joint Commission Accreditation Asian Pacific Islander Languages Percent	Percent of patients that reported their preferred language is Asian/Pacific Islander Languages	Yes	Decimal	3,1
JCA_3_ME_Nu m	Joint Commission Accreditation Middle Eastern Languages Numerator	Number of patients that reported their preferred language is an Asian/Pacific Islander Language	Yes	Numeric	9
JCA_3_ME_Per cent	Joint Commission Accreditation Middle Eastern Languages	Percent of patients that reported their preferred language is Middle Eastern Languages	Yes	Decimal	3,1
JCA_3_Spanish _Num	Joint Commission Accreditation Spanish	Number of patients that reported their preferred language is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Language Numerator				
JCA_3_Spanish_Percent	Joint Commission Accreditation Spanish Language Percent	Percent of patients that reported their preferred language is Spanish	Yes	Decimal	3,1
JCA_3_other_Num	Joint Commission Accreditation Other Languages Numerator	Number of patients that reported their preferred language is another language not specified	Yes	Numeric	9
JCA_3_other_Percent	Joint Commission Accreditation Other Languages	Percent of patients that reported their preferred language is another language not specified	Yes	Decimal	3,1
CMS_HCCE_1_Pop	Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure attestation 1	Our hospital strategic plan identifies priority populations who currently experience health disparities (Y/N)	Yes	Character	1
CMS_HCCE_2_Goal	CMS HCCE Measure attestation 2	Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
CMS_HCHE_3_Resource	CMS HCHE Measure attestation 3	Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals (Y/N)	Yes	Character	1
CMS_HCHE_4_Approach	CMS HCHE Measure attestation 4	Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations (Y/N)	Yes	Character	1
CMS_HCHE_5_Demographic	CMS HCHE Measure attestation 5	Our hospital collects demographic information, including self-reported race and ethnicity, and/or social determinant of health information on the majority of our patients (Y/N)	Yes	Character	1
CMS_HCHE_6_Culture	CMS HCHE Measure attestation 6	Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information (Y/N)	Yes	Character	1
CMS_HCHE_7_EHR	CMS HCHE Measure attestation 7	Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified EHR technology (Y/N)	Yes	Character	1
CMS_HCHE_8_KPI	CMS HCHE Measure attestation 8	Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards. (Y/N)	Yes	Character	1
CMS_HCHE_9_QI	CMS HCHE Measure attestation 9	Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities (Y/N)	Yes	Character	1
CMS_HCHE_10_Rev_Plan	CMS HCHE Measure attestation 10	Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity (Y/N)	Yes	Character	1
CMS_HCHE_11_Rev_KPI	CMS HCHE Measure attestation 11	Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews key performance indicators stratified by demographic and/or social factors (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
SDoH_screen_num	CMS SDOH Screened numerator	Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN	Yes	Numeric	9
SDoH_den	CMS SDOH denominator	Number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission	Yes	Numeric	9
SDOH_Screen_Rate	CMS SDOH screen rate	The percent of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HSRN, and who screen positive for one or more of the following five HRSNs: Food insecurity, housing instability, transportation problems, utility difficulties, or interpersonal safety	Yes	Decimal	3,1
SDOH_Food_Positive	CMS Screening for Social Drivers of Health (SDOH) Food Insecurity numerator	Number of patients screened positive for food insecurity	Yes	Numeric	9
SDOH_Food_Positive_Rate	CMS SDOH Food Positive Rate	SDOH_Food_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Food_Intervention	CMS SDOH Food Insecurity Intervention	Number of interventions provided for Food Insecurity	Yes	Numeric	9
SDOH_Food_Intervention_Rate	CMS SDOH Food Insecurity Intervention Rate	SDOH_Food_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Housing_Positive	CMS SDOH Housing Instability numerator	Number of patients screened positive for housing instability		Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SDOH_Housing_Positive_Rate	CMS SDOH Housing Positive Rate	SDOH_Housing_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Housing_Intervention	CMS SDOH Housing Intervention	Number of interventions provided for housing instability	Yes	Numeric	9
SDOH_Housing_Intervention_Rate	CMS SDOH Housing Intervention Rate	SDOH_Housing_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Trans_Positive	CMS SDOH Transportation Problems numerator	Number of patients screened positive for transportation problems	Yes	Numeric	9
SDOH_Trans_Positive_Rate	CMS SDOH Transportation Problems Positive Rate	SDOH_Trans_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Trans_Intervention	CMS SDOH Transportation Problems Intervention	Number of interventions provided for transportation problems	Yes	Numeric	9
SDOH_Trans_Intervention_Rate	CMS SDOH Transportation Problems Intervention Rate	SDOH_Trans_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Utility_Positive	CMS SDOH Utility Difficulties numerator	Number of patients screened positive for utility difficulties	Yes	Numeric	9
SDOH_Utility_Positive_Rate	CMS SDOH Utility Difficulties Positive Rate	SDOH_Utility_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SDOH_Utility_Intervention	CMS SDOH Utility Difficulties Intervention	Number of interventions provided for utility difficulties	Yes	Numeric	9
SDOH_Utility_Intervention_Rate	CMS SDOH Utility Difficulties Intervention Rate	SDOH_Utility_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Safety_Positive	CMS SDOH Interpersonal Safety numerator	Number of patients screened positive for interpersonal safety	Yes	Numeric	9
SDOH_Safety_Positive_Rate	CMS SDOH Interpersonal Safety Positive Rate	SDOH_Safety_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Safety_Intervention	CMS SDOH Interpersonal Safety Intervention	Number of interventions provided for interpersonal safety	Yes	Numeric	9
SDOH_Safety_Intervention_Rate	CMS SDOH Interpersonal Safety Intervention Rate	SDOH_Safety_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
HCAHPS_Recom_19_Y	HCAHPS question 19 "Yes" responses	Total number of respondents who replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total	HCAHPS question 19 total responses	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_Percent	HCAHPS question 19 percent of "Yes" responses	The percent of respondents who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_totalsurveyed	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_response rate	HCAHPS question 19 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_AIAN	HCAHPS question 19 "Yes" responses where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents whose race and/or ethnicity is American Indian or Alaskan Native and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_AIAN	HCAHPS question 19 total responses where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_AIAN	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is American Indian	The percent of respondents whose race and/or ethnicity is American Indian or Alaskan Native who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	or Alaskan Native				
HCAHPS_Recom_19_totalsurveyed_Race_AIAN	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_AIAN	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Asian	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Asian	Total number of respondents whose race and/or ethnicity is Asian and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Asian	HCAHPS question 19 total responses where race and/or ethnicity is Asian	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Race_Asian	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Asian	The percent of respondents whose race and/or ethnicity is Asian who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Asian	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Asian	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Asian	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Asian	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Asian	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Asian	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Black	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Black or African American	Total number of respondents whose race and/or ethnicity is Black or African American and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Black	HCAHPS question 19 total responses where race and/or ethnicity is Black	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	or African American				
HCAHPS_Recom_19_Percent_Race_BlK	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Black or African American	The percent of respondents whose race and/or ethnicity is Black or African American who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_BlK	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Black or African American	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Race_BlK	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Black or African American	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Hisp	HCAHPS question 19 "Yes" responses where race and/or ethnicity	Total number of respondents whose race and/or ethnicity is Hispanic or Latino and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino				
HCAHPS_Recom_19_total_Race_Hisp	HCAHPS question 19 total responses where race and/or ethnicity is Hispanic or Latino	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_Hisp	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Hispanic or Latino	The percent of respondents whose race and/or ethnicity is Hispanic or Latino who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Hisp	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Hispanic or Latino	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Hisp	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino				
HCAHPS_Recom_19_Y_Race_MENA	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents whose race and/or ethnicity is Middle Eastern or North African and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_MENA	HCAHPS question 19 total responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_MENA	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Middle Eastern or North African	The percent of respondents whose race and/or ethnicity is Middle Eastern or North African who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_MENA	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Middle Eastern or North African	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Race_MENA	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Middle Eastern or North African	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_NHPI	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_NHPI	HCAHPS question 19 total responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_NHPI	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Native Hawaiian	The percent of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	or Other Pacific Islander				
HCAHPS_Recom_19_totalsurveyed_Race_NHPI	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_NHPI	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Multi	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Multi-racial	Total number of respondents whose race and/or ethnicity is Multi-racial and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Multi	HCAHPS question 19 total responses where race and/or	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Multi-racial				
HCAHPS_Recom_19_Percent_Race_Multi	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Multi-racial	The percent of respondents whose race and/or ethnicity is Multi-racial who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Multi	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Multi-racial	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Multi	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Multi-racial	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Whit	HCAHPS question 19 "Yes" responses where race and/or ethnicity is White	Total number of respondents whose race and/or ethnicity is White and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Whit	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is White	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is White				
HCAHPS_Recom_19_Percent_Race_Wh	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is White	The percent of respondents whose race and/or ethnicity is White who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Wh	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is White	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is White	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Wh	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is White	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is White	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_<18	HCAHPS question 19 "Yes" responses where age is younger than 18 years	Total number of respondents whose age is younger than 18 years and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_<18	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is younger than 18 years	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is younger than 18 years				
HCAHPS_Recom_19_Percent_Age_<18	HCAHPS question 19 percent of "Yes" responses where age is younger than 18 years	The percent of respondents whose age is younger than 18 years who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Age_<18	HCAHPS question 19 total number of people surveyed where age is younger than 18 years	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is younger than 18 years	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Age_<18	HCAHPS question 19 response rate for people surveyed where age is younger than 18 years	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is younger than 18 years	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_18_34	HCAHPS question 19 "Yes" responses where age is 18 to 34 years old	Total number of respondents whose age is 18 to 34 years old and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_18_34	HCAHPS question 19 total responses where age is 18 to 34 years old	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 18 to 34 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Age_18_34	HCAHPS question 19 percent of "Yes" responses where age is 18 to 34 years old	The percent of respondents whose age is 18 to 34 years old who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Age_18_34	HCAHPS question 19 total number of people surveyed where age is 18 to 34 years old	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 18 to 34 years old	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Age_18_34	HCAHPS question 19 response rate for people surveyed where age is 18 to 34 years old	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 18 to 34 years old	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_35_49	HCAHPS question 19 "Yes" responses where age is 35 to 49 years old	Total number of respondents whose age is 35 to 49 years old and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_35_49	HCAHPS question 19 total responses where age is 35 to 49 years old	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 35 to 49 years old	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Age_35_49	HCAHPS question 19 percent of "Yes" responses where	The percent of respondents whose age is 35 to 49 years old who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	age is 35 to 49 years old				
HCAHPS_Recom_19_totalsurveyed_Age_35_49	HCAHPS question 19 total number of people surveyed where age is 35 to 49 years old	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 35 to 49 years old	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Age_35_49	HCAHPS question 19 response rate for people surveyed where age is 35 to 49 years old	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 35 to 49 years old	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_50_64	HCAHPS question 19 "Yes" responses where age is 50 to 64 years old	Total number of respondents whose age is 50 to 64 years old and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_50_64	HCAHPS question 19 total responses where age is 50 to 64 years old	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 50 to 64 years old	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Age_50_64	HCAHPS question 19 percent of "Yes" responses where age is 50 to 64 years old	The percent of respondents whose age is 50 to 64 years old who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_totalsurveyed_Age_50_64	HCAHPS question 19 total number of people surveyed where age is 50 to 64 years old	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 50 to 64 years old	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Age_50_64	HCAHPS question 19 response rate for people surveyed where age is 50 to 64 years old	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 50 to 64 years old	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_>65	HCAHPS question 19 "Yes" responses where age is 65 years or older	Total number of respondents whose age is 65 years or older and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_>65	HCAHPS question 19 total responses where age is 65 years or older	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 65 years or older	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Age_>65	HCAHPS question 19 percent of "Yes" responses where age is 65 years or older	The percent of respondents whose age is 65 years or older who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Age_>65	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 65 years or older	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 65 years or older				
HCAHPS_Recom_19_response_rate_Age_>65	HCAHPS question 19 response rate for people surveyed where age is 65 years or older	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 65 years or older	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Sex_F	HCAHPS question 19 "Yes" responses where sex assigned at birth is Female	Total number of respondents whose sex assigned at birth is Female and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Sex_F	HCAHPS question 19 total responses where sex assigned at birth is Female	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Female	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Sex_F	HCAHPS question 19 percent of "Yes" responses where sex assigned at birth is female	The percent of respondents whose sex assigned at birth is Female who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Sex_F	HCAHPS question 19 total number of people surveyed where sex assigned at birth is female	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Sex_F	HCAHPS question 19 response rate for people surveyed where sex assigned at birth is female	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Female	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Sex_M	HCAHPS question 19 "Yes" responses where sex assigned at birth is Male	Total number of respondents whose sex assigned at birth is Male and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Sex_M	HCAHPS question 19 total responses where sex assigned at birth is Male	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Male	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Sex_M	HCAHPS question 19 percent of "Yes" responses where sex assigned at birth is male	The percent of respondents whose sex assigned at birth is Male who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Sex_M	HCAHPS question 19 total number of people surveyed where sex assigned at birth is male	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Sex_M	HCAHPS question 19 response rate for people surveyed where sex assigned at birth is male	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Male	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Sex_Unknown	HCAHPS question 19 "Yes" responses where sex assigned at birth is Unknown	Total number of respondents whose sex assigned at birth is Unknown and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Sex_Unknown	HCAHPS question 19 total responses where sex assigned at birth is Unknown	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Unknown	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Sex_Unknown	HCAHPS question 19 percent of "Yes" responses where sex assigned at birth is unknown	The percent of respondents whose sex assigned at birth is Unknown who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Sex_Unknown	HCAHPS question 19 total number of people surveyed where sex assigned at birth is unknown	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Sex_Unk	HCAHPS question 19 response rate for people surveyed where sex assigned at birth is unknown	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Unknown	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Payer_Medicare	HCAHPS question 19 "Yes" responses where payer type is Medicare	Total number of respondents whose payer type is Medicare and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Payer_Medicare	HCAHPS question 19 total responses where payer type is Medicare	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Medicare	HCAHPS question 19 percent of "Yes" responses where payer type is Medicare	The percent of respondents whose payer type is Medicare who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Medicare	HCAHPS question 19 total number of people surveyed where payer type is Medicare	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Recom_19_response	HCAHPS question 19 response rate for	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
rate_Payer_Medicare	people surveyed where payer type is Medicare				
HCAHPS_Recom_19_Y_Payer_Medicaid	HCAHPS question 19 "Yes" responses where payer type is Medicaid	Total number of respondents whose payer type is Medicaid and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Payer_Medicaid	HCAHPS question 19 total responses where payer type is Medicaid	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Medicaid	HCAHPS question 19 percent of "Yes" responses where payer type is Medicaid	The percent of respondents whose payer type is Medicaid who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Medicaid	HCAHPS question 19 total number of people surveyed where payer type is Medicaid	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Payer_Medicaid	HCAHPS question 19 response rate for people surveyed where payer type is Medicaid	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Medicaid	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_Payer_Private	HCAHPS question 19 "Yes" responses where payer type is Private	Total number of respondents whose payer type is Private and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Payer_Private	HCAHPS question 19 total responses where payer type is Private	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Private	HCAHPS question 19 percent of "Yes" responses where payer type is Private	The percent of respondents whose payer type is Private who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Private	HCAHPS question 19 total number of people surveyed where payer type is Private	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Payer_Private	HCAHPS question 19 response rate for people surveyed where payer type is Private	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Private	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Payer_Self	HCAHPS question 19 "Yes" responses where payer type	Total number of respondents whose payer type is Self Pay/Uninsured and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Self Pay/Uninsured				
HCAHPS_Recom_19_total_Payer_Self	HCAHPS question 19 total responses where payer type is Self Pay/Uninsured	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Self	HCAHPS question 19 percent of "Yes" responses where payer type is Self Pay	The percent of respondents whose payer type is Self Pay/Uninsured who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Self	HCAHPS question 19 total number of people surveyed where payer type is Self Pay	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Payer_Self	HCAHPS question 19 response rate for people surveyed where payer type is Self Pay	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Payer_Oth	HCAHPS question 19 "Yes" responses where payer type is Other/Unknown	Total number of respondents whose payer type is Other/Unknown and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_Payer_Oth	HCAHPS question 19 total responses where payer type is Other/Unknown	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Other/Unknown	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Oth	HCAHPS question 19 percent of "Yes" responses where payer type is Other	The percent of respondents whose payer type is Other/Unknown who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Oth	HCAHPS question 19 total number of people surveyed where payer type is Other	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Other/Unknown	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Payer_Oth	HCAHPS question 19 response rate for people surveyed where payer type is Other	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_ASL	HCAHPS question 19 "Yes" responses where preferred language is American Sign Language	Total number of respondents whose preferred language is American Sign Language and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_Lang_ASL	HCAHPS question 19 total responses where preferred language is American Sign Language	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is American Sign Language	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_ASL	HCAHPS question 19 percent of "Yes" responses where preferred language is American Sign Language	The percent of respondents whose preferred language is American Sign Language who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_ASL	HCAHPS question 19 total number of people surveyed where preferred language is American Sign Language	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is American Sign Language	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Lang_ASL	HCAHPS question 19 response rate for people surveyed where preferred language is American Sign Language	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is American Sign Language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_Lang_Eng	HCAHPS question 19 "Yes" responses where preferred language is English	Total number of respondents whose preferred language is English and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_Eng	HCAHPS question 19 total responses where preferred language is English	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_Eng	HCAHPS question 19 percent of "Yes" responses where preferred language is English	The percent of respondents whose preferred language is English who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_Eng	HCAHPS question 19 total number of people surveyed where preferred language is English	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Lang_Eng	HCAHPS question 19 response rate for people surveyed where preferred	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is English	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is English				
HCAHPS_Recom_19_Y_Lang_API	HCAHPS question 19 "Yes" responses where preferred language is an Asian/Pacific Islander language	Total number of respondents whose preferred language is an Asian/Pacific Islander language and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_API	HCAHPS question 19 total responses where preferred language is an Asian/Pacific Islander language	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_API	HCAHPS question 19 percent of "Yes" responses where preferred language is an Asian/Pacific Islander language	The percent of respondents whose preferred language is an Asian/Pacific Islander language who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_API	HCAHPS question 19 total number of people surveyed where preferred	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is an Asian/Pacific Islander language				
HCAHPS_Recom_19_response_rate_Lang_API	HCAHPS question 19 response rate for people surveyed where preferred language is an Asian/Pacific Islander language	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_ME	HCAHPS question 19 "Yes" responses where preferred language is Middle Eastern languages	Total number of respondents whose preferred language is Middle Eastern languages and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_ME	HCAHPS question 19 total responses where preferred language is Middle Eastern languages	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Middle Eastern languages	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_ME	HCAHPS question 19 percent of "Yes" responses where preferred	The percent of respondents whose preferred language is Middle Eastern languages who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is an Middle Eastern language				
HCAHPS_Recom_19_totalsurveyed_Lang_ME	HCAHPS question 19 total number of people surveyed where preferred language is an Middle Eastern language	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Middle Eastern languages	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Lang_ME	HCAHPS question 19 response rate for people surveyed where preferred language is an Middle Eastern language	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_Span	HCAHPS question 19 "Yes" responses where preferred language is Spanish	Total number of respondents whose preferred language is Spanish and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_Span	HCAHPS question 19 total responses where preferred language is Spanish	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Lang_Span	HCAHPS question 19 percent of "Yes" responses where preferred language is Spanish	The percent of respondents whose preferred language is Spanish who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_Span	HCAHPS question 19 total number of people surveyed where preferred language is Spanish	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Spanish	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Lang_Span	HCAHPS question 19 response rate for people surveyed where preferred language is Spanish	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is Spanish	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_Oth	HCAHPS question 19 "Yes" responses where preferred language is Other/Unknown	Total number of respondents whose preferred language is Other/Unknown and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_Oth	HCAHPS question 19 total responses where preferred	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
HCAHPS_Recom_19_Percent_Lang_Oth	HCAHPS question 19 percent of "Yes" responses where preferred language is Other	The percent of respondents whose preferred language is Other/Unknown who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_Oth	HCAHPS question 19 total number of people surveyed where preferred language is Other	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Other/Unknown	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Lang_Oth	HCAHPS question 19 response rate for people surveyed where preferred language is Other	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_none	HCAHPS question 19 "Yes" responses where disability status is: does not have a disability	Total number of respondents whose disability status is: does not have a disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_Disability_none	HCAHPS question 19 total responses where disability status is: does not have a disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_none	HCAHPS question 19 percent of "Yes" responses where disability status is does not have a disability	The percent of respondents whose disability status is: does not have a disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_none	HCAHPS question 19 total number of people surveyed where disability status is does not have a disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Disability_none	HCAHPS question 19 response rate for people surveyed where disability status is does not have a disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: does not have a disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Mobile	HCAHPS question 19 "Yes" responses	Total number of respondents whose disability status is: has a mobility disability and replied probably yes or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where disability status is: has a mobility disability	definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "			
HCAHPS_Recom_19_total_Disability_Mobile	HCAHPS question 19 total responses where disability status is: has a mobility disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a mobility disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Mobile	HCAHPS question 19 percent of "Yes" responses where disability status is has a mobility disability	The percent of respondents whose disability status is: has a mobility disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Mobile	HCAHPS question 19 total number of people surveyed where disability status is has a mobility disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a mobility disability	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Disability_Mobile	HCAHPS question 19 response rate for people surveyed where disability status is has a	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a mobility disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	mobility disability				
HCAHPS_Recom_19_Y_Disability_Cog	HCAHPS question 19 "Yes" responses where disability status is: has a cognition disability	Total number of respondents whose disability status is: has a cognition disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Cog	HCAHPS question 19 total responses where disability status is: has a cognition disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a cognition disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Cog	HCAHPS question 19 percent of "Yes" responses where disability status is has a cognitive disability	The percent of respondents whose disability status is: has a cognition disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Cog	HCAHPS question 19 total number of people surveyed where disability status is has a cognitive disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Disability_Cog	HCAHPS question 19 response rate for people surveyed where disability status is has a cognitive disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a cognition disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Hear	HCAHPS question 19 "Yes" responses where disability status is: has a hearing disability	Total number of respondents whose disability status is: has a hearing disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Hear	HCAHPS question 19 total responses where disability status is: has a hearing disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a hearing disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Hear	HCAHPS question 19 percent of "Yes" responses where disability status is has a hearing disability	The percent of respondents whose disability status is: has a hearing disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Hear	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a hearing disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where disability status is has a hearing disability				
HCAHPS_Recom_19_response_rate_Disability_Hear	HCAHPS question 19 response rate for people surveyed where disability status is has a hearing disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a hearing disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Vis	HCAHPS question 19 "Yes" responses where disability status is: has a vision disability	Total number of respondents whose disability status is: has a vision disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Vis	HCAHPS question 19 total responses where disability status is: has a vision disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Vis	HCAHPS question 19 percent of "Yes" responses where disability status is has a vision disability	The percent of respondents whose disability status is: has a vision disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_totalsurveyed_Disability_Vis	HCAHPS question 19 total number of people surveyed where disability status is has a vision disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Disability_Vis	HCAHPS question 19 response rate for people surveyed where disability status is has a vision disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a vision disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Self	HCAHPS question 19 "Yes" responses where disability status is: has a self-care disability	Total number of respondents whose disability status is: has a self-care disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Self	HCAHPS question 19 total responses where disability status is: has a self-care disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a self-care disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Self	HCAHPS question 19 percent of "Yes" responses where disability status	The percent of respondents whose disability status is: has a self-care disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is has a self-care disability				
HCAHPS_Recom_19_totalsurveyed_Disability_Self	HCAHPS question 19 total number of people surveyed where disability status is has a self-care disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a self-care disability	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Disability_Self	HCAHPS question 19 response rate for people surveyed where disability status is has a self-care disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a self-care disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Ind	HCAHPS question 19 "Yes" responses where disability status is: has an independent living disability	Total number of respondents whose disability status is: has an independent living disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Ind	HCAHPS question 19 total responses where disability status is: has an independent living disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Disability_Ind	HCAHPS question 19 percent of "Yes" responses where disability status is has a independent living disability	The percent of respondents whose disability status is: has an independent living disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Ind	HCAHPS question 19 total number of people surveyed where disability status is has a independent living disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has an independent living disability	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Disability_Ind	HCAHPS question 19 response rate for people surveyed where disability status is has a independent living disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has an independent living disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_SameSex	HCAHPS question 19 "Yes" responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents whose sexual orientation is lesbian, gay or homosexual and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_SO_SameSex	HCAHPS question 19 total responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_SameSex	HCAHPS question 19 percent of "Yes" responses where sexual orientation is lesbian, gay or homosexual	The percent of respondents whose sexual orientation is lesbian, gay or homosexual who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_SameSex	HCAHPS question 19 total number of people surveyed where sexual orientation is lesbian, gay or homosexual	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
HCAHPS_Recom_19_response rate_SO_SameSex	HCAHPS question 19 response rate for people surveyed where sexual orientation is lesbian, gay or homosexual	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_SO_Hetero	HCAHPS question 19 "Yes" responses where sexual orientation is straight or heterosexual	Total number of respondents whose sexual orientation is straight or heterosexual and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_Hetero	HCAHPS question 19 total responses where sexual orientation is straight or heterosexual	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_Hetero	HCAHPS question 19 percent of "Yes" responses where sexual orientation is straight or heterosexual	The percent of respondents whose sexual orientation is straight or heterosexual who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_Hetero	HCAHPS question 19 total number of people surveyed where sexual orientation is straight or heterosexual	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_SO_Hetero	HCAHPS question 19 response rate for people surveyed where sexual orientation is straight or heterosexual	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_Bi	HCAHPS question 19 "Yes" responses where sexual orientation is bisexual	Total number of respondents whose sexual orientation is bisexual and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_Bi	HCAHPS question 19 total responses where sexual orientation is bisexual	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is bisexual	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_Bi	HCAHPS question 19 percent of "Yes" responses where sexual orientation is bisexual	The percent of respondents whose sexual orientation is bisexual who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_Bi	HCAHPS question 19 total number of people surveyed where sexual	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is bisexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is bisexual				
HCAHPS_Recom_19_response_rate_SO_Bi	HCAHPS question 19 response rate for people surveyed where sexual orientation is bisexual	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is bisexual	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_Else	HCAHPS question 19 "Yes" responses where sexual orientation is something else	Total number of respondents whose sexual orientation is something else and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_Else	HCAHPS question 19 total responses where sexual orientation is something else	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is something else	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_Else	HCAHPS question 19 percent of "Yes" responses where sexual orientation is something else	The percent of respondents whose sexual orientation is something else who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_Else	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is something else				
HCAHPS_Recom_19_response_rate_SO_Else	HCAHPS question 19 response rate for people surveyed where sexual orientation is something else	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is something else	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_DK	HCAHPS question 19 "Yes" responses where sexual orientation is don't know	Total number of respondents whose sexual orientation is don't know and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_DK	HCAHPS question 19 total responses where sexual orientation is don't know	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is don't know	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_DK	HCAHPS question 19 percent of "Yes" responses where sexual orientation is don't know	The percent of respondents whose sexual orientation is don't know who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_DK	HCAHPS question 19 total number of	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where sexual orientation is don't know	friends and family? " whose sexual orientation is don't know			
HCAHPS_Recom_19_response_rate_SO_DK	HCAHPS question 19 response rate for people surveyed where sexual orientation is don't know	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is don't know	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_NotDisc	HCAHPS question 19 "Yes" responses where sexual orientation is not disclosed	Total number of respondents whose sexual orientation is not disclosed and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_NotDisc	HCAHPS question 19 total responses where sexual orientation is not disclosed	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is not disclosed	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_NotDisc	HCAHPS question 19 percent of "Yes" responses where sexual orientation is not disclosed	The percent of respondents whose sexual orientation is not disclosed who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurv	HCAHPS question 19 total	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
eyed_SO_NotDisc	number of people surveyed where sexual orientation is not disclosed	friends and family? " whose sexual orientation is not disclosed			
HCAHPS_Recom_19_response_rate_SO_NotDisc	HCAHPS question 19 response rate for people surveyed where sexual orientation is not disclosed	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is not disclosed	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_F	HCAHPS question 19 "Yes" responses where gender identity is female	Total number of respondents whose gender identity is female and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_F	HCAHPS question 19 total responses where gender identity is female	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_F	HCAHPS question 19 percent of "Yes" responses where gender identity is female	The percent of respondents whose gender identity is female who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_F	HCAHPS question 19 total number of	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where gender identity is female				
HCAHPS_Recom_19_response_rate_GI_F	HCAHPS question 19 response rate for people surveyed where gender identity is female	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is female	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_F2M	HCAHPS question 19 "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_F2M	HCAHPS question 19 total responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_F2M	HCAHPS question 19 percent of "Yes" responses where gender identity is female-to-male	The percent of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	(FTM)/transgender male/trans man				
HCAHPS_Recom_19_totalsurveyed_GI_F2M	HCAHPS question 19 total number of people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
HCAHPS_Recom_19_response rate_GI_F2M	HCAHPS question 19 response rate for people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_M	HCAHPS question 19 "Yes" responses where gender identity is male	Total number of respondents whose gender identity is male and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_M	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	gender identity is male				
HCAHPS_Recom_19_Percent_GI_M	HCAHPS question 19 percent of "Yes" responses where gender identity is male	The percent of respondents whose gender identity is male who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_M	HCAHPS question 19 total number of people surveyed where gender identity is male	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is male	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_GI_M	HCAHPS question 19 response rate for people surveyed where gender identity is male	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is male	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_M2F	HCAHPS question 19 "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans woman	Total number of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_M2F	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	gender identity is male-to-female (MTF)/transgender female/trans woman	and family? " whose gender identity is male-to-female (MTF)/transgender female/trans woman			
HCAHPS_Recom_19_Percent_GI_M2F	HCAHPS question 19 percent of "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans	The percent of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_M2F	HCAHPS question 19 total number of people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_GI_M2F	HCAHPS question 19 response rate for people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_GI_Noconf	HCAHPS question 19 "Yes" responses where gender identity is identifies as non-conforming gender	Total number of respondents whose gender identity is identifies as non-conforming gender and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_Nonconf	HCAHPS question 19 total responses where gender identity is identifies as non-conforming gender	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_Nonconf	HCAHPS question 19 percent of "Yes" responses where gender identity is non-conforming gender	The percent of respondents whose gender identity is identifies as non-conforming gender who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_Nonconf	HCAHPS question 19 total number of people surveyed where gender identity is non-conforming gender	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Recom_19_response	HCAHPS question 19	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
rate_GI_Nonconf	response rate for people surveyed where gender identity is non-conforming gender	friends and family? " whose gender identity is identifies as non-conforming gender			
HCAHPS_Recom_19_Y_GI_Oth	HCAHPS question 19 "Yes" responses where gender identity is additional gender category or other	Total number of respondents whose gender identity is additional gender category or other and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_Oth	HCAHPS question 19 total responses where gender identity is additional gender category or other	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is additional gender category or other	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_Oth	HCAHPS question 19 percent of "Yes" responses where gender identity is other	The percent of respondents whose gender identity is additional gender category or other who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_Oth	HCAHPS question 19 total number of people surveyed where gender identity is other	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is additional gender category or other	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_GI_Oth	HCAHPS question 19 response rate for people surveyed where gender identity is other	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is additional gender category or other	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_No tDisc	HCAHPS question 19 "Yes" responses where gender identity is not disclosed	Total number of respondents whose gender identity is not disclosed and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_ NotDisc	HCAHPS question 19 total responses where gender identity is not disclosed	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_NotDisc	HCAHPS question 19 percent of "Yes" responses where gender identity is not disclosed	The percent of respondents whose gender identity is not disclosed who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurv eyed_GI_NotDisc	HCAHPS question 19 total number of people surveyed where gender identity is not disclosed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Recom_19_response	HCAHPS question 19	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
rate_GI_NotDisc	response rate for people surveyed where gender identity is not disclosed	friends and family? " whose gender identity is not disclosed			
HCAHPS_Info_17_Y	HCAHPS question 17 "Yes" responses	Total number of respondents who replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total	HCAHPS question 17 total responses	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_Percent	HCAHPS question 17 percent of "Yes" responses	The percent of respondents who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " Native	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_AI AN	HCAHPS question 17 "Yes" responses where race	Total number of respondents whose race and/or ethnicity is American Indian or Alaskan Native and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is American Indian or Alaskan Native	what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_Race_AIAN	HCAHPS question 17 total response where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_AIAN	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is American Indian or Alaskan Native	The percent of respondents whose race and/or ethnicity is American Indian or Alaskan Native who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_AIAN	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_ResponseRate_Race_AIAN	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Asian	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Asian	Total number of respondents whose race and/or ethnicity is Asian and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Asian	HCAHPS question 17 total response where race and/or ethnicity is Asian	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Asian	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_Asian	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Asian	The percent of respondents whose race and/or ethnicity is Asian who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_Asian	HCAHPS question 17 total number of people surveyed where race	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Asian				
HCAHPS_Info_17_ResponseRate_Race_Asian	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Asian	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Asian	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Black	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Black or African American	Total number of respondents whose race and/or ethnicity is Black or African American and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Black	HCAHPS question 17 total response where race and/or ethnicity is Black or African American	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_Black	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Black or African American	The percent of respondents whose race and/or ethnicity is Black or African American who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Race_Bl	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Black or African American	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Bl	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Black or African American	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Hisp	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Hispanic or Latino	Total number of respondents whose race and/or ethnicity is Hispanic or Latino and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Hisp	HCAHPS question 17 total response where race and/or ethnicity is Hispanic or Latino	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Percent_Race_Hisp	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Hispanic or Latino	The percent of respondents whose race and/or ethnicity is Hispanic or Latino who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_Hisp	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Hispanic or Latino	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Hisp	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Hispanic or Latino	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_MENA	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents whose race and/or ethnicity is Middle Eastern or North African and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Race_MENA	HCAHPS question 17 total response where race and/or ethnicity is Middle Eastern or North African	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_MENA	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Middle Eastern or North African	The percent of respondents whose race and/or ethnicity is Middle Eastern or North African who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_MENA	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Middle Eastern or North African	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_MENA	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Middle Eastern or North African	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_Race_NHPI	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_NHPI	HCAHPS question 17 total response where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_NHPI	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_NHPI	HCAHPS question 17 total number of people surveyed where race and/or ethnicity	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Native Hawaiian or Other Pacific Islander				
HCAHPS_Info_17_ResponseRate_Race_NHPI	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Multi	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Multi-racial	Total number of respondents whose race and/or ethnicity is Multi-racial and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Multi	HCAHPS question 17 total response where race and/or ethnicity is Multi-racial	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_Multi	HCAHPS question 17 percent of "Yes" responses where race and/or	The percent of respondents whose race and/or ethnicity is Multi-racial who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Multi-racial				
HCAHPS_Info_17_TotalSurveyed_Race_Multi	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Multi-racial	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Multi	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Multi-racial	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_White	HCAHPS question 17 "Yes" responses where race and/or ethnicity is White	Total number of respondents whose race and/or ethnicity is White and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_White	HCAHPS question 17 total response where race and/or ethnicity is White	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is White	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_White	HCAHPS question 17 percent of "Yes" responses where	The percent of respondents whose race and/or ethnicity is White who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is White				
HCAHPS_Info_17_TotalSurveyed_Race_Whit	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is White	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is White	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Whit	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is White	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is White	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_<18	HCAHPS question 17 "Yes" responses where age is younger than 18 years	Total number of respondents whose age is younger than 18 years and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_<18	HCAHPS question 17 total response where age is younger than 18 years	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is younger than 18 years	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_<18	HCAHPS question 17 percent of "Yes" responses where	The percent of respondents whose age is younger than 18 years who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	age is younger than 18 years				
HCAHPS_Info_17_TotalSurveyed_Age_<18	HCAHPS question 17 total number of people surveyed where age is younger than 18 years	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is younger than 18 years	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Age_<18	HCAHPS question 17 response rate for people surveyed where age is younger than 18 years	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is younger than 18 years	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_18_34	HCAHPS question 17 "Yes" responses where age is 18 to 34 years old	Total number of respondents whose age is 18 to 34 years old and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_18_34	HCAHPS question 17 total response where age is 18 to 34 years old	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 18 to 34 years old	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_18_34	HCAHPS question 17 percent of "Yes" responses where age is 18 to 34 years old	The percent of respondents whose age is 18 to 34 years old who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Age_18_34	HCAHPS question 17 total number of people surveyed where age is 18 to 34 years old	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 18 to 34 years old	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Age_18_34	HCAHPS question 17 response rate for people surveyed where age is 18 to 34 years old	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 18 to 34 years old	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_35_49	HCAHPS question 17 "Yes" responses where age is 35 to 49 years old	Total number of respondents whose age is 35 to 49 years old and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_35_49	HCAHPS question 17 total response where age is 35 to 49 years old	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 35 to 49 years old	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_35_49	HCAHPS question 17 percent of "Yes" responses where age is 35 to 49 years old	The percent of respondents whose age is 35 to 49 years old who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Age_35_49	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 35 to 49 years old	problems to look out for after you left the hospital? " whose age is 35 to 49 years old			
HCAHPS_Info_17_ResponseRate_Age_35_49	HCAHPS question 17 response rate for people surveyed where age is 35 to 49 years old	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 35 to 49 years old	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_50_64	HCAHPS question 17 "Yes" responses where age is 50 to 64 years old	Total number of respondents whose age is 50 to 64 years old and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_50_64	HCAHPS question 17 total response where age is 50 to 64 years old	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 50 to 64 years old	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_50_64	HCAHPS question 17 percent of "Yes" responses where age is 50 to 64 years old	The percent of respondents whose age is 50 to 64 years old who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Age_50_64	HCAHPS question 17 total number of people surveyed where age is 50 to 64 years old	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 50 to 64 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_ResponseRate_Age_50_64	HCAHPS question 17 response rate for people surveyed where age is 50 to 64 years old	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 50 to 64 years old	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_>65	HCAHPS question 17 "Yes" responses where age is 65 years or older	Total number of respondents whose age is 65 years or older and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_>65	HCAHPS question 17 total response where age is 65 years or older	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 65 years or older	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_>65	HCAHPS question 17 percent of "Yes" responses where age is 65 years or older	The percent of respondents whose age is 65 years or older who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Age_>65	HCAHPS question 17 total number of people surveyed where age is 65 years or older	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 65 years or older	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Age_>65	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where age is 65 years or older	problems to look out for after you left the hospital? " whose age is 65 years or older			
HCAHPS_Info_17_Y_Sex_F	HCAHPS question 17 "Yes" responses where sex assigned at birth is Female	Total number of respondents whose sex assigned at birth is Female and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Sex_F	HCAHPS question 17 total response where sex assigned at birth is Female	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Female	Yes	Numeric	9
HCAHPS_Info_17_Percent_Sex_F	HCAHPS question 17 percent of "Yes" responses where sex assigned at birth is female	The percent of respondents whose sex assigned at birth is Female who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Sex_F	HCAHPS question 17 total number of people surveyed where sex assigned at birth is female	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Female	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Sex_F	HCAHPS question 17 response rate for people surveyed where sex	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Female	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is female				
HCAHPS_Info_17_Y_Sex_M	HCAHPS question 17 "Yes" responses where sex assigned at birth is Male	Total number of respondents whose sex assigned at birth is Male and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Sex_M	HCAHPS question 17 total response where sex assigned at birth is Male	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Male	Yes	Numeric	9
HCAHPS_Info_17_Percent_Sex_M	HCAHPS question 17 percent of "Yes" responses where sex assigned at birth is male	The percent of respondents whose sex assigned at birth is Male who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Sex_M	HCAHPS question 17 total number of people surveyed where sex assigned at birth is male	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Male	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Sex_M	HCAHPS question 17 response rate for people surveyed where sex	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Male	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is male				
HCAHPS_Info_17_Y_Sex_Unk	HCAHPS question 17 "Yes" responses where sex assigned at birth is Unknown	Total number of respondents whose sex assigned at birth is Unknown and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Sex_Unk	HCAHPS question 17 total response where sex assigned at birth is Unknown	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Unknown	Yes	Numeric	9
HCAHPS_Info_17_Percent_Sex_Unk	HCAHPS question 17 percent of "Yes" responses where sex assigned at birth is unknown	The percent of respondents whose sex assigned at birth is Unknown who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Sex_Unk	HCAHPS question 17 total number of people surveyed where sex assigned at birth is unknown	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Unknown	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Sex_Unk	HCAHPS question 17 response rate for people surveyed where sex	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Unknown	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is unknown				
HCAHPS_Info_17_Y_Payer_Medicare	HCAHPS question 17 "Yes" responses where payer type is Medicare	Total number of respondents whose payer type is Medicare and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Payer_Medicare	HCAHPS question 17 total response where payer type is Medicare	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Medicare	HCAHPS question 17 percent of "Yes" responses where payer type is Medicare	The percent of respondents whose payer type is Medicare who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Medicare	HCAHPS question 17 total number of people surveyed where payer type is Medicare	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Medicare	HCAHPS question 17 response rate for people surveyed where payer type is Medicare	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_Payer_Medicaid	HCAHPS question 17 "Yes" responses where payer type is Medicaid	Total number of respondents whose payer type is Medicaid and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Payer_Medicaid	HCAHPS question 17 total response where payer type is Medicaid	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Medicaid	HCAHPS question 17 percent of "Yes" responses where payer type is Medicaid	The percent of respondents whose payer type is Medicaid who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Medicaid	HCAHPS question 17 total number of people surveyed where payer type is Medicaid	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Medicaid	HCAHPS question 17 response rate for people surveyed where payer type is Medicaid	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicaid	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Payer_Private	HCAHPS question 17 "Yes" responses	Total number of respondents whose payer type is Private and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private	writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_Payer_Private	HCAHPS question 17 total response where payer type is Private	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Private	HCAHPS question 17 percent of "Yes" responses where payer type is Private	The percent of respondents whose payer type is Private who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Private	HCAHPS question 17 total number of people surveyed where payer type is Private	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Private	HCAHPS question 17 response rate for people surveyed where payer type is Private	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Private	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Payer_Self	HCAHPS question 17 "Yes" responses where payer type is Self Pay/Uninsured	Total number of respondents whose payer type is Self Pay/Uninsured and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Payer_Self	HCAHPS question 17 total response where payer type is Self Pay/Uninsured	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Self	HCAHPS question 17 percent of "Yes" responses where payer type is Self Pay	The percent of respondents whose payer type is Self Pay/Uninsured who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Self	HCAHPS question 17 total number of people surveyed where payer type is Self Pay	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Self	HCAHPS question 17 response rate for people surveyed where payer type is Self Pay	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Payer_Oth	HCAHPS question 17 "Yes" responses where payer type is Other/Unknown	Total number of respondents whose payer type is Other/Unknown and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Payer_Oth	HCAHPS question 17 total response where	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Other/Unknown	look out for after you left the hospital? " whose payer type is Other/Unknown			
HCAHPS_Info_17_Percent_Payer_Oth	HCAHPS question 17 percent of "Yes" responses where payer type is Other	The percent of respondents whose payer type is Other/Unknown who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Oth	HCAHPS question 17 total number of people surveyed where payer type is Other	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Other/Unknown	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Oth	HCAHPS question 17 response rate for people surveyed where payer type is Other	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_AS L	HCAHPS question 17 "Yes" responses where preferred language is American Sign Language	Total number of respondents whose preferred language is American Sign Language and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_AS L	HCAHPS question 17 total response where preferred language is	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is American Sign Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Sign Language				
HCAHPS_Info_17_Percent_Lang_ASL	HCAHPS question 17 percent of "Yes" responses where preferred language is American Sign Language	The percent of respondents whose preferred language is American Sign Language who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_ASL	HCAHPS question 17 total number of people surveyed where preferred language is American Sign Language	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is American Sign Language	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_ASL	HCAHPS question 17 response rate for people surveyed where preferred language is American Sign Language	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is American Sign Language	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_Eng	HCAHPS question 17 "Yes" responses where preferred language is English	Total number of respondents whose preferred language is English and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Lang_Eng	HCAHPS question 17 total response where preferred language is English	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_Eng	HCAHPS question 17 percent of "Yes" responses where preferred language is English	The percent of respondents whose preferred language is English who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_Eng	HCAHPS question 17 total number of people surveyed where preferred language is English	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_Eng	HCAHPS question 17 response rate for people surveyed where preferred language is English	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is English	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_API	HCAHPS question 17 "Yes" responses where preferred language is an	Total number of respondents whose preferred language is an Asian/Pacific Islander language and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Asian/Pacific Islander language	what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_Lang_API	HCAHPS question 17 total response where preferred language is an Asian/Pacific Islander language	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_API	HCAHPS question 17 percent of "Yes" responses where preferred language is an Asian/Pacific Islander language	The percent of respondents whose preferred language is an Asian/Pacific Islander language who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_API	HCAHPS question 17 total number of people surveyed where preferred language is an Asian/Pacific Islander language	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_API	HCAHPS question 17 response rate for	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where preferred language is an Asian/Pacific Islander language	problems to look out for after you left the hospital? " whose preferred language is an Asian/Pacific Islander language			
HCAHPS_Info_17_Y_Lang_ME	HCAHPS question 17 "Yes" responses where preferred language is Middle Eastern languages	Total number of respondents whose preferred language is Middle Eastern languages and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_ME	HCAHPS question 17 total response where preferred language is Middle Eastern languages	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Middle Eastern languages	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_ME	HCAHPS question 17 percent of "Yes" responses where preferred language is an Middle Eastern language	The percent of respondents whose preferred language is Middle Eastern languages who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_ME	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where preferred language is an Middle Eastern language	problems to look out for after you left the hospital? " whose preferred language is Middle Eastern languages			
HCAHPS_Info_17_ResponseRate_Lang_ME	HCAHPS question 17 response rate for people surveyed where preferred language is an Middle Eastern language	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_Span	HCAHPS question 17 "Yes" responses where preferred language is Spanish	Total number of respondents whose preferred language is Spanish and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_Span	HCAHPS question 17 total response where preferred language is Spanish	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Spanish	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_Span	HCAHPS question 17 percent of "Yes" responses where preferred language is Spanish	The percent of respondents whose preferred language is Spanish who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Lang_Span	HCAHPS question 17 total number of people surveyed where preferred language is Spanish	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Spanish	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_Span	HCAHPS question 17 response rate for people surveyed where preferred language is Spanish	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Spanish	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_Oth	HCAHPS question 17 "Yes" responses where preferred language is Other/Unknown	Total number of respondents whose preferred language is Other/Unknown and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_Oth	HCAHPS question 17 total response where preferred language is Other/Unknown	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Other/Unknown	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_Oth	HCAHPS question 17 percent of "Yes" responses where preferred	The percent of respondents whose preferred language is Other/Unknown who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is Other				
HCAHPS_Info_17_TotalSurveyed_Lang_Oth	HCAHPS question 17 total number of people surveyed where preferred language is Other	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Other/Unknown	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_Oth	HCAHPS question 17 response rate for people surveyed where preferred language is Other	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_none	HCAHPS question 17 "Yes" responses where disability status is: does not have a disability	Total number of respondents whose disability status is: does not have a disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_none	HCAHPS question 17 total response where disability status is: does not have a disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_none	HCAHPS question 17 percent of "Yes"	The percent of respondents whose disability status is: does not have a disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	responses where disability status is does not have a disability	get information in writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_TotalSurveyed_Disability_none	HCAHPS question 17 total number of people surveyed where disability status is does not have a disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_none	HCAHPS question 17 response rate for people surveyed where disability status is does not have a disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: does not have a disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_Mobile	HCAHPS question 17 "Yes" responses where disability status is: has a mobility disability	Total number of respondents whose disability status is: has a mobility disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Mobile	HCAHPS question 17 total response where disability status	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a mobility disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has a mobility disability				
HCAHPS_Info_17_Percent_Disability_Mobile	HCAHPS question 17 percent of "Yes" responses where disability status is has a mobility disability	The percent of respondents whose disability status is: has a mobility disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Mobile	HCAHPS question 17 total number of people surveyed where disability status is has a mobility disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a mobility disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Mobile	HCAHPS question 17 response rate for people surveyed where disability status is has a mobility disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a mobility disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_Cog	HCAHPS question 17 "Yes" responses where disability status is: has a cognition disability	Total number of respondents whose disability status is: has a cognition disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Disability_Cog	HCAHPS question 17 total response where disability status is: has a cognition disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a cognition disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Cog	HCAHPS question 17 percent of "Yes" responses where disability status is has a cognitive disability	The percent of respondents whose disability status is: has a cognition disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Cog	HCAHPS question 17 total number of people surveyed where disability status is has a cognitive disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a cognition disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Cog	HCAHPS question 17 response rate for people surveyed where disability status is has a cognitive disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a cognition disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_Disability_Hear	HCAHPS question 17 "Yes" responses where disability status is: has a hearing disability	Total number of respondents whose disability status is: has a hearing disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Hear	HCAHPS question 17 total response where disability status is: has a hearing disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a hearing disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Hear	HCAHPS question 17 percent of "Yes" responses where disability status is has a hearing disability	The percent of respondents whose disability status is: has a hearing disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Hear	HCAHPS question 17 total number of people surveyed where disability status is has a hearing disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a hearing disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Hear	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where disability status is has a hearing disability	problems to look out for after you left the hospital? " whose disability status is: has a hearing disability			
HCAHPS_Info_17_Y_Disability_Vis	HCAHPS question 17 "Yes" responses where disability status is: has a vision disability	Total number of respondents whose disability status is: has a vision disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Vis	HCAHPS question 17 total response where disability status is: has a vision disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Vis	HCAHPS question 17 percent of "Yes" responses where disability status is has a vision disability	The percent of respondents whose disability status is: has a vision disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Vis	HCAHPS question 17 total number of people surveyed where disability status is has a vision disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseR	HCAHPS question 17	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
ate_Disability_V is	response rate for people surveyed where disability status is has a vision disability	information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a vision disability			
HCAHPS_Info_ 17_Y_Disability _Self	HCAHPS question 17 "Yes" responses where disability status is: has a self-care disability	Total number of respondents whose disability status is: has a self-care disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_ 17_total_Disabili ty_Self	HCAHPS question 17 total response where disability status is: has a self- care disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a self-care disability	Yes	Numeric	9
HCAHPS_Info_ 17_Percent_Dis ability_Self	HCAHPS question 17 percent of "Yes" responses where disability status is has a self-care disability	The percent of respondents whose disability status is: has a self-care disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_ 17_TotalSurvey ed_Disability_S elf	HCAHPS question 17 total number of people surveyed where disability status is has a	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a self-care disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	self-care disability				
HCAHPS_Info_17_ResponseRate_Disability_Self	HCAHPS question 17 response rate for people surveyed where disability status is has a self-care disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a self-care disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_Ind	HCAHPS question 17 "Yes" responses where disability status is: has an independent living disability	Total number of respondents whose disability status is: has an independent living disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Ind	HCAHPS question 17 total response where disability status is: has an independent living disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has an independent living disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Ind	HCAHPS question 17 percent of "Yes" responses where disability status is has a independent living disability	The percent of respondents whose disability status is: has an independent living disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Disability_Ind	HCAHPS question 17 total number of people surveyed where disability status is has a independent living disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has an independent living disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Ind	HCAHPS question 17 response rate for people surveyed where disability status is has a independent living disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has an independent living disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_SO_SameSex	HCAHPS question 17 "Yes" responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents whose sexual orientation is lesbian, gay or homosexual and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_SameSex	HCAHPS question 17 total response where sexual orientation is lesbian, gay or homosexual	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Percent_SO_SameSex	HCAHPS question 17 percent of "Yes" responses where sexual orientation is lesbian, gay or homosexual	The percent of respondents whose sexual orientation is lesbian, gay or homosexual who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_SameSex	HCAHPS question 17 total number of people surveyed where sexual orientation is lesbian, gay or homosexual	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_SameSex	HCAHPS question 17 response rate for people surveyed where sexual orientation is lesbian, gay or homosexual	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
HCAHPS_Info_17_Y_SO_Hetero	HCAHPS question 17 "Yes" responses where sexual orientation is straight or heterosexual	Total number of respondents whose sexual orientation is straight or heterosexual and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_SO_Hetero	HCAHPS question 17 total response where sexual orientation is straight or heterosexual	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_Hetero	HCAHPS question 17 percent of "Yes" responses where sexual orientation is straight or heterosexual	The percent of respondents whose sexual orientation is straight or heterosexual who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_Hetero	HCAHPS question 17 total number of people surveyed where sexual orientation is straight or heterosexual	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_Hetero	HCAHPS question 17 response rate for people surveyed where sexual orientation is straight or heterosexual	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_SO_Bi	HCAHPS question 17 "Yes" responses where sexual orientation is bisexual	Total number of respondents whose sexual orientation is bisexual and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_Bi	HCAHPS question 17 total response where sexual orientation is bisexual	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is bisexual	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_Bi	HCAHPS question 17 percent of "Yes" responses where sexual orientation is bisexual	The percent of respondents whose sexual orientation is bisexual who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_Bi	HCAHPS question 17 total number of people surveyed where sexual orientation is bisexual	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is bisexual	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_Bi	HCAHPS question 17 response rate for people surveyed where sexual	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is bisexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is bisexual				
HCAHPS_Info_17_Y_SO_Else	HCAHPS question 17 "Yes" responses where sexual orientation is something else	Total number of respondents whose sexual orientation is something else and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_Else	HCAHPS question 17 total response where sexual orientation is something else	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is something else	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_Else	HCAHPS question 17 percent of "Yes" responses where sexual orientation is something else	The percent of respondents whose sexual orientation is something else who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_Else	HCAHPS question 17 total number of people surveyed where sexual orientation is something else	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is something else	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_Else	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is something else	problems to look out for after you left the hospital? " whose sexual orientation is something else			
HCAHPS_Info_17_Y_SO_DK	HCAHPS question 17 "Yes" responses where sexual orientation is don't know	Total number of respondents whose sexual orientation is don't know and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_DK	HCAHPS question 17 total response where sexual orientation is don't know	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is don't know	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_DK	HCAHPS question 17 percent of "Yes" responses where sexual orientation is don't know	The percent of respondents whose sexual orientation is don't know who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_DK	HCAHPS question 17 total number of people surveyed where sexual orientation is don't know	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is don't know	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_DK	HCAHPS question 17 response rate for	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where sexual orientation is don't know	problems to look out for after you left the hospital? " whose sexual orientation is don't know			
HCAHPS_Info_17_Y_SO_NotDisc	HCAHPS question 17 "Yes" responses where sexual orientation is not disclosed	Total number of respondents whose sexual orientation is not disclosed and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_NotDisc	HCAHPS question 17 total response where sexual orientation is not disclosed	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_NotDisc	HCAHPS question 17 percent of "Yes" responses where sexual orientation is not disclosed	The percent of respondents whose sexual orientation is not disclosed who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_NotDisc	HCAHPS question 17 total number of people surveyed where sexual orientation is not disclosed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_ResponseR	HCAHPS question 17	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
ate_SO_NotDisc	response rate for people surveyed where sexual orientation is not disclosed	information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is not disclosed			
HCAHPS_Info_17_Y_GI_F	HCAHPS question 17 "Yes" responses where gender identity is female	Total number of respondents whose gender identity is female and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_F	HCAHPS question 17 total response where gender identity is female	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_F	HCAHPS question 17 percent of "Yes" responses where gender identity is female	The percent of respondents whose gender identity is female who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_F	HCAHPS question 17 total number of people surveyed where gender identity is female	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_F	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female	problems to look out for after you left the hospital? " whose gender identity is female			
HCAHPS_Info_17_Y_GI_F2M	HCAHPS question 17 "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_F2M	HCAHPS question 17 total response where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_F2M	HCAHPS question 17 percent of "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_F2M	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female-to-male (FTM)/transgender male/trans man	whose gender identity is female-to-male (FTM)/transgender male/trans man			
HCAHPS_Info_17_ResponseRate_GI_F2M	HCAHPS question 17 response rate for people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_M	HCAHPS question 17 "Yes" responses where gender identity is male	Total number of respondents whose gender identity is male and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_M	HCAHPS question 17 total response where gender identity is male	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_M	HCAHPS question 17 percent of "Yes" responses where gender identity is male	The percent of respondents whose gender identity is male who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_GI_M	HCAHPS question 17 total number of people surveyed where gender identity is male	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_M	HCAHPS question 17 response rate for people surveyed where gender identity is male	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_M2F	HCAHPS question 17 "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans woman	Total number of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_M2F	HCAHPS question 17 total response where gender identity is male-to-female (MTF)/transgender female/trans woman	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_M2F	HCAHPS question 17 percent of "Yes"	The percent of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman who responded "yes" to the HCAHPS question,	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	responses where gender identity is male-to-female (MTF)/transgender female/trans	" During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_TotalSurveyed_GI_M2F	HCAHPS question 17 total number of people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_M2F	HCAHPS question 17 response rate for people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_Nonconform	HCAHPS question 17 "Yes" responses where gender identity is identifies as non-conforming gender	Total number of respondents whose gender identity is identifies as non-conforming gender and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_GI_No_nconf	HCAHPS question 17 total response where gender identity is identifies as non-conforming gender	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_Nonconf	HCAHPS question 17 percent of "Yes" responses where gender identity is non-conforming gender	The percent of respondents whose gender identity is identifies as non-conforming gender who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_Nonconf	HCAHPS question 17 total number of people surveyed where gender identity is non-conforming gender	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_Nonconf	HCAHPS question 17 response rate for people surveyed where gender identity is non-conforming gender	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_Oth	HCAHPS question 17	Total number of respondents whose gender identity is additional gender category or other and replied "yes" to	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	"Yes" responses where gender identity is additional gender category or other	HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_GI_Oth	HCAHPS question 17 total response where gender identity is additional gender category or other	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is additional gender category or other	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_Oth	HCAHPS question 17 percent of "Yes" responses where gender identity is other	The percent of respondents whose gender identity is additional gender category or other who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_Oth	HCAHPS question 17 total number of people surveyed where gender identity is other	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is additional gender category or other	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_Oth	HCAHPS question 17 response rate for people surveyed where gender identity is other	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is additional gender category or other	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_NotDisc	HCAHPS question 17 "Yes" responses	Total number of respondents whose gender identity is not disclosed and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is not disclosed	writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_GI_NotDisc	HCAHPS question 17 total response where gender identity is not disclosed	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_NotDisc	HCAHPS question 17 percent of "Yes" responses where gender identity is not disclosed	The percent of respondents whose gender identity is not disclosed who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_NotDisc	HCAHPS question 17 total number of people surveyed where gender identity is not disclosed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_NotDisc	HCAHPS question 17 response rate for people surveyed where gender identity is not disclosed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is not disclosed	Yes	Decimal	3,1
AHRQ_Pneumonia_num	AHRQ pneumonia numerator	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom	AHRQ pneumonia denominator	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission	Yes	Numeric	9
AHRQ_Pneumonia_rate	AHRQ pneumonia rate	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_AIAN	AHRQ pneumonia numerator where race and/or ethnicity is American Indian or Alaskan Native	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_AIAN	AHRQ pneumonia denominator where race and/or ethnicity is American Indian or Alaskan Native	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_AIAN	AHRQ pneumonia rate where race and/or ethnicity is American Indian or Alaskan Native	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Race_Asian	AHRQ pneumonia numerator where race and/or ethnicity is Asian	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Asian	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Asian	AHRQ pneumonia denominator where race and/or ethnicity is Asian	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Asian	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Asian	AHRQ pneumonia rate where race and/or ethnicity is Asian	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Asian	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Black	AHRQ pneumonia numerator where race and/or ethnicity is Black or African American	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Black or African American	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Black	AHRQ pneumonia denominator where race and/or ethnicity is Black or African American	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Race_BlK	AHRQ pneumonia rate where race and/or ethnicity is Black or African American	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Black or African American	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Hisp	AHRQ pneumonia numerator where race and/or ethnicity is Hispanic or Latino	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Hisp	AHRQ pneumonia denominator where race and/or ethnicity is Hispanic or Latino	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Hisp	AHRQ pneumonia rate where race and/or ethnicity is Hispanic or Latino	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Hispanic or Latino	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_MENA	AHRQ pneumonia numerator where race and/or ethnicity is	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern or North African				
AHRQ_Pneumonia_denom_Race_MENA	AHRQ pneumonia denominator where race and/or ethnicity is Middle Eastern or North African	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_MENA	AHRQ pneumonia rate where race and/or ethnicity is Middle Eastern or North African	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_NHPI	AHRQ pneumonia numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_NHPI	AHRQ pneumonia denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Race_NHPI	AHRQ pneumonia rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Multi	AHRQ pneumonia numerator where race and/or ethnicity is Multi-racial	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Multi-racial	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Multi	AHRQ pneumonia denominator where race and/or ethnicity is Multi-racial	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Multi-racial	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Multi	AHRQ pneumonia rate where race and/or ethnicity is Multi-racial	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Multi-racial	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Wht	AHRQ pneumonia numerator where race and/or ethnicity is White	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is White	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Race_Wht	AHRQ pneumonia denominator where race and/or ethnicity is White	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is White	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Wht	AHRQ pneumonia rate where race and/or ethnicity is White	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is White	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_<18	AHRQ pneumonia numerator where age is younger than 18 years	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is younger than 18 years	Yes	Numeric	9
AHRQ_Pneumonia_denom_Age_<18	AHRQ pneumonia denominator where age is younger than 18 years	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is younger than 18 years	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_<18	AHRQ pneumonia rate where age is younger than 18 years	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is younger than 18 years	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_18_34	AHRQ pneumonia numerator where age is 18 to 34 years old	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 18 to 34 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Age_18_34	AHRQ pneumonia denominator where age is 18 to 34 years old	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 18 to 34 years old	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_18_34	AHRQ pneumonia rate where age is 18 to 34 years old	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 18 to 34 years old	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_35_49	AHRQ pneumonia numerator where age is 35 to 49 years old	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 35 to 49 years old	Yes	Numeric	9
AHRQ_Pneumonia_denom_Age_35_49	AHRQ pneumonia denominator where age is 35 to 49 years old	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 35 to 49 years old	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_35_49	AHRQ pneumonia rate where age is 35 to 49 years old	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 35 to 49 years old	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_50_64	AHRQ pneumonia numerator where age is 50 to 64 years old	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 50 to 64 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Age_50_64	AHRQ pneumonia denominator where age is 50 to 64 years old	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 50 to 64 years old	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_50_64	AHRQ pneumonia rate where age is 50 to 64 years old	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 50 to 64 years old	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_>65	AHRQ pneumonia numerator where age is 65 years or older	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 65 years or older	Yes	Numeric	9
AHRQ_Pneumonia_denom_Age_>65	AHRQ pneumonia denominator where age is 65 years or older	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 65 years or older	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_>65	AHRQ pneumonia rate where age is 65 years or older	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 65 years or older	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Sex_F	AHRQ pneumonia numerator where sex assigned at birth is Female	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Sex_F	AHRQ pneumonia denominator where sex assigned at birth is Female	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Female	Yes	Numeric	9
AHRQ_Pneumonia_rate_Sex_F	AHRQ pneumonia rate where sex assigned at birth is Female	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Female	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Sex_M	AHRQ pneumonia numerator where sex assigned at birth is Male	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Male	Yes	Numeric	9
AHRQ_Pneumonia_denom_Sex_M	AHRQ pneumonia denominator where sex assigned at birth is Male	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Male	Yes	Numeric	9
AHRQ_Pneumonia_rate_Sex_M	AHRQ pneumonia rate where sex assigned at birth is Male	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Male	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Sex_Oth	AHRQ pneumonia numerator where sex assigned at	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	birth is Other/Unknown				
AHRQ_Pneumonia_denom_Sex_Oth	AHRQ pneumonia denominator where sex assigned at birth is Other/Unknown	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Unknown	Yes	Numeric	9
AHRQ_Pneumonia_rate_Sex_Orth	AHRQ pneumonia rate where sex assigned at birth is Other/Unknown	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Unknown	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Payer_Medicare	AHRQ pneumonia numerator where payer type is Medicare	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicare	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Medicare	AHRQ pneumonia denominator where payer type is Medicare	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicare	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Medicare	AHRQ pneumonia rate where payer type is Medicare	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicare	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Payer_Medicaid	AHRQ pneumonia numerator where payer type is Medicaid	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicaid	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Medicaid	AHRQ pneumonia denominator where payer type is Medicaid	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicaid	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Medicaid	AHRQ pneumonia rate where payer type is Medicaid	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicaid	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Payer_Private	AHRQ pneumonia numerator where payer type is Private	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Private	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Private	AHRQ pneumonia denominator where payer type is Private	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Private	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Private	AHRQ pneumonia rate where payer type is Private	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Private	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Payer_Self	AHRQ pneumonia numerator where payer type is Self Pay/Uninsured	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Self Pay/Uninsured	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Self	AHRQ pneumonia denominator where payer type is Self Pay/Uninsured	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Self Pay/Uninsured	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Self	AHRQ pneumonia rate where payer type is Self Pay/Uninsured	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Self Pay/Uninsured	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Payer_Oth	AHRQ pneumonia numerator where payer type is Other/Unknown	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Oth	AHRQ pneumonia denominator where payer type is Other/Unknown	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Oth	AHRQ pneumonia rate where payer type is Other/Unknown	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Other/Unknown	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Lang_ASL	AHRQ pneumonia numerator where preferred language is American Sign Language	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is American Sign Language	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_ASL	AHRQ pneumonia denominator where preferred language is American Sign Language	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is American Sign Language	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_ASL	AHRQ pneumonia rate where preferred language is American Sign Language	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is American Sign Language	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_Eng	AHRQ pneumonia numerator where preferred language is English	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is English	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_Eng	AHRQ pneumonia denominator where preferred language is English	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Lang_Eng	AHRQ pneumonia rate where preferred language is English	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is English	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_API	AHRQ pneumonia numerator where preferred language is Asian/Pacific Islander languages	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_API	AHRQ pneumonia denominator where preferred language is Asian/Pacific Islander languages	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_API	AHRQ pneumonia rate where preferred language is Asian/Pacific Islander languages	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is an Asian/Pacific Islander language	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_ME	AHRQ pneumonia numerator where preferred	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Middle Eastern languages	admission where the preferred language is Middle Eastern languages			
AHRQ_Pneumonia_denom_Lang_ME	AHRQ pneumonia denominator where preferred language is Middle Eastern languages	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Middle Eastern languages	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_ME	AHRQ pneumonia rate where preferred language is Middle Eastern languages	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Middle Eastern languages	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_Span	AHRQ pneumonia numerator where preferred language is Spanish	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Spanish	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_Span	AHRQ pneumonia denominator where preferred language is Spanish	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Spanish	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_Span	AHRQ pneumonia rate where preferred	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	language is Spanish	pneumonia present on admission where the preferred language is Spanish			
AHRQ_Pneumonia_num_Lang_Oth	AHRQ pneumonia numerator where preferred language is Other/Unknown	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_Oth	AHRQ pneumonia denominator where preferred language is Other/Unknown	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_Oth	AHRQ pneumonia rate where preferred language is Other/Unknown	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Other/Unknown	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_none	AHRQ pneumonia numerator where disability status is: does not have a disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: does not have a disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_none	AHRQ pneumonia denominator where disability status is: does not have a disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: does not have a disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Disability_none	AHRQ pneumonia rate where disability status is: does not have a disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: does not have a disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Mobile	AHRQ pneumonia numerator where disability status is: has a mobility disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a mobility disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Mobile	AHRQ pneumonia denominator where disability status is: has a mobility disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a mobility disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Mobile	AHRQ pneumonia rate where disability status is: has a mobility disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a mobility disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Cog	AHRQ pneumonia numerator where disability status is: has a cognition disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Disability_Cog	AHRQ pneumonia denominator where disability status is: has a cognition disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a cognition disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Cog	AHRQ pneumonia rate where disability status is: has a cognition disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a cognition disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Hear	AHRQ pneumonia numerator where disability status is: has a hearing disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a hearing disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Hear	AHRQ pneumonia denominator where disability status is: has a hearing disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a hearing disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Hear	AHRQ pneumonia rate where disability status is: has a hearing disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a hearing disability	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Disability_Vis	AHRQ pneumonia numerator where disability status is: has a vision disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a vision disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Vis	AHRQ pneumonia denominator where disability status is: has a vision disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a vision disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Vis	AHRQ pneumonia rate where disability status is: has a vision disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a vision disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Self	AHRQ pneumonia numerator where disability status is: has a self-care disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a self-care disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Self	AHRQ pneumonia denominator where disability status is: has a self-care disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a self-care disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Disability_Self	AHRQ pneumonia rate where disability status is: has a self-care disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a self-care disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Ind	AHRQ pneumonia numerator where disability status is: has an independent living disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has an independent living disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Ind	AHRQ pneumonia denominator where disability status is: has an independent living disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has an independent living disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Ind	AHRQ pneumonia rate where disability status is: has an independent living disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has an independent living disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_SameSex	AHRQ pneumonia numerator where sexual orientation is	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	lesbian, gay or homosexual				
AHRQ_Pneumonia_denom_SO_SameSex	AHRQ pneumonia denominator where sexual orientation is lesbian, gay or homosexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_SameSex	AHRQ pneumonia rate where sexual orientation is lesbian, gay or homosexual	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is lesbian, gay or homosexual	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_Hetero	AHRQ pneumonia numerator where sexual orientation is straight or heterosexual	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is straight or heterosexual	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_Hetero	AHRQ pneumonia denominator where sexual orientation is straight or heterosexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is straight or heterosexual	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_Hetero	AHRQ pneumonia rate where sexual	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is straight or heterosexual	pneumonia present on admission where the sexual orientation is straight or heterosexual			
AHRQ_Pneumonia_num_SO_Bi	AHRQ pneumonia numerator where sexual orientation is bisexual	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is bisexual	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_Bi	AHRQ pneumonia denominator where sexual orientation is bisexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is bisexual	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_Bi	AHRQ pneumonia rate where sexual orientation is bisexual	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is bisexual	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_Else	AHRQ pneumonia numerator where sexual orientation is something else	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is something else	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_Else	AHRQ pneumonia denominator where sexual orientation is something else	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_SO_Else	AHRQ pneumonia rate where sexual orientation is something else	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is something else	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_DK	AHRQ pneumonia numerator where sexual orientation is don't know	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is don't know	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_DK	AHRQ pneumonia denominator where sexual orientation is don't know	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is don't know	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_DK	AHRQ pneumonia rate where sexual orientation is don't know	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is don't know	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_NotDisc	AHRQ pneumonia numerator where sexual orientation is not disclosed	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is not disclosed	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_NotDisc	AHRQ pneumonia denominator where sexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed	present on admission where the sexual orientation is not disclosed			
AHRQ_Pneumonia_rate_SO_NotDisc	AHRQ pneumonia rate where sexual orientation is not disclosed	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is not disclosed	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_F	AHRQ pneumonia numerator where gender identity is female	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_F	AHRQ pneumonia denominator where gender identity is female	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_F	AHRQ pneumonia rate where gender identity is female	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_F2M	AHRQ pneumonia numerator where gender identity is female-to-male (FTM)/transgender male/trans man	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_GI_F2M	AHRQ pneumonia denominator where gender identity is female-to-male (FTM)/transgender male/trans man	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_F2M	AHRQ pneumonia rate where gender identity is female-to-male (FTM)/transgender male/trans man	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_M	AHRQ pneumonia numerator where gender identity is male	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_M	AHRQ pneumonia denominator where gender identity is male	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_M	AHRQ pneumonia rate where gender identity is male	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_GI_M2F	AHRQ pneumonia numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_M2F	AHRQ pneumonia denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_M2F	AHRQ pneumonia rate where gender identity is male-to-female (MTF)/transgender female/trans woman	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_Nonconf	AHRQ pneumonia numerator where gender identity is identifies as non-conforming gender	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is identifies as non-conforming gender	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_GI_Nonconf	AHRQ pneumonia denominator where gender identity is identifies as non-conforming gender	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is identifies as non-conforming gender	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_No nconf	AHRQ pneumonia rate where gender identity is identifies as non-conforming gender	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is identifies as non-conforming gender	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_Oth	AHRQ pneumonia numerator where gender identity is additional gender category or other	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is additional gender category or other	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_Oth	AHRQ pneumonia denominator where gender identity is additional gender category or other	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is additional gender category or other	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_Oth	AHRQ pneumonia rate where gender identity is	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	additional gender category or other	pneumonia present on admission where the gender identity is additional gender category or other			
AHRQ_Pneumonia_num_GI_No tDisc	AHRQ pneumonia numerator where gender identity is not disclosed	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is not disclosed	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_NotDisc	AHRQ pneumonia denominator where gender identity is not disclosed	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is not disclosed	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_Not Disc	AHRQ pneumonia rate where gender identity is not disclosed	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is not disclosed	Yes	Decimal	4,1
AHRQ_PSI_Death_num	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications	Yes	Numeric	9
AHRQ_PSI_Death_denom	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Serious Treatable Complications denominator				
AHRQ_PSI_Death_rate	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Race_AIAN	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where race and/or ethnicity is American Indian or Alaskan Native	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
AHRQ_PSI_Death_denom_Race_AIAN	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Serious Treatable Complications denominator where race and/or ethnicity is American Indian or Alaskan Native				
AHRQ_PSI_Death_rate_Race_AIAN	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is American Indian or Alaskan Native	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Race_Asian	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is Asian				
AHRQ_PSI_Death_denom_Race_Asian	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where race and/or ethnicity is Asian	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is Asian	Yes	Numeric	9
AHRQ_PSI_Death_rate_Race_Asian	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is Asian	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Asian	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Race_Black	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Complications numerator where race and/or ethnicity is Black or African American				
AHRQ_PSI_Death_denom_Race_Black	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where race and/or ethnicity is Black or African American	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is Black or African American	Yes	Numeric	9
AHRQ_PSI_Death_rate_Race_Black	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is Black or African American	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Black or African American	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_num_Race_Hisp	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where race and/or ethnicity is Hispanic or Latino	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
AHRQ_PSI_Death_denom_Race_Hisp	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where race and/or ethnicity is Hispanic or Latino	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
AHRQ_PSI_Death_rate_Race_Hisp	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Hispanic or Latino	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications rate where race and/or ethnicity is Hispanic or Latino				
AHRQ_PSI_Death_num_Race_MENA	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where race and/or ethnicity is Middle Eastern or North African	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
AHRQ_PSI_Death_denom_Race_MENA	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where race and/or ethnicity is Middle Eastern or North African	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_rate_Race_MENA	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is Middle Eastern or North African	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Race_NHPI	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
AHRQ_PSI_Death_denom_Race_NHPI	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander				
AHRQ_PSI_Death_rate_Race_NHPI	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Race_Multi	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Multi-racial	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is Multi-racial				
AHRQ_PSI_Death_denom_Race_Multi	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where race and/or ethnicity is Multi-racial	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is Multi-racial	Yes	Numeric	9
AHRQ_PSI_Death_rate_Race_Multi	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is Multi-racial	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is Multi-racial	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Race_Wht	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is White	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications numerator where race and/or ethnicity is White				
AHRQ_PSI_Death_denom_Race_Wht	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where race and/or ethnicity is White	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the race and/or ethnicity is White	Yes	Numeric	9
AHRQ_PSI_Death_rate_Race_Wht	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where race and/or ethnicity is White	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the race and/or ethnicity is White	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Age_<18	AHRQ Patient Safety Indicator Death Rate among Surgical	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is younger than 18 years	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Inpatients with Serious Treatable Complications numerator where age is younger than 18 years				
AHRQ_PSI_Death_denom_Age_<18	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where age is younger than 18 years	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the age is younger than 18 years	Yes	Numeric	9
AHRQ_PSI_Death_rate_Age_<18	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where age is younger than 18 years	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is younger than 18 years	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_num_Age_18_34	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where age is 18 to 34 years old	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 18 to 34 years old	Yes	Numeric	9
AHRQ_PSI_Death_denom_Age_18_34	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where age is 18 to 34 years old	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the age is 18 to 34 years old	Yes	Numeric	9
AHRQ_PSI_Death_rate_Age_18_34	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where age is	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 18 to 34 years old	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	18 to 34 years old				
AHRQ_PSI_Death_num_Age_35_49	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where age is 35 to 49 years old	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 35 to 49 years old	Yes	Numeric	9
AHRQ_PSI_Death_denom_Age_35_49	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where age is 35 to 49 years old	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the age is 35 to 49 years old	Yes	Numeric	9
AHRQ_PSI_Death_rate_Age_35_49	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 35 to 49 years old	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	rate where age is 35 to 49 years old				
AHRQ_PSI_Death_num_Age_50_64	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where age is 50 to 64 years old	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 50 to 64 years old	Yes	Numeric	9
AHRQ_PSI_Death_denom_Age_50_64	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where age is 50 to 64 years old	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the age is 50 to 64 years old	Yes	Numeric	9
AHRQ_PSI_Death_rate_Age_50_64	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 50 to 64 years old	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Complications rate where age is 50 to 64 years old				
AHRQ_PSI_Death_num_Age_>65	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where age is 65 years or older	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 65 years or older	Yes	Numeric	9
AHRQ_PSI_Death_denom_Age_>65	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where age is 65 years or older	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the age is 65 years or older	Yes	Numeric	9
AHRQ_PSI_Death_rate_Age_>65	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the age is 65 years or older	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications rate where age is 65 years or older				
AHRQ_PSI_Death_num_Sex_F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sex assigned at birth is Female	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sex assigned at birth is Female	Yes	Numeric	9
AHRQ_PSI_Death_denom_Sex_F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sex assigned at birth is Female	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sex assigned at birth is Female	Yes	Numeric	9
AHRQ_PSI_Death_rate_Sex_F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sex assigned at birth is Female	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Serious Treatable Complications rate where sex assigned at birth is Female				
AHRQ_PSI_Death_num_Sex_M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sex assigned at birth is Male	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sex assigned at birth is Male	Yes	Numeric	9
AHRQ_PSI_Death_denom_Sex_M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sex assigned at birth is Male	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sex assigned at birth is Male	Yes	Numeric	9
AHRQ_PSI_Death_rate_Sex_M	AHRQ Patient Safety Indicator Death Rate	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	among Surgical Inpatients with Serious Treatable Complications rate where sex assigned at birth is Male	patients, with serious treatable complications where the sex assigned at birth is Male			
AHRQ_PSI_Death_num_Sex_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sex assigned at birth is Other/Unknown	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sex assigned at birth is Unknown	Yes	Numeric	9
AHRQ_PSI_Death_denom_Sex_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sex assigned at birth	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sex assigned at birth is Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Other/Unknown				
AHRQ_PSI_Death_rate_Sex_Orth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where sex assigned at birth is Other/Unknown	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sex assigned at birth is Unknown	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Payer_Medicare	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where payer type is Medicare	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Medicare	Yes	Numeric	9
AHRQ_PSI_Death_denom_Payer_Medicare	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the payer type is Medicare	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Complications denominator where payer type is Medicare				
AHRQ_PSI_Death_rate_Payer_Medicare	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where payer type is Medicare	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Medicare	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Payer_Medicaid	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where payer type is Medicaid	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Medicaid	Yes	Numeric	9
AHRQ_PSI_Death_denom_Payer_Medicaid	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the payer type is Medicaid	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Complications denominator where payer type is Medicaid				
AHRQ_PSI_Death_rate_Payer_Medicaid	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where payer type is Medicaid	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Medicaid	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Payer_Private	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where payer type is Private	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Private	Yes	Numeric	9
AHRQ_PSI_Death_denom_Payer_Private	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the payer type is Private	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Complications denominator where payer type is Private				
AHRQ_PSI_Death_rate_Payer_Private	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where payer type is Private	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Private	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Payer_Self	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where payer type is Self Pay/Uninsured	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Self Pay/Uninsured	Yes	Numeric	9
AHRQ_PSI_Death_denom_Payer_Self	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the payer type is Self Pay/Uninsured	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Complications denominator where payer type is Self Pay/Uninsured				
AHRQ_PSI_Death_rate_Payer_Self	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where payer type is Self Pay/Uninsured	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Self Pay/Uninsured	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Payer_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where payer type is Other/Unknown	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Other/Unknown	Yes	Numeric	9
AHRQ_PSI_Death_denom_Payer_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the payer type is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Serious Treatable Complications denominator where payer type is Other/Unknown				
AHRQ_PSI_Death_rate_Payer_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where payer type is Other/Unknown	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the payer type is Other/Unknown	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Lang_ASL	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where preferred language is American Sign Language	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is American Sign Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_denom_Lang_ASL	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where preferred language is American Sign Language	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the preferred language is American Sign Language	Yes	Numeric	9
AHRQ_PSI_Death_rate_Lang_ASL	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where preferred language is American Sign Language	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is American Sign Language	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Lang_Eng	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications numerator where preferred language is English				
AHRQ_PSI_Death_denom_Lang_Eng	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where preferred language is English	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the preferred language is English	Yes	Numeric	9
AHRQ_PSI_Death_rate_Lang_Eng	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where preferred language is English	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is English	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_num_Lang_API	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where preferred language is Asian/Pacific Islander languages	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
AHRQ_PSI_Death_denom_Lang_API	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where preferred language is Asian/Pacific Islander languages	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
AHRQ_PSI_Death_rate_Lang_API	AHRQ Patient Safety Indicator Death Rate among Surgical	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Inpatients with Serious Treatable Complications rate where preferred language is Asian/Pacific Islander languages	preferred language is an Asian/Pacific Islander language			
AHRQ_PSI_Death_num_Lang_ME	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where preferred language is Middle Eastern languages	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is Middle Eastern languages	Yes	Numeric	9
AHRQ_PSI_Death_denom_Lang_ME	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the preferred language is Middle Eastern languages	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where preferred language is Middle Eastern languages				
AHRQ_PSI_Death_rate_Lang_ME	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where preferred language is Middle Eastern languages	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is Middle Eastern languages	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Lang_Span	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where preferred language is Spanish	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is Spanish	Yes	Numeric	9
AHRQ_PSI_Death_denom_Lang_Span	AHRQ Patient Safety Indicator Death Rate	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the preferred language is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	among Surgical Inpatients with Serious Treatable Complications denominator where preferred language is Spanish				
AHRQ_PSI_Death_rate_Lang_Span	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where preferred language is Spanish	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is Spanish	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Lang_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where preferred	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
AHRQ_PSI_Death_denom_Lang_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where preferred language is Other/Unknown	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the preferred language is Other/Unknown	Yes	Numeric	9
AHRQ_PSI_Death_rate_Lang_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where preferred language is Other/Unknown	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the preferred language is Other/Unknown	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Disability_none	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: does not have a disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications numerator where disability status is: does not have a disability				
AHRQ_PSI_Death_denom_Disability_none	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where disability status is: does not have a disability	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: does not have a disability	Yes	Numeric	9
AHRQ_PSI_Death_rate_Disability_none	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where disability status is: does not have a disability	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: does not have a disability	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_num_Disability_Mobile	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where disability status is: has a mobility disability	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a mobility disability	Yes	Numeric	9
AHRQ_PSI_Death_denom_Disability_Mobile	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where disability status is: has a mobility disability	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: has a mobility disability	Yes	Numeric	9
AHRQ_PSI_Death_rate_Disability_Mobile	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a mobility disability	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Complications rate where disability status is: has a mobility disability				
AHRQ_PSI_Death_num_Disability_Cog	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where disability status is: has a cognition disability	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a cognition disability	Yes	Numeric	9
AHRQ_PSI_Death_denom_Disability_Cog	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where disability status is: has a cognition disability	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_rate_Disability_Cog	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where disability status is: has a cognition disability	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a cognition disability	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Disability_Hear	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where disability status is: has a hearing disability	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a hearing disability	Yes	Numeric	9
AHRQ_PSI_Death_denom_Disability_Hear	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: has a hearing disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Complications denominator where disability status is: has a hearing disability				
AHRQ_PSI_Death_rate_Disability_Hear	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where disability status is: has a hearing disability	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a hearing disability	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Disability_Vis	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where disability status is: has a vision disability	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a vision disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_denom_Disability_Vis	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where disability status is: has a vision disability	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: has a vision disability	Yes	Numeric	9
AHRQ_PSI_Death_rate_Disability_Vis	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where disability status is: has a vision disability	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a vision disability	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Disability_Self	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a self-care disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where disability status is: has a self-care disability				
AHRQ_PSI_Death_denom_Disability_Self	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where disability status is: has a self-care disability	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: has a self-care disability	Yes	Numeric	9
AHRQ_PSI_Death_rate_Disability_Self	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where disability status is: has a self-care disability	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has a self-care disability	Yes	Decimal	4,1
AHRQ_PSI_Death_num_Disability_Ind	AHRQ Patient Safety Indicator Death Rate	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	among Surgical Inpatients with Serious Treatable Complications numerator where disability status is: has an independent living disability	treatable complications where the disability status is: has an independent living disability			
AHRQ_PSI_Death_denom_Disability_Ind	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where disability status is: has an independent living disability	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the disability status is: has an independent living disability	Yes	Numeric	9
AHRQ_PSI_Death_rate_Disability_Ind	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the disability status is: has an independent living disability	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	disability status is: has an independent living disability				
AHRQ_PSI_Death_num_SO_SameSex	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sexual orientation is lesbian, gay or homosexual	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
AHRQ_PSI_Death_denom_SO_SameSex	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sexual orientation is lesbian, gay or homosexual	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_rate_SO_SameSex	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where sexual orientation is lesbian, gay or homosexual	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is lesbian, gay or homosexual	Yes	Decimal	4,1
AHRQ_PSI_Death_num_SO_Hetero	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sexual orientation is straight or heterosexual	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is straight or heterosexual	Yes	Numeric	9
AHRQ_PSI_Death_denom_SO_Hetero	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sexual orientation is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatable Complications denominator where sexual orientation is straight or heterosexual				
AHRQ_PSI_Death_rate_SO_Hetero	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where sexual orientation is straight or heterosexual	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is straight or heterosexual	Yes	Decimal	4,1
AHRQ_PSI_Death_num_SO_Bi	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sexual orientation is bisexual	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is bisexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_denom_SO_Bi	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sexual orientation is bisexual	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sexual orientation is bisexual	Yes	Numeric	9
AHRQ_PSI_Death_rate_SO_Bi	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where sexual orientation is bisexual	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is bisexual	Yes	Decimal	4,1
AHRQ_PSI_Death_num_SO_Else	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where sexual orientation is something else				
AHRQ_PSI_Death_denom_SO_Else	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sexual orientation is something else	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sexual orientation is something else	Yes	Numeric	9
AHRQ_PSI_Death_rate_SO_Else	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where sexual orientation is something else	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is something else	Yes	Decimal	4,1
AHRQ_PSI_Death_num_SO_DK	AHRQ Patient Safety Indicator Death Rate among Surgical	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is don't know	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Inpatients with Serious Treatable Complications numerator where sexual orientation is don't know				
AHRQ_PSI_Death_denom_SO_DK	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sexual orientation is don't know	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sexual orientation is don't know	Yes	Numeric	9
AHRQ_PSI_Death_rate_SO_DK	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where sexual orientation is don't know	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is don't know	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_num_SO_NotDisc	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where sexual orientation is not disclosed	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is not disclosed	Yes	Numeric	9
AHRQ_PSI_Death_denom_SO_NotDisc	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where sexual orientation is not disclosed	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the sexual orientation is not disclosed	Yes	Numeric	9
AHRQ_PSI_Death_rate_SO_NotDisc	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the sexual orientation is not disclosed	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	rate where sexual orientation is not disclosed				
AHRQ_PSI_Death_num_GI_F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is female	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is female	Yes	Numeric	9
AHRQ_PSI_Death_denom_GI_F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where gender identity is female	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is female	Yes	Numeric	9
AHRQ_PSI_Death_rate_GI_F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is female	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	Serious Treatable Complications rate where gender identity is female				
AHRQ_PSI_Death_num_GI_F2M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is female-to-male (FTM)/transgender male/trans man	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
AHRQ_PSI_Death_denom_GI_F2M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where gender identity is female-to-male	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	(FTM)/transgender male/trans man				
AHRQ_PSI_Death_rate_GI_F2M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where gender identity is female-to-male (FTM)/transgender male/trans man	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	4,1
AHRQ_PSI_Death_num_GI_M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is male	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is male	Yes	Numeric	9
AHRQ_PSI_Death_denom_GI_M	AHRQ Patient Safety Indicator Death Rate among Surgical	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Inpatients with Serious Treatable Complications denominator where gender identity is male				
AHRQ_PSI_Death_rate_GI_M	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where gender identity is male	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is male	Yes	Decimal	4,1
AHRQ_PSI_Death_num_GI_M2F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_denom_GI_M2F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
AHRQ_PSI_Death_rate_GI_M2F	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where gender identity is male-to-female (MTF)/transgender female/trans woman	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	4,1
AHRQ_PSI_Death_num_GI_Nonconf	AHRQ Patient Safety Indicator Death Rate	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is identifies as non-conforming gender	treatable complications where the gender identity is identifies as non-conforming gender			
AHRQ_PSI_Death_denom_GI_Nonconf	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where gender identity is identifies as non-conforming gender	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is identifies as non-conforming gender	Yes	Numeric	9
AHRQ_PSI_Death_rate_GI_Nonconf	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is identifies as non-conforming gender	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	rate where gender identity is identifies as non-conforming gender				
AHRQ_PSI_Death_num_GI_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is additional gender category or other	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is additional gender category or other	Yes	Numeric	9
AHRQ_PSI_Death_denom_GI_Oth	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator where gender identity is additional gender category or other	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is additional gender category or other	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_PSI_Death_rate_GI_Other	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where gender identity is additional gender category or other	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is additional gender category or other	Yes	Decimal	4,1
AHRQ_PSI_Death_num_GI_NotDisc	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications numerator where gender identity is not disclosed	Number of in-hospital deaths among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is not disclosed	Yes	Numeric	9
AHRQ_PSI_Death_denom_GI_NotDisc	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications denominator	Number of surgical discharges among patients ages 18 through 89 years or obstetric patients where the gender identity is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is not disclosed				
AHRQ_PSI_Death_rate_GI_No tDisc	AHRQ Patient Safety Indicator Death Rate among Surgical Inpatients with Serious Treatable Complications rate where gender identity is not disclosed	In-hospital deaths per 1,000 surgical discharges, among patients ages 18 through 89 years or obstetric patients, with serious treatable complications where the gender identity is not disclosed	Yes	Decimal	4,1
NSTV_num	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator	The number of NSTSV patients with cesarean deliveries	Yes	Numeric	9
NTSV_denom	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator	The number of nulliparous patients delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate	The rate of nulliparous women with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Race_AIAN	Nulliparous, Term, Singleton, Vertex (NTSV)	The number of NSTSV patients whose race and/or ethnicity is American Indian or Alaskan Native with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth numerator where race and/or ethnicity is American Indian or Alaskan Native				
NTSV_denom_Race_AIAN	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race and/or ethnicity is American Indian or Alaskan Native	The number of nulliparous patients whose race and/or ethnicity is American Indian or Alaskan Native delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Race_AIAN	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where race and/or ethnicity is American Indian or Alaskan Native	The rate of nulliparous women whose race and/or ethnicity is American Indian or Alaskan Native with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Race_Asian	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where	The number of NSTV patients whose race and/or ethnicity is Asian with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is Asian				
NTSV_denom_Race_Asian	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race and/or ethnicity is Asian	The number of nulliparous patients whose race and/or ethnicity is Asian delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Race_Asian	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where race and/or ethnicity is Asian	The rate of nulliparous women whose race and/or ethnicity is Asian with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Race_Black	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where race and/or ethnicity is Black or African American	The number of NTSV patients whose race and/or ethnicity is Black or African American with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Race_Black	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race	The number of nulliparous patients whose race and/or ethnicity is Black or African American delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Black or African American				
NTSV_rate_Race_Black	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where race and/or ethnicity is Black or African American	The rate of nulliparous women whose race and/or ethnicity is Black or African American with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Race_Hispanic	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where race and/or ethnicity is Hispanic or Latino	The number of NSTV patients whose race and/or ethnicity is Hispanic or Latino with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Race_Hispanic	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race and/or ethnicity is Hispanic or Latino	The number of nulliparous patients whose race and/or ethnicity is Hispanic or Latino delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Race_Hispanic	Nulliparous, Term, Singleton, Vertex (NTSV)	The rate of nulliparous women whose race and/or ethnicity is Hispanic or Latino with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth rate where race and/or ethnicity is Hispanic or Latino				
NSTV_num_Race_MENA	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where race and/or ethnicity is Middle Eastern or North African	The number of NSTV patients whose race and/or ethnicity is Middle Eastern or North African with cesarean deliveries	Yes	Numeric	9
NSTV_denom_Race_MENA	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race and/or ethnicity is Middle Eastern or North African	The number of nulliparous patients whose race and/or ethnicity is Middle Eastern or North African delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NSTV_rate_Race_MENA	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where race and/or ethnicity is Middle Eastern or North African	The rate of nulliparous women whose race and/or ethnicity is Middle Eastern or North African with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
NSTV_num_Race_NHPI	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of NSTV patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander with cesarean deliveries	Yes	Numeric	9
NSTV_denom_Race_NHPI	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of nulliparous patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NSTV_rate_Race_NHPI	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The rate of nulliparous women whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
NSTV_num_Race_Multi	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where race and/or ethnicity is Multi-racial	The number of NSTSV patients whose race and/or ethnicity is Multi-racial with cesarean deliveries	Yes	Numeric	9
NSTV_denom_Race_Multi	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race and/or ethnicity is Multi-racial	The number of nulliparous patients whose race and/or ethnicity is Multi-racial delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NSTV_rate_Race_Multi	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where race and/or ethnicity is Multi-racial	The rate of nulliparous women whose race and/or ethnicity is Multi-racial with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Race_Wht	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where race and/or ethnicity is White	The number of NSTSV patients whose race and/or ethnicity is White with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
NTSV_denom_Race_Whit	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where race and/or ethnicity is White	The number of nulliparous patients whose race and/or ethnicity is White delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Race_Whit	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where race and/or ethnicity is White	The rate of nulliparous women whose race and/or ethnicity is White with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Age_<18	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where age is younger than 18 years	The number of NTSV patients whose age is younger than 18 years with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Age_<18	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where age is younger than 18 years	The number of nulliparous patients whose age is younger than 18 years delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
NTSV_rate_Age_<18	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where age is younger than 18 years	The rate of nulliparous women whose age is younger than 18 years with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Age_18_29	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where age is 18 to 29 years old	The number of NTSV patients whose age is 18 to 29 years old with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Age_18_29	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where age is 18 to 29 years old	The number of nulliparous patients whose age is 18 to 29 years old delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Age_18_29	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where age is 18 to 29 years old	The rate of nulliparous women whose age is 18 to 29 years old with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Age_30_39	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth	The number of NTSV patients whose age is 30 to 39 years old with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where age is 30 to 39 years old				
NTSV_denom_Age_30_39	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where age is 30 to 39 years old	The number of nulliparous patients whose age is 30 to 39 years old delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Age_30_39	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where age is 30 to 39 years old	The rate of nulliparous women whose age is 30 to 39 years old with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Age_>40	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where age is 40 years or older old	The number of NTSV patients whose age is 40 years or older old with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Age_>40	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where age is 40 years or older old	The number of nulliparous patients whose age is 40 years or older old delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
NTSV_rate_Age _>40	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where age is 40 years or older old	The rate of nulliparous women whose age is 40 years or older old with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Sex_F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sex assigned at birth is Female	The number of NTSV patients whose sex assigned at birth is Female with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Sex_F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sex assigned at birth is Female	The number of nulliparous patients whose sex assigned at birth is Female delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Sex_F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sex assigned at birth is Female	The rate of nulliparous women whose sex assigned at birth is Female with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Sex_M	Nulliparous, Term, Singleton, Vertex (NTSV)	The number of NTSV patients whose sex assigned at birth is Male with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth numerator where sex assigned at birth is Male				
NTSV_denom_Sex_M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sex assigned at birth is Male	The number of nulliparous patients whose sex assigned at birth is Male delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Sex_M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sex assigned at birth is Male	The rate of nulliparous women whose sex assigned at birth is Male with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Sex_Unk	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sex assigned at birth is Unknown	The number of NSTV patients whose sex assigned at birth is Unknown with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Sex_Unk	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sex	The number of nulliparous patients whose sex assigned at birth is Unknown delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Unknown				
NTSV_rate_Sex_Unk	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sex assigned at birth is Unknown	The rate of nulliparous women whose sex assigned at birth is Unknown with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Payer_Medicare	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where payer type is Medicare	The number of NTSV patients whose payer type is Medicare with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Payer_Medicare	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where payer type is Medicare	The number of nulliparous patients whose payer type is Medicare delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Payer_Medicare	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where payer type is Medicare	The rate of nulliparous women whose payer type is Medicare with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Payer_Medicaid	Nulliparous, Term, Singleton,	The number of NTSV patients whose payer type is Medicaid with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Vertex (NTSV) Cesarean Birth numerator where payer type is Medicaid				
NTSV_denom_Payer_Medicaid	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where payer type is Medicaid	The number of nulliparous patients whose payer type is Medicaid delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Payer_Medicaid	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where payer type is Medicaid	The rate of nulliparous women whose payer type is Medicaid with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Payer_Private	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where payer type is Private	The number of NTSV patients whose payer type is Private with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Payer_Private	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator	The number of nulliparous patients whose payer type is Private delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private				
NTSV_rate_Payer_Private	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where payer type is Private	The rate of nulliparous women whose payer type is Private with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Payer_Self	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where payer type is Self Pay/Uninsured	The number of NSTV patients whose payer type is Self Pay/Uninsured with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Payer_Self	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where payer type is Self Pay/Uninsured	The number of nulliparous patients whose payer type is Self Pay/Uninsured delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Payer_Self	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where payer type is Self Pay/Uninsured	The rate of nulliparous women whose payer type is Self Pay/Uninsured with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
NSTV_num_Payer_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where payer type is Other/Unknown	The number of NSTSV patients whose payer type is Other/Unknown with cesarean deliveries	Yes	Numeric	9
NSTV_denom_Payer_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where payer type is Other/Unknown	The number of nulliparous patients whose payer type is Other/Unknown delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NSTV_rate_Payer_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where payer type is Other/Unknown	The rate of nulliparous women whose payer type is Other/Unknown with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Lang_ASL	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where preferred language is American Sign Language	The number of NSTSV patients whose preferred language is American Sign Language with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
NTSV_denom_Lang_ASL	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where preferred language is American Sign Language	The number of nulliparous patients whose preferred language is American Sign Language delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Lang_ASL	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where preferred language is American Sign Language	The rate of nulliparous women whose preferred language is American Sign Language with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Lang_Eng	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where preferred language is English	The number of NTSV patients whose preferred language is English with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Lang_Eng	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where preferred	The number of nulliparous patients whose preferred language is English delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is English				
NTSV_rate_Lang_Eng	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where preferred language is English	The rate of nulliparous women whose preferred language is English with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Lang_API	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where preferred language is Asian/Pacific Islander languages	The number of NSTV patients whose preferred language is an Asian/Pacific Islander language with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Lang_API	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where preferred language is Asian/Pacific Islander languages	The number of nulliparous patients whose preferred language is an Asian/Pacific Islander language delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Lang_API	Nulliparous, Term, Singleton,	The rate of nulliparous women whose preferred language is an Asian/Pacific Islander language with a	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Vertex (NTSV) Cesarean Birth rate where preferred language is Asian/Pacific Islander languages	term, singleton baby in a vertex position delivered by cesarean section			
NSTV_num_Lang_ME	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where preferred language is Middle Eastern languages	The number of NTSV patients whose preferred language is Middle Eastern languages with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Lang_ME	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where preferred language is Middle Eastern languages	The number of nulliparous patients whose preferred language is Middle Eastern languages delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Lang_ME	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where preferred	The rate of nulliparous women whose preferred language is Middle Eastern languages with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is Middle Eastern languages				
NSTV_num_Lang_Span	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where preferred language is Spanish	The number of NTSV patients whose preferred language is Spanish with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Lang_Span	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where preferred language is Spanish	The number of nulliparous patients whose preferred language is Spanish delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Lang_Span	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where preferred language is Spanish	The rate of nulliparous women whose preferred language is Spanish with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Lang_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where	The number of NTSV patients whose preferred language is Other/Unknown with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	preferred language is Other/Unknown				
NTSV_denom_Lang_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where preferred language is Other/Unknown	The number of nulliparous patients whose preferred language is Other/Unknown delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Lang_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where preferred language is Other/Unknown	The rate of nulliparous women whose preferred language is Other/Unknown with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Disability_none	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where disability status is: does not have a disability	The number of NTSV patients whose disability status is: does not have a disability with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Disability_none	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator	The number of nulliparous patients whose disability status is: does not have a disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where disability status is: does not have a disability				
NTSV_rate_Disability_none	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where disability status is: does not have a disability	The rate of nulliparous women whose disability status is: does not have a disability with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Disability_Mobile	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where disability status is: has a mobility disability	The number of NSTV patients whose disability status is: has a mobility disability with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Disability_Mobile	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where disability status is: has a mobility disability	The number of nulliparous patients whose disability status is: has a mobility disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Disability_Mobile	Nulliparous, Term, Singleton, Vertex (NTSV)	The rate of nulliparous women whose disability status is: has a mobility disability with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth rate where disability status is: has a mobility disability				
NSTV_num_Disability_Cog	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth numerator where disability status is: has a cognition disability	The number of NSTV patients whose disability status is: has a cognition disability with cesarean deliveries	Yes	Numeric	9
NSTV_denom_Disability_Cog	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth denominator where disability status is: has a cognition disability	The number of nulliparous patients whose disability status is: has a cognition disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NSTV_rate_Disability_Cog	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth rate where disability status is: has a cognition disability	The rate of nulliparous women whose disability status is: has a cognition disability with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
NSTV_num_Disability_Hear	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where disability status is: has a hearing disability	The number of NSTSV patients whose disability status is: has a hearing disability with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Disability_Hear	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where disability status is: has a hearing disability	The number of nulliparous patients whose disability status is: has a hearing disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Disability_Hear	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where disability status is: has a hearing disability	The rate of nulliparous women whose disability status is: has a hearing disability with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Disability_Vis	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where disability status	The number of NSTSV patients whose disability status is: has a vision disability with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has a vision disability				
NTSV_denom_Disability_Vis	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where disability status is: has a vision disability	The number of nulliparous patients whose disability status is: has a vision disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Disability_Vis	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where disability status is: has a vision disability	The rate of nulliparous women whose disability status is: has a vision disability with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Disability_Self	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where disability status is: has a self-care disability	The number of NTSV patients whose disability status is: has a self-care disability with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Disability_Self	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where disability	The number of nulliparous patients whose disability status is: has a self-care disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	status is: has a self-care disability				
NTSV_rate_Disability_Self	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where disability status is: has a self-care disability	The rate of nulliparous women whose disability status is: has a self-care disability with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_Disability_Ind	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where disability status is: has an independent living disability	The number of NTSV patients whose disability status is: has an independent living disability with cesarean deliveries	Yes	Numeric	9
NTSV_denom_Disability_Ind	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where disability status is: has an independent living disability	The number of nulliparous patients whose disability status is: has an independent living disability delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_Disability_Ind	Nulliparous, Term, Singleton, Vertex (NTSV)	The rate of nulliparous women whose disability status is: has an independent living disability with a term,	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth rate where disability status is: has an independent living disability	singleton baby in a vertex position delivered by cesarean section			
NSTV_num_SO_SameSex	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sexual orientation is lesbian, gay or homosexual	The number of NSTSV patients whose sexual orientation is lesbian, gay or homosexual with cesarean deliveries	Yes	Numeric	9
NTSV_denom_SO_SameSex	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sexual orientation is lesbian, gay or homosexual	The number of nulliparous patients whose sexual orientation is lesbian, gay or homosexual delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_SO_SameSex	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sexual orientation is	The rate of nulliparous women whose sexual orientation is lesbian, gay or homosexual with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	lesbian, gay or homosexual				
NSTV_num_SO_Hetero	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sexual orientation is straight or heterosexual	The number of NSTV patients whose sexual orientation is straight or heterosexual with cesarean deliveries	Yes	Numeric	9
NTSV_denom_SO_Hetero	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sexual orientation is straight or heterosexual	The number of nulliparous patients whose sexual orientation is straight or heterosexual delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_SO_Hetero	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sexual orientation is straight or heterosexual	The rate of nulliparous women whose sexual orientation is straight or heterosexual with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_SO_Bi	Nulliparous, Term, Singleton, Vertex (NTSV)	The number of NSTV patients whose sexual orientation is bisexual with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth numerator where sexual orientation is bisexual				
NTSV_denom_SO_Bi	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sexual orientation is bisexual	The number of nulliparous patients whose sexual orientation is bisexual delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_SO_Bi	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sexual orientation is bisexual	The rate of nulliparous women whose sexual orientation is bisexual with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_SO_Else	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sexual orientation is something else	The number of NSTV patients whose sexual orientation is something else with cesarean deliveries	Yes	Numeric	9
NTSV_denom_SO_Else	Nulliparous, Term, Singleton, Vertex (NTSV)	The number of nulliparous patients whose sexual orientation is something else delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth denominator where sexual orientation is something else				
NTSV_rate_SO_Else	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sexual orientation is something else	The rate of nulliparous women whose sexual orientation is something else with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_SO_DK	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sexual orientation is don't know	The number of NSTV patients whose sexual orientation is don't know with cesarean deliveries	Yes	Numeric	9
NTSV_denom_SO_DK	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sexual orientation is don't know	The number of nulliparous patients whose sexual orientation is don't know delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_SO_DK	Nulliparous, Term, Singleton, Vertex (NTSV)	The rate of nulliparous women whose sexual orientation is don't know with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth rate where sexual orientation is don't know				
NSTV_num_SO_NotDisc	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where sexual orientation is not disclosed	The number of NSTV patients whose sexual orientation is not disclosed with cesarean deliveries	Yes	Numeric	9
NTSV_denom_SO_NotDisc	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where sexual orientation is not disclosed	The number of nulliparous patients whose sexual orientation is not disclosed delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_SO_NotDisc	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where sexual orientation is not disclosed	The rate of nulliparous women whose sexual orientation is not disclosed with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_GI_F	Nulliparous, Term, Singleton, Vertex (NTSV)	The number of NSTV patients whose gender identity is female with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth numerator where gender identity is female				
NTSV_denom_GI_F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where gender identity is female	The number of nulliparous patients whose gender identity is female delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_GI_F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where gender identity is female	The rate of nulliparous women whose gender identity is female with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_GI_F2M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of NSTV patients whose gender identity is female-to-male (FTM)/transgender male/trans man with cesarean deliveries	Yes	Numeric	9
NTSV_denom_GI_F2M	Nulliparous, Term, Singleton, Vertex (NTSV)	The number of nulliparous patients whose gender identity is female-to-male (FTM)/transgender	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Cesarean Birth denominator where gender identity is female-to-male (FTM)/transgender male/trans man	male/trans man delivered of a live term singleton newborn in vertex presentation			
NTSV_rate_GI_F2M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where gender identity is female-to-male (FTM)/transgender male/trans man	The rate of nulliparous women whose gender identity is female-to-male (FTM)/transgender male/trans man with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_GI_M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where gender identity is male	The number of NTSV patients whose gender identity is male with cesarean deliveries	Yes	Numeric	9
NTSV_denom_GI_M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where gender identity is male	The number of nulliparous patients whose gender identity is male delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
NTSV_rate_GI_M	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where gender identity is male	The rate of nulliparous women whose gender identity is male with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_GI_M2F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of NTSV patients whose gender identity is male-to-female (MTF)/transgender female/trans woman with cesarean deliveries	Yes	Numeric	9
NTSV_denom_GI_M2F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of nulliparous patients whose gender identity is male-to-female (MTF)/transgender female/trans woman delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_GI_M2F	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth	The rate of nulliparous women whose gender identity is male-to-female (MTF)/transgender female/trans woman with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	rate where gender identity is male-to-female (MTF)/transgender female/trans woman				
NSTV_num_GI_Nonconf	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth numerator where gender identity is identifies as non-conforming gender	The number of NSTV patients whose gender identity is identifies as non-conforming gender with cesarean deliveries	Yes	Numeric	9
NSTV_denom_GI_Nonconf	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth denominator where gender identity is identifies as non-conforming gender	The number of nulliparous patients whose gender identity is identifies as non-conforming gender delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NSTV_rate_GI_Nonconf	Nulliparous, Term, Singleton, Vertex (NSTV) Cesarean Birth rate where gender identity is identifies as non-	The rate of nulliparous women whose gender identity is identifies as non-conforming gender with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	conforming gender				
NSTV_num_GI_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where gender identity is additional gender category or other	The number of NSTV patients whose gender identity is additional gender category or other with cesarean deliveries	Yes	Numeric	9
NTSV_denom_GI_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where gender identity is additional gender category or other	The number of nulliparous patients whose gender identity is additional gender category or other delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_GI_Oth	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where gender identity is additional gender category or other	The rate of nulliparous women whose gender identity is additional gender category or other with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
NSTV_num_GI_NotDisc	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth numerator where	The number of NSTV patients whose gender identity is not disclosed with cesarean deliveries	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	gender identity is not disclosed				
NTSV_denom_GI_NotDisc	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth denominator where gender identity is not disclosed	The number of nulliparous patients whose gender identity is not disclosed delivered of a live term singleton newborn in vertex presentation	Yes	Numeric	9
NTSV_rate_GI_NotDisc	Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth rate where gender identity is not disclosed	The rate of nulliparous women whose gender identity is not disclosed with a term, singleton baby in a vertex position delivered by cesarean section	Yes	Decimal	3,1
VBAC_num	VBAC numerator	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria	Yes	Numeric	9
VBAC_denom	VBAC denominator	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria	Yes	Numeric	9
VBAC_rate	VBAC rate	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries	Yes	Decimal	3,1
VBAC_num_Race_AIAN	VBAC numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is American Indian or Alaskan Native	Yes	Numeric	9
VBAC_denom_Race_AIAN	VBAC denominator	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where race and/or ethnicity is American Indian or Alaskan Native	inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is American Indian or Alaskan Native			
VBAC_rate_Race_AIAN	VBAC rate where race and/or ethnicity is American Indian or Alaskan Native	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
VBAC_num_Race_Asian	VBAC numerator where race and/or ethnicity is Asian	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Asian	Yes	Numeric	9
VBAC_denom_Race_Asian	VBAC denominator where race and/or ethnicity is Asian	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Asian	Yes	Numeric	9
VBAC_rate_Race_Asian	VBAC rate where race and/or ethnicity is Asian	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is Asian	Yes	Decimal	3,1
VBAC_num_Race_Black	VBAC numerator where race and/or ethnicity is Black or African American	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Black or African American	Yes	Numeric	9
VBAC_denom_Race_Black	VBAC denominator where race	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Black or African American	and/or ethnicity of the person who gave birth is Black or African American			
VBAC_rate_Race_Black	VBAC rate where race and/or ethnicity is Black or African American	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
VBAC_num_Race_Hisp	VBAC numerator where race and/or ethnicity is Hispanic or Latino	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Hispanic or Latino	Yes	Numeric	9
VBAC_denom_Race_Hisp	VBAC denominator where race and/or ethnicity is Hispanic or Latino	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Hispanic or Latino	Yes	Numeric	9
VBAC_rate_Race_Hisp	VBAC rate where race and/or ethnicity is Hispanic or Latino	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
VBAC_num_Race_MENA	VBAC numerator where race and/or ethnicity is Middle Eastern or North African	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Middle Eastern or North African	Yes	Numeric	9
VBAC_denom_Race_MENA	VBAC denominator where race	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Middle Eastern or North African	and/or ethnicity of the person who gave birth is Middle Eastern or North African			
VBAC_rate_Race_MENA	VBAC rate where race and/or ethnicity is Middle Eastern or North African	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
VBAC_num_Race_NHPI	VBAC numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
VBAC_denom_Race_NHPI	VBAC denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
VBAC_rate_Race_NHPI	VBAC rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
VBAC_num_Race_Multi	VBAC numerator where race	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial	and/or ethnicity of the person who gave birth is Multi-racial			
VBAC_denom_Race_Multi	VBAC denominator where race and/or ethnicity is Multi-racial	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is Multi-racial	Yes	Numeric	9
VBAC_rate_Race_Multi	VBAC rate where race and/or ethnicity is Multi-racial	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
VBAC_num_Race_Wht	VBAC numerator where race and/or ethnicity is White	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is White	Yes	Numeric	9
VBAC_denom_Race_Wht	VBAC denominator where race and/or ethnicity is White	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the race and/or ethnicity of the person who gave birth is White	Yes	Numeric	9
VBAC_rate_Race_Wht	VBAC rate where race and/or ethnicity is White	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose race and/or ethnicity is White	Yes	Decimal	3,1
VBAC_num_Age_<18	VBAC numerator where age is younger than 18 years	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the age of the person who gave birth is younger than 18 years	Yes	Numeric	9
VBAC_denom_Age_<18	VBAC denominator where age is	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the age of the person who gave birth is younger than 18 years	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	younger than 18 years				
VBAC_rate_Age_<18	VBAC rate where age is younger than 18 years	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose age is younger than 18 years	Yes	Decimal	3,1
VBAC_num_Age_18_29	VBAC numerator where age is 18 to 29 years old	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the age of the person who gave birth is 18 to 29 years old	Yes	Numeric	9
VBAC_denom_Age_18_29	VBAC denominator where age is 18 to 29 years old	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the age of the person who gave birth is 18 to 29 years old	Yes	Numeric	9
VBAC_rate_Age_18_29	VBAC rate where age is 18 to 29 years old	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose age is 18 to 29 years old	Yes	Decimal	3,1
VBAC_num_Age_30_39	VBAC numerator where age is 30 to 39 years old	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the age of the person who gave birth is 30 to 39 years old	Yes	Numeric	9
VBAC_denom_Age_30_39	VBAC denominator where age is 30 to 39 years old	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the age of the person who gave birth is 30 to 39 years old	Yes	Numeric	9
VBAC_rate_Age_30_39	VBAC rate where age is 30 to 39 years old	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose age is 30 to 39 years old	Yes	Decimal	3,1
VBAC_num_Age_>40	VBAC numerator where age is 40 years or older old	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the age of the person who gave birth is 40 years or older old	Yes	Numeric	9
VBAC_denom_Age_>40	VBAC denominator	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 40 years or older old	inclusion and exclusion criteria and where the age of the person who gave birth is 40 years or older old			
VBAC_rate_Age_>40	VBAC rate where age is 40 years or older old	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose age is 40 years or older old	Yes	Decimal	3,1
VBAC_num_Sex_F	VBAC numerator where sex assigned at birth is Female	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sex assigned at birth of the person who gave birth is Female	Yes	Numeric	9
VBAC_denom_Sex_F	VBAC denominator where sex assigned at birth is Female	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sex assigned at birth of the person who gave birth is Female	Yes	Numeric	9
VBAC_rate_Sex_F	VBAC rate where sex assigned at birth is Female	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sex assigned at birth is Female	Yes	Decimal	3,1
VBAC_num_Sex_M	VBAC numerator where sex assigned at birth is Male	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sex assigned at birth of the person who gave birth is Male	Yes	Numeric	9
VBAC_denom_Sex_M	VBAC denominator where sex assigned at birth is Male	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sex assigned at birth of the person who gave birth is Male	Yes	Numeric	9
VBAC_rate_Sex_M	VBAC rate where sex	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sex assigned at birth is Male	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Male				
VBAC_num_Sex_Unk	VBAC numerator where sex assigned at birth is Unknown	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sex assigned at birth of the person who gave birth is Unknown	Yes	Numeric	9
VBAC_denom_Sex_Unk	VBAC denominator where sex assigned at birth is Unknown	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sex assigned at birth of the person who gave birth is Unknown	Yes	Numeric	9
VBAC_rate_Sex_Unk	VBAC rate where sex assigned at birth is Unknown	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sex assigned at birth is Unknown	Yes	Decimal	3,1
VBAC_num_Payer_Medicare	VBAC numerator where payer type is Medicare	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Medicare	Yes	Numeric	9
VBAC_denom_Payer_Medicare	VBAC denominator where payer type is Medicare	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Medicare	Yes	Numeric	9
VBAC_rate_Payer_Medicare	VBAC rate where payer type is Medicare	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose payer type is Medicare	Yes	Decimal	3,1
VBAC_num_Payer_Medicaid	VBAC numerator where payer type is Medicaid	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Medicaid	Yes	Numeric	9
VBAC_denom_Payer_Medicaid	VBAC denominator where payer type is Medicaid	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Medicaid	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
VBAC_rate_Payer_Medicaid	VBAC rate where payer type is Medicaid	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose payer type is Medicaid	Yes	Decimal	3,1
VBAC_num_Payer_Private	VBAC numerator where payer type is Private	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Private	Yes	Numeric	9
VBAC_denom_Payer_Private	VBAC denominator where payer type is Private	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Private	Yes	Numeric	9
VBAC_rate_Payer_Private	VBAC rate where payer type is Private	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose payer type is Private	Yes	Decimal	3,1
VBAC_num_Payer_Self	VBAC numerator where payer type is Self Pay/Uninsured	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Self Pay/Uninsured	Yes	Numeric	9
VBAC_denom_Payer_Self	VBAC denominator where payer type is Self Pay/Uninsured	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Self Pay/Uninsured	Yes	Numeric	9
VBAC_rate_Payer_Self	VBAC rate where payer type is Self Pay/Uninsured	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
VBAC_num_Payer_Oth	VBAC numerator where payer type is Other/Unknown	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the payer type for the person who gave birth is Other/Unknown	Yes	Numeric	9
VBAC_denom_Payer_Oth	VBAC denominator	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Other/Unknown	inclusion and exclusion criteria and where the payer type for the person who gave birth is Other/Unknown			
VBAC_rate_Payer_Oth	VBAC rate where payer type is Other/Unknown	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose payer type is Other/Unknown	Yes	Decimal	3,1
VBAC_num_Lang_ASL	VBAC numerator where preferred language is American Sign Language	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is American Sign Language	Yes	Numeric	9
VBAC_denom_Lang_ASL	VBAC denominator where preferred language is American Sign Language	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is American Sign Language	Yes	Numeric	9
VBAC_rate_Lang_ASL	VBAC rate where preferred language is American Sign Language	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose preferred language is American Sign Language	Yes	Decimal	3,1
VBAC_num_Lang_Eng	VBAC numerator where preferred language is English	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is English	Yes	Numeric	9
VBAC_denom_Lang_Eng	VBAC denominator where preferred language is English	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
VBAC_rate_Lang_Eng	VBAC rate where preferred language is English	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose preferred language is English	Yes	Decimal	3,1
VBAC_num_Lang_API	VBAC numerator where preferred language is Asian/Pacific Islander languages	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is an Asian/Pacific Islander language	Yes	Numeric	9
VBAC_denom_Lang_API	VBAC denominator where preferred language is Asian/Pacific Islander languages	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is an Asian/Pacific Islander language	Yes	Numeric	9
VBAC_rate_Lang_API	VBAC rate where preferred language is Asian/Pacific Islander languages	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
VBAC_num_Lang_ME	VBAC numerator where preferred language is Middle Eastern languages	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is Middle Eastern languages	Yes	Numeric	9
VBAC_denom_Lang_ME	VBAC denominator where preferred language is	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the preferred	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern languages	language of the person who gave birth is Middle Eastern languages			
VBAC_rate_Lang_ME	VBAC rate where preferred language is Middle Eastern languages	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
VBAC_num_Lang_Span	VBAC numerator where preferred language is Spanish	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is Spanish	Yes	Numeric	9
VBAC_denom_Lang_Span	VBAC denominator where preferred language is Spanish	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is Spanish	Yes	Numeric	9
VBAC_rate_Lang_Span	VBAC rate where preferred language is Spanish	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose preferred language is Spanish	Yes	Decimal	3,1
VBAC_num_Lang_Oth	VBAC numerator where preferred language is Other/Unknown	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is Other/Unknown	Yes	Numeric	9
VBAC_denom_Lang_Oth	VBAC denominator where preferred language is Other/Unknown	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the preferred language of the person who gave birth is Other/Unknown	Yes	Numeric	9
VBAC_rate_Lang_Oth	VBAC rate where preferred	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose preferred language is Other/Unknown	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
VBAC_num_Disability_none	VBAC numerator where disability status is: does not have a disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: does not have a disability	Yes	Numeric	9
VBAC_denom_Disability_none	VBAC denominator where disability status is: does not have a disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: does not have a disability	Yes	Numeric	9
VBAC_rate_Disability_none	VBAC rate where disability status is: does not have a disability	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: does not have a disability	Yes	Decimal	3,1
VBAC_num_Disability_Mobile	VBAC numerator where disability status is: has a mobility disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a mobility disability	Yes	Numeric	9
VBAC_denom_Disability_Mobile	VBAC denominator where disability status is: has a mobility disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a mobility disability	Yes	Numeric	9
VBAC_rate_Disability_Mobile	VBAC rate where disability status is: has a	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: has a mobility disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	mobility disability				
VBAC_num_Disability_Cog	VBAC numerator where disability status is: has a cognition disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a cognition disability	Yes	Numeric	9
VBAC_denom_Disability_Cog	VBAC denominator where disability status is: has a cognition disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a cognition disability	Yes	Numeric	9
VBAC_rate_Disability_Cog	VBAC rate where disability status is: has a cognition disability	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: has a cognition disability	Yes	Decimal	3,1
VBAC_num_Disability_Hear	VBAC numerator where disability status is: has a hearing disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a hearing disability	Yes	Numeric	9
VBAC_denom_Disability_Hear	VBAC denominator where disability status is: has a hearing disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a hearing disability	Yes	Numeric	9
VBAC_rate_Disability_Hear	VBAC rate where disability status is: has a	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: has a hearing disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	hearing disability				
VBAC_num_Disability_Vis	VBAC numerator where disability status is: has a vision disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a vision disability	Yes	Numeric	9
VBAC_denom_Disability_Vis	VBAC denominator where disability status is: has a vision disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a vision disability	Yes	Numeric	9
VBAC_rate_Disability_Vis	VBAC rate where disability status is: has a vision disability	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: has a vision disability	Yes	Decimal	3,1
VBAC_num_Disability_Self	VBAC numerator where disability status is: has a self-care disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a self-care disability	Yes	Numeric	9
VBAC_denom_Disability_Self	VBAC denominator where disability status is: has a self-care disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has a self-care disability	Yes	Numeric	9
VBAC_rate_Disability_Self	VBAC rate where disability status is: has a self-care disability	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: has a self-care disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
VBAC_num_Disability_Ind	VBAC numerator where disability status is: has an independent living disability	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has an independent living disability	Yes	Numeric	9
VBAC_denom_Disability_Ind	VBAC denominator where disability status is: has an independent living disability	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the disability status of the person who gave birth is: has an independent living disability	Yes	Numeric	9
VBAC_rate_Disability_Ind	VBAC rate where disability status is: has an independent living disability	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose disability status is: has an independent living disability	Yes	Decimal	3,1
VBAC_num_SO_SameSex	VBAC numerator where sexual orientation is lesbian, gay or homosexual	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is lesbian, gay or homosexual	Yes	Numeric	9
VBAC_denom_SO_SameSex	VBAC denominator where sexual orientation is lesbian, gay or homosexual	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is lesbian, gay or homosexual	Yes	Numeric	9
VBAC_rate_SO_SameSex	VBAC rate where sexual orientation is lesbian, gay or homosexual	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
VBAC_num_SO_Hetero	VBAC numerator where sexual orientation is straight or heterosexual	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is straight or heterosexual	Yes	Numeric	9
VBAC_denom_SO_Hetero	VBAC denominator where sexual orientation is straight or heterosexual	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is straight or heterosexual	Yes	Numeric	9
VBAC_rate_SO_Hetero	VBAC rate where sexual orientation is straight or heterosexual	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
VBAC_num_SO_Bi	VBAC numerator where sexual orientation is bisexual	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is bisexual	Yes	Numeric	9
VBAC_denom_SO_Bi	VBAC denominator where sexual orientation is bisexual	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is bisexual	Yes	Numeric	9
VBAC_rate_SO_Bi	VBAC rate where sexual orientation is bisexual	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sexual orientation is bisexual	Yes	Decimal	3,1
VBAC_num_SO_Else	VBAC numerator where sexual	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is something else	sexual orientation of the person who gave birth is something else			
VBAC_denom_SO_Else	VBAC denominator where sexual orientation is something else	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is something else	Yes	Numeric	9
VBAC_rate_SO_Else	VBAC rate where sexual orientation is something else	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sexual orientation is something else	Yes	Decimal	3,1
VBAC_num_SO_DK	VBAC numerator where sexual orientation is don't know	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is don't know	Yes	Numeric	9
VBAC_denom_SO_DK	VBAC denominator where sexual orientation is don't know	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is don't know	Yes	Numeric	9
VBAC_rate_SO_DK	VBAC rate where sexual orientation is don't know	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sexual orientation is don't know	Yes	Decimal	3,1
VBAC_num_SO_NotDisc	VBAC numerator where sexual orientation is not disclosed	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the sexual orientation of the person who gave birth is not disclosed	Yes	Numeric	9
VBAC_denom_SO_NotDisc	VBAC denominator where sexual	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the sexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed	orientation of the person who gave birth is not disclosed			
VBAC_rate_SO_NotDisc	VBAC rate where sexual orientation is not disclosed	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose sexual orientation is not disclosed	Yes	Decimal	3,1
VBAC_num_GI_F	VBAC numerator where gender identity is female	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is female	Yes	Numeric	9
VBAC_denom_GI_F	VBAC denominator where gender identity is female	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is female	Yes	Numeric	9
VBAC_rate_GI_F	VBAC rate where gender identity is female	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is female	Yes	Decimal	3,1
VBAC_num_GI_F2M	VBAC numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
VBAC_denom_GI_F2M	VBAC denominator where gender identity is female-to-male (FTM)/transgender	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	er male/trans man				
VBAC_rate_GI_F2M	VBAC rate where gender identity is female-to-male (FTM)/transgender male/trans man	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
VBAC_num_GI_M	VBAC numerator where gender identity is male	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is male	Yes	Numeric	9
VBAC_denom_GI_M	VBAC denominator where gender identity is male	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is male	Yes	Numeric	9
VBAC_rate_GI_M	VBAC rate where gender identity is male	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is male	Yes	Decimal	3,1
VBAC_num_GI_M2F	VBAC numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
VBAC_denom_GI_M2F	VBAC denominator where gender identity is male-to-female (MTF)/transgender	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	er female/trans woman				
VBAC_rate_GI_M2F	VBAC rate where gender identity is male-to-female (MTF)/transgender female/trans woman	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
VBAC_num_GI_Nonconf	VBAC numerator where gender identity is identifies as non-conforming gender	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is identifies as non-conforming gender	Yes	Numeric	9
VBAC_denom_GI_Nonconf	VBAC denominator where gender identity is identifies as non-conforming gender	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is identifies as non-conforming gender	Yes	Numeric	9
VBAC_rate_GI_Nonconf	VBAC rate where gender identity is identifies as non-conforming gender	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
VBAC_num_GI_Oth	VBAC numerator where gender identity is	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is additional gender category or other	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	additional gender category or other				
VBAC_denom_GI_Oth	VBAC denominator where gender identity is additional gender category or other	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is additional gender category or other	Yes	Numeric	9
VBAC_rate_GI_Oth	VBAC rate where gender identity is additional gender category or other	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is additional gender category or other	Yes	Decimal	3,1
VBAC_num_GI_NotDisc	VBAC numerator where gender identity is not disclosed	The number of vaginal delivery among cases that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is not disclosed	Yes	Numeric	9
VBAC_denom_GI_NotDisc	VBAC denominator where gender identity is not disclosed	The number of discharges with an ICD-10-CM diagnosis code for birth delivery outcome that meet the inclusion and exclusion criteria and where the gender identity of the person who gave birth is not disclosed	Yes	Numeric	9
VBAC_rate_GI_NotDisc	VBAC rate where gender identity is not disclosed	Vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries whose gender identity is not disclosed	Yes	Decimal	3,1
BreastFeeding_num	Exclusive Breast Milk Feeding numerator	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
		did not have codes for parenteral nutrition or galactosemia			
BreastFeeding_den	Exclusive Breast Milk Feeding denominator	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia	Yes	Numeric	9
BreastFeeding_rate	Exclusive Breast Milk Feeding rate	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital	Yes	Decimal	3,1
BreastFeeding_num_Race_AIAN	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is American Indian or Alaskan Native	Yes	Numeric	9
BreastFeeding_den_Race_AIAN	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is American Indian or Alaskan Native	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is American Indian or Alaskan Native	Yes	Numeric	9
BreastFeeding_rate_Race_AIAN	Exclusive Breast Milk Feeding rate where race	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is American Indian or Alaskan Native	stay at the hospital and where the race and/or ethnicity of the person who gave birth is American Indian or Alaskan Native			
BreastFeeding_num_Race_Asian	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is Asian	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Asian	Yes	Numeric	9
BreastFeeding_den_Race_Asian	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is Asian	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Asian	Yes	Numeric	9
BreastFeeding_rate_Race_Asian	Exclusive Breast Milk Feeding rate where race and/or ethnicity is Asian	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the race and/or ethnicity of the person who gave birth is Asian	Yes	Decimal	3,1
BreastFeeding_num_Race_Black	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is Black or African American	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_den_Race_Bl	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is Black or African American	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Black or African American	Yes	Numeric	9
BreastFeeding_rate_Race_Bl	Exclusive Breast Milk Feeding rate where race and/or ethnicity is Black or African American	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the race and/or ethnicity of the person who gave birth is Black or African American	Yes	Decimal	3,1
BreastFeeding_num_Race_Hisp	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is Hispanic or Latino	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Hispanic or Latino	Yes	Numeric	9
BreastFeeding_den_Race_Hisp	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is Hispanic or Latino	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Hispanic or Latino	Yes	Numeric	9
BreastFeeding_rate_Race_Hisp	Exclusive Breast Milk Feeding rate where race and/or ethnicity	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino	stay at the hospital and where the race and/or ethnicity of the person who gave birth is Hispanic or Latino			
BreastFeeding_num_Race_ME NA	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is Middle Eastern or North African	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Middle Eastern or North African	Yes	Numeric	9
BreastFeeding_den_Race_MENA	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is Middle Eastern or North African	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Middle Eastern or North African	Yes	Numeric	9
BreastFeeding_rate_Race_ME NA	Exclusive Breast Milk Feeding rate where race and/or ethnicity is Middle Eastern or North African	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the race and/or ethnicity of the person who gave birth is Middle Eastern or North African	Yes	Decimal	3,1
BreastFeeding_num_Race_NH PI	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is Native Hawaiian	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	or Other Pacific Islander	person who gave birth is Native Hawaiian or Other Pacific Islander			
BreastFeeding_den_Race_NHP I	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
BreastFeeding_rate_Race_NHP I	Exclusive Breast Milk Feeding rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the race and/or ethnicity of the person who gave birth is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
BreastFeeding_num_Race_Multi	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is Multi-racial	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is Multi-racial	Yes	Numeric	9
BreastFeeding_den_Race_Multi	Exclusive Breast Milk Feeding denominator where race	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial	galactosemia and where the race and/or ethnicity of the person who gave birth is Multi-racial			
BreastFeeding_rate_Race_Multi	Exclusive Breast Milk Feeding rate where race and/or ethnicity is Multi-racial	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the race and/or ethnicity of the person who gave birth is Multi-racial	Yes	Decimal	3,1
BreastFeeding_num_Race_Wht	Exclusive Breast Milk Feeding numerator where race and/or ethnicity is White	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is White	Yes	Numeric	9
BreastFeeding_den_Race_Wht	Exclusive Breast Milk Feeding denominator where race and/or ethnicity is White	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the race and/or ethnicity of the person who gave birth is White	Yes	Numeric	9
BreastFeeding_rate_Race_Wht	Exclusive Breast Milk Feeding rate where race and/or ethnicity is White	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the race and/or ethnicity of the person who gave birth is White	Yes	Decimal	3,1
BreastFeeding_num_Age_<18	Exclusive Breast Milk Feeding numerator where age is younger than 18 years	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
		did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is younger than 18 years			
BreastFeeding_den_Age_<18	Exclusive Breast Milk Feeding denominator where age is younger than 18 years	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is younger than 18 years	Yes	Numeric	9
BreastFeeding_rate_Age_<18	Exclusive Breast Milk Feeding rate where age is younger than 18 years	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the age of the person who gave birth is younger than 18 years	Yes	Decimal	3,1
BreastFeeding_num_Age_18_29	Exclusive Breast Milk Feeding numerator where age is 18 to 29 years old	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is 18 to 29 years old	Yes	Numeric	9
BreastFeeding_den_Age_18_29	Exclusive Breast Milk Feeding denominator where age is 18 to 29 years old	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is 18 to 29 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_Age_18_29	Exclusive Breast Milk Feeding rate where age is 18 to 29 years old	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the age of the person who gave birth is 18 to 29 years old	Yes	Decimal	3,1
BreastFeeding_num_Age_30_39	Exclusive Breast Milk Feeding numerator where age is 30 to 39 years old	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is 30 to 39 years old	Yes	Numeric	9
BreastFeeding_den_Age_30_39	Exclusive Breast Milk Feeding denominator where age is 30 to 39 years old	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is 30 to 39 years old	Yes	Numeric	9
BreastFeeding_rate_Age_30_39	Exclusive Breast Milk Feeding rate where age is 30 to 39 years old	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the age of the person who gave birth is 30 to 39 years old	Yes	Decimal	3,1
BreastFeeding_num_Age_>40	Exclusive Breast Milk Feeding numerator where age is 40 years or older old	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
		galactosemia and where the age of the person who gave birth is 40 years or older old			
BreastFeeding_den_Age_>40	Exclusive Breast Milk Feeding denominator where age is 40 years or older old	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the age of the person who gave birth is 40 years or older old	Yes	Numeric	9
BreastFeeding_rate_Age_>40	Exclusive Breast Milk Feeding rate where age is 40 years or older old	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the age of the person who gave birth is 40 years or older old	Yes	Decimal	3,1
BreastFeeding_num_Sex_F	Exclusive Breast Milk Feeding numerator where sex assigned at birth is Female	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sex assigned at birth of the person who gave birth is Female	Yes	Numeric	9
BreastFeeding_den_Sex_F	Exclusive Breast Milk Feeding denominator where sex assigned at birth is Female	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sex assigned at birth of the person who gave birth is Female	Yes	Numeric	9
BreastFeeding_rate_Sex_F	Exclusive Breast Milk Feeding rate where sex	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Female	stay at the hospital and where the sex assigned at birth of the person who gave birth is Female			
BreastFeeding_num_Sex_M	Exclusive Breast Milk Feeding numerator where sex assigned at birth is Male	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sex assigned at birth of the person who gave birth is Male	Yes	Numeric	9
BreastFeeding_den_Sex_M	Exclusive Breast Milk Feeding denominator where sex assigned at birth is Male	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sex assigned at birth of the person who gave birth is Male	Yes	Numeric	9
BreastFeeding_rate_Sex_M	Exclusive Breast Milk Feeding rate where sex assigned at birth is Male	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sex assigned at birth of the person who gave birth is Male	Yes	Decimal	3,1
BreastFeeding_num_Sex_Unk	Exclusive Breast Milk Feeding numerator where sex assigned at birth is Unknown	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sex assigned at birth of the person who gave birth is Unknown	Yes	Numeric	9
BreastFeeding_den_Sex_Unk	Exclusive Breast Milk Feeding	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sex assigned at birth is Unknown	gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sex assigned at birth of the person who gave birth is Unknown			
BreastFeeding_rate_Sex_Unk	Exclusive Breast Milk Feeding rate where sex assigned at birth is Unknown	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sex assigned at birth of the person who gave birth is Unknown	Yes	Decimal	3,1
BreastFeeding_num_Payer_Medicare	Exclusive Breast Milk Feeding numerator where payer type is Medicare	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Medicare	Yes	Numeric	9
BreastFeeding_den_Payer_Medicare	Exclusive Breast Milk Feeding denominator where payer type is Medicare	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Medicare	Yes	Numeric	9
BreastFeeding_rate_Payer_Medicare	Exclusive Breast Milk Feeding rate where payer type is Medicare	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the payer type for the person who gave birth is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_num_Payer_Medicaid	Exclusive Breast Milk Feeding numerator where payer type is Medicaid	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Medicaid	Yes	Numeric	9
BreastFeeding_den_Payer_Medicaid	Exclusive Breast Milk Feeding denominator where payer type is Medicaid	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Medicaid	Yes	Numeric	9
BreastFeeding_rate_Payer_Medicaid	Exclusive Breast Milk Feeding rate where payer type is Medicaid	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the payer type for the person who gave birth is Medicaid	Yes	Decimal	3,1
BreastFeeding_num_Payer_Private	Exclusive Breast Milk Feeding numerator where payer type is Private	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Private	Yes	Numeric	9
BreastFeeding_den_Payer_Private	Exclusive Breast Milk Feeding denominator	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private	did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Private			
BreastFeeding_rate_Payer_Private	Exclusive Breast Milk Feeding rate where payer type is Private	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the payer type for the person who gave birth is Private	Yes	Decimal	3,1
BreastFeeding_num_Payer_Self	Exclusive Breast Milk Feeding numerator where payer type is Self Pay/Uninsured	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Self Pay/Uninsured	Yes	Numeric	9
BreastFeeding_den_Payer_Self	Exclusive Breast Milk Feeding denominator where payer type is Self Pay/Uninsured	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Self Pay/Uninsured	Yes	Numeric	9
BreastFeeding_rate_Payer_Self	Exclusive Breast Milk Feeding rate where payer type is Self Pay/Uninsured	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the payer type for the person who gave birth is Self Pay/Uninsured	Yes	Decimal	3,1
BreastFeeding_num_Payer_Other	Exclusive Breast Milk Feeding numerator where	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU,	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Other/Unknown	transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Other/Unknown			
BreastFeeding_den_Payer_Oth	Exclusive Breast Milk Feeding denominator where payer type is Other/Unknown	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the payer type for the person who gave birth is Other/Unknown	Yes	Numeric	9
BreastFeeding_rate_Payer_Oth	Exclusive Breast Milk Feeding rate where payer type is Other/Unknown	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the payer type for the person who gave birth is Other/Unknown	Yes	Decimal	3,1
BreastFeeding_num_Lang_ASL	Exclusive Breast Milk Feeding numerator where preferred language is American Sign Language	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is American Sign Language	Yes	Numeric	9
BreastFeeding_den_Lang_ASL	Exclusive Breast Milk Feeding denominator where preferred language is American Sign Language	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is American Sign Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_Lang_ASL	Exclusive Breast Milk Feeding rate where preferred language is American Sign Language	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the preferred language of the person who gave birth is American Sign Language	Yes	Decimal	3,1
BreastFeeding_num_Lang_Eng	Exclusive Breast Milk Feeding numerator where preferred language is English	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is English	Yes	Numeric	9
BreastFeeding_den_Lang_Eng	Exclusive Breast Milk Feeding denominator where preferred language is English	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is English	Yes	Numeric	9
BreastFeeding_rate_Lang_Eng	Exclusive Breast Milk Feeding rate where preferred language is English	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the preferred language of the person who gave birth is English	Yes	Decimal	3,1
BreastFeeding_num_Lang_API	Exclusive Breast Milk Feeding numerator where preferred language is Asian/Pacific	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Islander languages	galactosemia and where the preferred language of the person who gave birth is an Asian/Pacific Islander language			
BreastFeeding_den_Lang_API	Exclusive Breast Milk Feeding denominator where preferred language is Asian/Pacific Islander languages	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is an Asian/Pacific Islander language	Yes	Numeric	9
BreastFeeding_rate_Lang_API	Exclusive Breast Milk Feeding rate where preferred language is Asian/Pacific Islander languages	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the preferred language of the person who gave birth is an Asian/Pacific Islander language	Yes	Decimal	3,1
BreastFeeding_num_Lang_ME	Exclusive Breast Milk Feeding numerator where preferred language is Middle Eastern languages	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is Middle Eastern languages	Yes	Numeric	9
BreastFeeding_den_Lang_ME	Exclusive Breast Milk Feeding denominator where preferred language is	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern languages	galactosemia and where the preferred language of the person who gave birth is Middle Eastern languages			
BreastFeeding_rate_Lang_ME	Exclusive Breast Milk Feeding rate where preferred language is Middle Eastern languages	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the preferred language of the person who gave birth is Middle Eastern languages	Yes	Decimal	3,1
BreastFeeding_num_Lang_Span	Exclusive Breast Milk Feeding numerator where preferred language is Spanish	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is Spanish	Yes	Numeric	9
BreastFeeding_den_Lang_Span	Exclusive Breast Milk Feeding denominator where preferred language is Spanish	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is Spanish	Yes	Numeric	9
BreastFeeding_rate_Lang_Span	Exclusive Breast Milk Feeding rate where preferred language is Spanish	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the preferred language of the person who gave birth is Spanish	Yes	Decimal	3,1
BreastFeeding_num_Lang_Oth	Exclusive Breast Milk Feeding numerator where preferred	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU,	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown	transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is Other/Unknown			
BreastFeeding_den_Lang_Oth	Exclusive Breast Milk Feeding denominator where preferred language is Other/Unknown	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the preferred language of the person who gave birth is Other/Unknown	Yes	Numeric	9
BreastFeeding_rate_Lang_Oth	Exclusive Breast Milk Feeding rate where preferred language is Other/Unknown	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the preferred language of the person who gave birth is Other/Unknown	Yes	Decimal	3,1
BreastFeeding_num_Disability_none	Exclusive Breast Milk Feeding numerator where disability status is: does not have a disability	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: does not have a disability	Yes	Numeric	9
BreastFeeding_den_Disability_none	Exclusive Breast Milk Feeding denominator where disability status is: does not have a disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: does not have a disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_Disability_none	Exclusive Breast Milk Feeding rate where disability status is: does not have a disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: does not have a disability	Yes	Decimal	3,1
BreastFeeding_num_Disability_Mobile	Exclusive Breast Milk Feeding numerator where disability status is: has a mobility disability	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a mobility disability	Yes	Numeric	9
BreastFeeding_den_Disability_Mobile	Exclusive Breast Milk Feeding denominator where disability status is: has a mobility disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a mobility disability	Yes	Numeric	9
BreastFeeding_rate_Disability_Mobile	Exclusive Breast Milk Feeding rate where disability status is: has a mobility disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: has a mobility disability	Yes	Decimal	3,1
BreastFeeding_num_Disability_Cog	Exclusive Breast Milk Feeding numerator where disability status is: has a	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	cognition disability	did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a cognition disability			
BreastFeeding_den_Disability_Cog	Exclusive Breast Milk Feeding denominator where disability status is: has a cognition disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a cognition disability	Yes	Numeric	9
BreastFeeding_rate_Disability_Cog	Exclusive Breast Milk Feeding rate where disability status is: has a cognition disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: has a cognition disability	Yes	Decimal	3,1
BreastFeeding_num_Disability_Hear	Exclusive Breast Milk Feeding numerator where disability status is: has a hearing disability	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a hearing disability	Yes	Numeric	9
BreastFeeding_den_Disability_Hear	Exclusive Breast Milk Feeding denominator where disability status is: has a hearing disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a hearing disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_Disability_Hear	Exclusive Breast Milk Feeding rate where disability status is: has a hearing disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: has a hearing disability	Yes	Decimal	3,1
BreastFeeding_num_Disability_Vis	Exclusive Breast Milk Feeding numerator where disability status is: has a vision disability	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a vision disability	Yes	Numeric	9
BreastFeeding_den_Disability_Vis	Exclusive Breast Milk Feeding denominator where disability status is: has a vision disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a vision disability	Yes	Numeric	9
BreastFeeding_rate_Disability_Vis	Exclusive Breast Milk Feeding rate where disability status is: has a vision disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: has a vision disability	Yes	Decimal	3,1
BreastFeeding_num_Disability_Self	Exclusive Breast Milk Feeding numerator where disability status is: has a self-care disability	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
		galactosemia and where the disability status of the person who gave birth is: has a self-care disability			
BreastFeeding_den_Disability_Self	Exclusive Breast Milk Feeding denominator where disability status is: has a self-care disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has a self-care disability	Yes	Numeric	9
BreastFeeding_rate_Disability_Self	Exclusive Breast Milk Feeding rate where disability status is: has a self-care disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: has a self-care disability	Yes	Decimal	3,1
BreastFeeding_num_Disability_Ind	Exclusive Breast Milk Feeding numerator where disability status is: has an independent living disability	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has an independent living disability	Yes	Numeric	9
BreastFeeding_den_Disability_Ind	Exclusive Breast Milk Feeding denominator where disability status is: has an independent living disability	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the disability status of the person who gave birth is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_Disability_Ind	Exclusive Breast Milk Feeding rate where disability status is: has an independent living disability	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the disability status of the person who gave birth is: has an independent living disability	Yes	Decimal	3,1
BreastFeeding_num_SO_Same Sex	Exclusive Breast Milk Feeding numerator where sexual orientation is lesbian, gay or homosexual	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is lesbian, gay or homosexual	Yes	Numeric	9
BreastFeeding_den_SO_Same Sex	Exclusive Breast Milk Feeding denominator where sexual orientation is lesbian, gay or homosexual	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is lesbian, gay or homosexual	Yes	Numeric	9
BreastFeeding_rate_SO_Same Sex	Exclusive Breast Milk Feeding rate where sexual orientation is lesbian, gay or homosexual	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sexual orientation of the person who gave birth is lesbian, gay or homosexual	Yes	Decimal	3,1
BreastFeeding_num_SO_Hetero	Exclusive Breast Milk Feeding numerator where sexual orientation is	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	straight or heterosexual	did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is straight or heterosexual			
BreastFeeding_den_SO_Hetero	Exclusive Breast Milk Feeding denominator where sexual orientation is straight or heterosexual	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is straight or heterosexual	Yes	Numeric	9
BreastFeeding_rate_SO_Hetero	Exclusive Breast Milk Feeding rate where sexual orientation is straight or heterosexual	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sexual orientation of the person who gave birth is straight or heterosexual	Yes	Decimal	3,1
BreastFeeding_num_SO_Bi	Exclusive Breast Milk Feeding numerator where sexual orientation is bisexual	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is bisexual	Yes	Numeric	9
BreastFeeding_den_SO_Bi	Exclusive Breast Milk Feeding denominator where sexual orientation is bisexual	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is bisexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_SO_Bi	Exclusive Breast Milk Feeding rate where sexual orientation is bisexual	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sexual orientation of the person who gave birth is bisexual	Yes	Decimal	3,1
BreastFeeding_num_SO_Else	Exclusive Breast Milk Feeding numerator where sexual orientation is something else	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is something else	Yes	Numeric	9
BreastFeeding_den_SO_Else	Exclusive Breast Milk Feeding denominator where sexual orientation is something else	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is something else	Yes	Numeric	9
BreastFeeding_rate_SO_Else	Exclusive Breast Milk Feeding rate where sexual orientation is something else	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sexual orientation of the person who gave birth is something else	Yes	Decimal	3,1
BreastFeeding_num_SO_DK	Exclusive Breast Milk Feeding numerator where sexual orientation is don't know	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
		galactosemia and where the sexual orientation of the person who gave birth is don't know			
BreastFeeding_den_SO_DK	Exclusive Breast Milk Feeding denominator where sexual orientation is don't know	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is don't know	Yes	Numeric	9
BreastFeeding_rate_SO_DK	Exclusive Breast Milk Feeding rate where sexual orientation is don't know	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the sexual orientation of the person who gave birth is don't know	Yes	Decimal	3,1
BreastFeeding_num_SO_NotDisc	Exclusive Breast Milk Feeding numerator where sexual orientation is not disclosed	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is not disclosed	Yes	Numeric	9
BreastFeeding_den_SO_NotDisc	Exclusive Breast Milk Feeding denominator where sexual orientation is not disclosed	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the sexual orientation of the person who gave birth is not disclosed	Yes	Numeric	9
BreastFeeding_rate_SO_NotDisc	Exclusive Breast Milk Feeding rate where sexual	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed	stay at the hospital and where the sexual orientation of the person who gave birth is not disclosed			
BreastFeeding_num_GI_F	Exclusive Breast Milk Feeding numerator where gender identity is female	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is female	Yes	Numeric	9
BreastFeeding_den_GI_F	Exclusive Breast Milk Feeding denominator where gender identity is female	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is female	Yes	Numeric	9
BreastFeeding_rate_GI_F	Exclusive Breast Milk Feeding rate where gender identity is female	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is female	Yes	Decimal	3,1
BreastFeeding_num_GI_F2M	Exclusive Breast Milk Feeding numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_den_GI_F2M	Exclusive Breast Milk Feeding denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
BreastFeeding_rate_GI_F2M	Exclusive Breast Milk Feeding rate where gender identity is female-to-male (FTM)/transgender male/trans man	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
BreastFeeding_num_GI_M	Exclusive Breast Milk Feeding numerator where gender identity is male	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is male	Yes	Numeric	9
BreastFeeding_den_GI_M	Exclusive Breast Milk Feeding denominator where gender identity is male	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_GI_M	Exclusive Breast Milk Feeding rate where gender identity is male	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is male	Yes	Decimal	3,1
BreastFeeding_num_GI_M2F	Exclusive Breast Milk Feeding numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
BreastFeeding_den_GI_M2F	Exclusive Breast Milk Feeding denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
BreastFeeding_rate_GI_M2F	Exclusive Breast Milk Feeding rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_num_GI_Nonconf	Exclusive Breast Milk Feeding numerator where gender identity is identifies as non-conforming gender	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is identifies as non-conforming gender	Yes	Numeric	9
BreastFeeding_den_GI_Nonconf	Exclusive Breast Milk Feeding denominator where gender identity is identifies as non-conforming gender	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is identifies as non-conforming gender	Yes	Numeric	9
BreastFeeding_rate_GI_Nonconf	Exclusive Breast Milk Feeding rate where gender identity is identifies as non-conforming gender	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is identifies as non-conforming gender	Yes	Decimal	3,1
BreastFeeding_num_GI_Oth	Exclusive Breast Milk Feeding numerator where gender identity is additional gender category or other	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
		person who gave birth is additional gender category or other			
BreastFeeding_den_GI_Oth	Exclusive Breast Milk Feeding denominator where gender identity is additional gender category or other	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is additional gender category or other	Yes	Numeric	9
BreastFeeding_rate_GI_Oth	Exclusive Breast Milk Feeding rate where gender identity is additional gender category or other	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is additional gender category or other	Yes	Decimal	3,1
BreastFeeding_num_GI_NotDisc	Exclusive Breast Milk Feeding numerator where gender identity is not disclosed	The number of newborn cases that were exclusively fed breast milk during their hospital stay and were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is not disclosed	Yes	Numeric	9
BreastFeeding_den_GI_NotDisc	Exclusive Breast Milk Feeding denominator where gender identity is not disclosed	The number of newborn cases born in the hospital that were at least 37 weeks gestation (or at least 3000g if gestational age is missing), did not go to the NICU, transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia and where the gender identity of the person who gave birth is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
BreastFeeding_rate_GI_NotDisc	Exclusive Breast Milk Feeding rate where gender identity is not disclosed	The rate of newborns who reached at least 37 weeks of gestation, or at least 3000g if gestational age is missing, received breastmilk exclusively during their stay at the hospital and where the gender identity of the person who gave birth is not disclosed	Yes	Decimal	3,1
Readmission_num	Readmission numerator	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission	Yes	Numeric	9
Readmission_den	Readmission denominator	The total number of patients who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate	Readmission rate	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1
Readmission_num_Race_AIAN	Readmission numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9
Readmission_den_Race_AIAN	Readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_AIAN	Readmission rate where race and/or ethnicity is American	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Indian or Alaskan Native	aged 18 and older and whose race and/or ethnicity is American Indian or Alaskan Native			
Readmission_num_Race_Asian	Readmission numerator where race and/or ethnicity is Asian	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
Readmission_den_Race_Asian	Readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_Asian	Readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose race and/or ethnicity is Asian	Yes	Decimal	3,1
Readmission_num_Race_Black	Readmission numerator where race and/or ethnicity is Black or African American	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
Readmission_den_Race_Black	Readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_Black	Readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmission_num_Race_Hisp	Readmission numerator where race and/or ethnicity is Hispanic or Latino	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
Readmission_den_Race_Hisp	Readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_Hisp	Readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
Readmission_num_Race_MENA	Readmission numerator where race and/or ethnicity is Middle Eastern or North African	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
Readmission_den_Race_MENA	Readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_MENA	Readmission rate where race and/or ethnicity	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is Middle Eastern or North African	aged 18 and older and whose race and/or ethnicity is Middle Eastern or North African			
Readmission_num_Race_NHPI	Readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
Readmission_den_Race_NHPI	Readmission denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_NHPI	Readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
Readmission_num_Race_Multi	Readmission numerator where race and/or ethnicity is Multi-racial	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
Readmission_den_Race_Multi	Readmission denominator where race	The total number of patients whose race and/or ethnicity is Multi-racial who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial				
Readmission_rate_Race_Multi	Readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
Readmission_num_Race_Wht	Readmission numerator where race and/or ethnicity is White	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is White	Yes	Numeric	9
Readmission_den_Race_Wht	Readmission denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Race_Wht	Readmission rate where race and/or ethnicity is White	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose race and/or ethnicity is White	Yes	Decimal	3,1
Readmission_num_Age_18_34	Readmission numerator where age is 18 to 34 years old	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the age of the patient is 18 to 34 years old	Yes	Numeric	9
Readmission_den_Age_18_34	Readmission denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Age_18_34	Readmission rate where age is 18 to 34 years old	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose age is 18 to 34 years old	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmission_num_Age_35_49	Readmission numerator where age is 35 to 49 years old	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the age of the patient is 35 to 49 years old	Yes	Numeric	9
Readmission_den_Age_35_49	Readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Age_35_49	Readmission rate where age is 35 to 49 years old	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose age is 35 to 49 years old	Yes	Decimal	3,1
Readmission_num_Age_50_64	Readmission numerator where age is 50 to 64 years old	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the age of the patient is 50 to 64 years old	Yes	Numeric	9
Readmission_den_Age_50_64	Readmission denominator where age is 50 to 64 years old	The total number of patients whose age is 50 to 64 years old who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Age_50_64	Readmission rate where age is 50 to 64 years old	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose age is 50 to 64 years old	Yes	Decimal	3,1
Readmission_num_Age_>65	Readmission numerator where age is 65 years or older	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the age of the patient is 65 years or older	Yes	Numeric	9
Readmission_den_Age_>65	Readmission denominator where age is 65 years or older	The total number of patients whose age is 65 years or older who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_rate_Age_>65	Readmission rate where age is 65 years or older	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose age is 65 years or older	Yes	Decimal	3,1
Readmission_num_Sex_F	Readmission numerator where sex assigned at birth is Female	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sex assigned at birth of the patient is Female	Yes	Numeric	9
Readmission_den_Sex_F	Readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Sex_F	Readmission rate where sex assigned at birth is Female	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sex assigned at birth is Female	Yes	Decimal	3,1
Readmission_num_Sex_M	Readmission numerator where sex assigned at birth is Male	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sex assigned at birth of the patient is Male	Yes	Numeric	9
Readmission_den_Sex_M	Readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Sex_M	Readmission rate where sex assigned at birth is Male	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sex assigned at birth is Male	Yes	Decimal	3,1
Readmission_num_Sex_Unk	Readmission numerator where	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sex assigned at birth is Unknown	of an eligible index admission where the sex assigned at birth of the patient is Unknown			
Readmission_den_Sex_Unk	Readmission denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Sex_Unk	Readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sex assigned at birth is Unknown	Yes	Decimal	3,1
Readmission_num_Payer_Medicare	Readmission numerator where payer type is Medicare	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Medicare	Yes	Numeric	9
Readmission_den_Payer_Medicare	Readmission denominator where payer type is Medicare	The total number of patients whose payer type is Medicare who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Payer_Medicare	Readmission rate where payer type is Medicare	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose payer type is Medicare	Yes	Decimal	3,1
Readmission_num_Payer_Medicaid	Readmission numerator where payer type is Medicaid	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Medicaid	Yes	Numeric	9
Readmission_den_Payer_Medicaid	Readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_rate_Payer_Medicaid	Readmission rate where payer type is Medicaid	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose payer type is Medicaid	Yes	Decimal	3,1
Readmission_num_Payer_Private	Readmission numerator where payer type is Private	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Private	Yes	Numeric	9
Readmission_den_Payer_Private	Readmission denominator where payer type is Private	The total number of patients whose payer type is Private who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Payer_Private	Readmission rate where payer type is Private	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose payer type is Private	Yes	Decimal	3,1
Readmission_num_Payer_Self	Readmission numerator where payer type is Self Pay/Uninsured	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
Readmission_den_Payer_Self	Readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Payer_Self	Readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
Readmission_num_Payer_Other	Readmission numerator where	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Other/Unknown				
Readmission_den_Payer_Oth	Readmission denominator where payer type is Other/Unknown	The total number of patients whose payer type is Other/Unknown who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Payer_Oth	Readmission rate where payer type is Other/Unknown	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose payer type is Other/Unknown	Yes	Decimal	3,1
Readmission_num_Lang_ASL	Readmission numerator where preferred language is American Sign Language	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is American Sign Language	Yes	Numeric	9
Readmission_den_Lang_ASL	Readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Lang_ASL	Readmission rate where preferred language is American Sign Language	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose preferred language is American Sign Language	Yes	Decimal	3,1
Readmission_num_Lang_Eng	Readmission numerator where preferred	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is English				
Readmission_den_Lang_Eng	Readmission denominator where preferred language is English	The total number of patients whose preferred language is English who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Lang_Eng	Readmission rate where preferred language is English	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose preferred language is English	Yes	Decimal	3,1
Readmission_num_Lang_API	Readmission numerator where preferred language is Asian/Pacific Islander languages	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
Readmission_den_Lang_API	Readmission denominator where preferred language is Asian/Pacific Islander languages	The total number of patients whose preferred language is an Asian/Pacific Islander language who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Lang_API	Readmission rate where preferred language is Asian/Pacific	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Islander languages				
Readmission_num_Lang_ME	Readmission numerator where preferred language is Middle Eastern languages	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
Readmission_den_Lang_ME	Readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Lang_ME	Readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
Readmission_num_Lang_Span	Readmission numerator where preferred language is Spanish	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is Spanish	Yes	Numeric	9
Readmission_den_Lang_Span	Readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Lang_Span	Readmission rate where	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	preferred language is Spanish	condition within 30 days of hospital discharge for patients aged 18 and older and whose preferred language is Spanish			
Readmission_num_Lang_Oth	Readmission numerator where preferred language is Other/Unknown	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
Readmission_den_Lang_Oth	Readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Lang_Oth	Readmission rate where preferred language is Other/Unknown	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose preferred language is Other/Unknown	Yes	Decimal	3,1
Readmission_num_Disability_none	Readmission numerator where disability status is: does not have a disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: does not have a disability	Yes	Numeric	9
Readmission_den_Disability_none	Readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Disability_none	Readmission rate where disability status	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is: does not have a disability	aged 18 and older and whose disability status is: does not have a disability			
Readmission_num_Disability_Mobile	Readmission numerator where disability status is: has a mobility disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
Readmission_den_Disability_Mobile	Readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Disability_Mobile	Readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose disability status is: has a mobility disability	Yes	Decimal	3,1
Readmission_num_Disability_Cog	Readmission numerator where disability status is: has a cognition disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
Readmission_den_Disability_Cog	Readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_rate_Disability_Cog	Readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose disability status is: has a cognition disability	Yes	Decimal	3,1
Readmission_num_Disability_Hear	Readmission numerator where disability status is: has a hearing disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
Readmission_den_Disability_Hear	Readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Disability_Hear	Readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose disability status is: has a hearing disability	Yes	Decimal	3,1
Readmission_num_Disability_Vis	Readmission numerator where disability status is: has a vision disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a vision disability	Yes	Numeric	9
Readmission_den_Disability_Vis	Readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_rate_Disability_Vis	Readmission rate where disability status is: has a vision disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose disability status is: has a vision disability	Yes	Decimal	3,1
Readmission_num_Disability_Self	Readmission numerator where disability status is: has a self-care disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
Readmission_den_Disability_Self	Readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_Disability_Self	Readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose disability status is: has a self-care disability	Yes	Decimal	3,1
Readmission_num_Disability_Ind	Readmission numerator where disability status is: has an independent living disability	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
Readmission_den_Disability_Ind	Readmission denominator where disability status is: has an	The total number of patients whose disability status is: has an independent living disability who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	independent living disability				
Readmission_rate_Disability_Ind	Readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose disability status is: has an independent living disability	Yes	Decimal	3,1
Readmission_num_SO_SameSex	Readmission numerator where sexual orientation is lesbian, gay or homosexual	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
Readmission_den_SO_SameSex	Readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_SO_SameSex	Readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
Readmission_num_SO_Hetero	Readmission numerator where sexual orientation is straight or heterosexual	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_den_SO_Hetero	Readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_SO_Hetero	Readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
Readmission_num_SO_Bi	Readmission numerator where sexual orientation is bisexual	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is bisexual	Yes	Numeric	9
Readmission_den_SO_Bi	Readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_SO_Bi	Readmission rate where sexual orientation is bisexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sexual orientation is bisexual	Yes	Decimal	3,1
Readmission_num_SO_Else	Readmission numerator where sexual orientation is something else	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_den_SO_Else	Readmission denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_SO_Else	Readmission rate where sexual orientation is something else	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sexual orientation is something else	Yes	Decimal	3,1
Readmission_num_SO_DK	Readmission numerator where sexual orientation is don't know	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is don't know	Yes	Numeric	9
Readmission_den_SO_DK	Readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_SO_DK	Readmission rate where sexual orientation is don't know	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sexual orientation is don't know	Yes	Decimal	3,1
Readmission_num_SO_NotDisc	Readmission numerator where sexual orientation is not disclosed	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_den_SO_NotDisc	Readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_SO_NotDisc	Readmission rate where sexual orientation is not disclosed	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose sexual orientation is not disclosed	Yes	Decimal	3,1
Readmission_num_GI_F	Readmission numerator where gender identity is female	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is female	Yes	Numeric	9
Readmission_den_GI_F	Readmission denominator where gender identity is female	The total number of patients whose gender identity is female who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_GI_F	Readmission rate where gender identity is female	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is female	Yes	Decimal	3,1
Readmission_num_GI_F2M	Readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
Readmission_den_GI_F2M	Readmission denominator	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man who	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female-to-male (FTM)/transgender male/trans man	were admitted to an acute care hospital and were 18 years or older at time of admission			
Readmission_rate_GI_F2M	Readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
Readmission_num_GI_M	Readmission numerator where gender identity is male	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is male	Yes	Numeric	9
Readmission_den_GI_M	Readmission denominator where gender identity is male	The total number of patients whose gender identity is male who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_GI_M	Readmission rate where gender identity is male	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is male	Yes	Decimal	3,1
Readmission_num_GI_M2F	Readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_den_GI_M2F	Readmission denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_GI_M2F	Readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
Readmission_num_GI_Nonconf	Readmission numerator where gender identity is identifies as non-conforming gender	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
Readmission_den_GI_Nonconf	Readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_GI_Nonconf	Readmission rate where gender identity is identifies as non-	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	conforming gender				
Readmission_num_GI_Oth	Readmission numerator where gender identity is additional gender category or other	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
Readmission_den_GI_Oth	Readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_GI_Oth	Readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is additional gender category or other	Yes	Decimal	3,1
Readmission_num_GI_NotDisc	Readmission numerator where gender identity is not disclosed	The number of inpatient admissions to any acute care hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is not disclosed	Yes	Numeric	9
Readmission_den_GI_NotDisc	Readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed who were admitted to an acute care hospital and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_rate_GI_NotDisc	Readmission rate where gender identity is not disclosed	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older and whose gender identity is not disclosed	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num	Mental Health Disorders readmission numerator	The total number of all-cause 30-day unplanned readmissions for mental health disorders	Yes	Numeric	9
MHD_Readmission_den	Mental Health Disorders readmission denominator	The total number of patients who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1
MHD_Readmission_num_Race_AIAN	Mental Health Disorders readmission numerator where race and/or ethnicity is American Indian or Alaskan Native	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9
MHD_Readmission_den_Race_AIAN	Mental Health Disorders readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Race_AIAN	Mental Health Disorders readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
MHD_Readmission_num_Race_Asian	Mental Health Disorders readmission numerator where race and/or ethnicity is Asian	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
MHD_Readmission_den_Race_Asian	Mental Health Disorders readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Asian	Mental Health Disorders readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Asian	Yes	Decimal	3,1
MHD_Readmission_num_Race_Black	Mental Health Disorders readmission numerator where race and/or	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Black or African American				
MHD_Readmission_den_Race_Bl	Mental Health Disorders readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Bl	Mental Health Disorders readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
MHD_Readmission_num_Race_Hisp	Mental Health Disorders readmission numerator where race and/or ethnicity is Hispanic or Latino	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
MHD_Readmission_den_Race_Hisp	Mental Health Disorders readmission denominator where race and/or ethnicity	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino				
MHD_Readmission_rate_Race_Hisp	Mental Health Disorders readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
MHD_Readmission_num_Race_MENA	Mental Health Disorders readmission numerator where race and/or ethnicity is Middle Eastern or North African	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
MHD_Readmission_den_Race_MENA	Mental Health Disorders readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_MENA	Mental Health Disorders readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Race_NHPI	Mental Health Disorders readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
MHD_Readmission_den_Race_NHPI	Mental Health Disorders readmission denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_NHPI	Mental Health Disorders readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
MHD_Readmission_num_Race_Multi	Mental Health Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is Multi-racial				
MHD_Readmission_den_Race_Multi	Mental Health Disorders readmission denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Multi	Mental Health Disorders readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
MHD_Readmission_num_Race_Wht	Mental Health Disorders readmission numerator where race and/or ethnicity is White	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is White	Yes	Numeric	9
MHD_Readmission_den_Race_Wht	Mental Health Disorders readmission denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Wht	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where race and/or ethnicity is White	of hospital discharge for patients aged 18 and older whose race and/or ethnicity is White			
MHD_Readmission_num_Age_18_34	Mental Health Disorders readmission numerator where age is 18 to 34 years old	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 18 to 34 years old	Yes	Numeric	9
MHD_Readmission_den_Age_18_34	Mental Health Disorders readmission denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Age_18_34	Mental Health Disorders readmission rate where age is 18 to 34 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 18 to 34 years old	Yes	Decimal	3,1
MHD_Readmission_num_Age_35_49	Mental Health Disorders readmission numerator where age is 35 to 49 years old	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 35 to 49 years old	Yes	Numeric	9
MHD_Readmission_den_Age_35_49	Mental Health Disorders readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Age_35_49	Mental Health Disorders readmission rate where age is 35 to 49 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 35 to 49 years old	Yes	Decimal	3,1
MHD_Readmission_num_Age_50_64	Mental Health Disorders readmission numerator where age is 50 to 64 years old	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 50 to 64 years old	Yes	Numeric	9
MHD_Readmission_den_Age_50_64	Mental Health Disorders readmission denominator where age is 50 to 64 years old	The total number of patients whose age is 50 to 64 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Age_50_64	Mental Health Disorders readmission rate where age is 50 to 64 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 50 to 64 years old	Yes	Decimal	3,1
MHD_Readmission_num_Age_>65	Mental Health Disorders readmission numerator where age is 65 years or older	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 65 years or older	Yes	Numeric	9
MHD_Readmission_den_Age_>65	Mental Health Disorders readmission denominator	The total number of patients whose age is 65 years or older and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 65 years or older				
MHD_Readmission_rate_Age_>65	Mental Health Disorders readmission rate where age is 65 years or older	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 65 years or older	Yes	Decimal	3,1
MHD_Readmission_num_Sex_F	Mental Health Disorders readmission numerator where sex assigned at birth is Female	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sex assigned at birth of the patient is Female	Yes	Numeric	9
MHD_Readmission_den_Sex_F	Mental Health Disorders readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Sex_F	Mental Health Disorders readmission rate where sex assigned at birth is Female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Female	Yes	Decimal	3,1
MHD_Readmission_num_Sex_M	Mental Health Disorders readmission numerator where sex assigned at birth is Male	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sex assigned at birth of the patient is Male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Sex_M	Mental Health Disorders readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Sex_M	Mental Health Disorders readmission rate where sex assigned at birth is Male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Male	Yes	Decimal	3,1
MHD_Readmission_num_Sex_Unk	Mental Health Disorders readmission numerator where sex assigned at birth is Unknown	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
MHD_Readmission_den_Sex_Unk	Mental Health Disorders readmission denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Sex_Unk	Mental Health Disorders readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Unknown	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Payer_Medicare	Mental Health Disorders readmission numerator where payer type is Medicare	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Medicare	Yes	Numeric	9
MHD_Readmission_den_Payer_Medicare	Mental Health Disorders readmission denominator where payer type is Medicare	The total number of patients whose payer type is Medicare and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Medicare	Mental Health Disorders readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicare	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Medicaid	Mental Health Disorders readmission numerator where payer type is Medicaid	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Medicaid	Yes	Numeric	9
MHD_Readmission_den_Payer_Medicaid	Mental Health Disorders readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Medicaid	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Medicaid	of hospital discharge for patients aged 18 and older whose payer type is Medicaid			
MHD_Readmission_num_Payer_Private	Mental Health Disorders readmission numerator where payer type is Private	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Private	Yes	Numeric	9
MHD_Readmission_den_Payer_Private	Mental Health Disorders readmission denominator where payer type is Private	The total number of patients whose payer type is Private and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Private	Mental Health Disorders readmission rate where payer type is Private	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Private	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Self	Mental Health Disorders readmission numerator where payer type is Self Pay/Uninsured	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
MHD_Readmission_den_Payer_Self	Mental Health Disorders readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Payer_Self	Mental Health Disorders readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Oth	Mental Health Disorders readmission numerator where payer type is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Other/Unknown	Yes	Numeric	9
MHD_Readmission_den_Payer_Oth	Mental Health Disorders readmission denominator where payer type is Other/Unknown	The total number of patients whose payer type is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Oth	Mental Health Disorders readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Other/Unknown	Yes	Decimal	3,1
MHD_Readmission_num_Lang_ASL	Mental Health Disorders readmission numerator where preferred language is	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is American Sign Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Sign Language				
MHD_Readmission_den_Lang_ASL	Mental Health Disorders readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_ASL	Mental Health Disorders readmission rate where preferred language is American Sign Language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is American Sign Language	Yes	Decimal	3,1
MHD_Readmission_num_Lang_Eng	Mental Health Disorders readmission numerator where preferred language is English	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is English	Yes	Numeric	9
MHD_Readmission_den_Lang_Eng	Mental Health Disorders readmission denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Lang_Eng	Mental Health Disorders readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is English	Yes	Decimal	3,1
MHD_Readmission_num_Lang_API	Mental Health Disorders readmission numerator where preferred language is Asian/Pacific Islander languages	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
MHD_Readmission_den_Lang_API	Mental Health Disorders readmission denominator where preferred language is Asian/Pacific Islander languages	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_API	Mental Health Disorders readmission rate where preferred language is Asian/Pacific Islander languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Lang_ME	Mental Health Disorders readmission numerator where preferred language is Middle Eastern languages	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
MHD_Readmission_den_Lang_ME	Mental Health Disorders readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_ME	Mental Health Disorders readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
MHD_Readmission_num_Lang_Span	Mental Health Disorders readmission numerator where preferred language is Spanish	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Lang_Span	Mental Health Disorders readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_Span	Mental Health Disorders readmission rate where preferred language is Spanish	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Spanish	Yes	Decimal	3,1
MHD_Readmission_num_Lang_Oth	Mental Health Disorders readmission numerator where preferred language is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
MHD_Readmission_den_Lang_Oth	Mental Health Disorders readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_Oth	Mental Health Disorders readmission rate where preferred	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Other/Unknown	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
MHD_Readmission_num_Disability_none	Mental Health Disorders readmission numerator where disability status is: does not have a disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: does not have a disability	Yes	Numeric	9
MHD_Readmission_den_Disability_none	Mental Health Disorders readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_none	Mental Health Disorders readmission rate where disability status is: does not have a disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: does not have a disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Mobile	Mental Health Disorders readmission numerator where disability status is: has a mobility disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a mobility disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Disability_Mobile	Mental Health Disorders readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Mobile	Mental Health Disorders readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a mobility disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Cog	Mental Health Disorders readmission numerator where disability status is: has a cognition disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Cog	Mental Health Disorders readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Disability_Cog	Mental Health Disorders readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a cognition disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Hear	Mental Health Disorders readmission numerator where disability status is: has a hearing disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Hear	Mental Health Disorders readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Hear	Mental Health Disorders readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a hearing disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Vis	Mental Health Disorders readmission	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a vision disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where disability status is: has a vision disability				
MHD_Readmission_den_Disability_Vis	Mental Health Disorders readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Vis	Mental Health Disorders readmission rate where disability status is: has a vision disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a vision disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Self	Mental Health Disorders readmission numerator where disability status is: has a self-care disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Self	Mental Health Disorders readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Disability_Self	Mental Health Disorders readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a self-care disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Ind	Mental Health Disorders readmission numerator where disability status is: has an independent living disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Ind	Mental Health Disorders readmission denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Ind	Mental Health Disorders readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has an independent living disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_SO_SameSex	Mental Health Disorders readmission numerator where sexual orientation is lesbian, gay or homosexual	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
MHD_Readmission_den_SO_SameSex	Mental Health Disorders readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_SameSex	Mental Health Disorders readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
MHD_Readmission_num_SO_Hetero	Mental Health Disorders readmission numerator where sexual orientation is straight or heterosexual	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_SO_Hetero	Mental Health Disorders readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_Hetero	Mental Health Disorders readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
MHD_Readmission_num_SO_Bi	Mental Health Disorders readmission numerator where sexual orientation is bisexual	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is bisexual	Yes	Numeric	9
MHD_Readmission_den_SO_Bi	Mental Health Disorders readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_Bi	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is bisexual	of hospital discharge for patients aged 18 and older whose sexual orientation is bisexual			
MHD_Readmission_num_SO_Else	Mental Health Disorders readmission numerator where sexual orientation is something else	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is something else	Yes	Numeric	9
MHD_Readmission_den_SO_Else	Mental Health Disorders readmission denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_Else	Mental Health Disorders readmission rate where sexual orientation is something else	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is something else	Yes	Decimal	3,1
MHD_Readmission_num_SO_DK	Mental Health Disorders readmission numerator where sexual orientation is don't know	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is don't know	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_SO_DK	Mental Health Disorders readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_DK	Mental Health Disorders readmission rate where sexual orientation is don't know	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is don't know	Yes	Decimal	3,1
MHD_Readmission_num_SO_NotDisc	Mental Health Disorders readmission numerator where sexual orientation is not disclosed	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is not disclosed	Yes	Numeric	9
MHD_Readmission_den_SO_NotDisc	Mental Health Disorders readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_NotDisc	Mental Health Disorders readmission rate where sexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is not disclosed	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed				
MHD_Readmission_num_GI_F	Mental Health Disorders readmission numerator where gender identity is female	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is female	Yes	Numeric	9
MHD_Readmission_den_GI_F	Mental Health Disorders readmission denominator where gender identity is female	The total number of patients whose gender identity is female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_F	Mental Health Disorders readmission rate where gender identity is female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female	Yes	Decimal	3,1
MHD_Readmission_num_GI_F2M	Mental Health Disorders readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_GI_F2M	Mental Health Disorders readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_F2M	Mental Health Disorders readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
MHD_Readmission_num_GI_M	Mental Health Disorders readmission numerator where gender identity is male	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is male	Yes	Numeric	9
MHD_Readmission_den_GI_M	Mental Health Disorders readmission denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_GI_M	Mental Health Disorders readmission rate where gender identity is male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male	Yes	Decimal	3,1
MHD_Readmission_num_GI_M2F	Mental Health Disorders readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
MHD_Readmission_den_GI_M2F	Mental Health Disorders readmission denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_M2F	Mental Health Disorders readmission rate where gender identity is male-to-female (MTF)/transgender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	er female/trans woman				
MHD_Readmission_num_GI_Noconf	Mental Health Disorders readmission numerator where gender identity is identifies as non-conforming gender	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
MHD_Readmission_den_GI_Noconf	Mental Health Disorders readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_Noconf	Mental Health Disorders readmission rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
MHD_Readmission_num_GI_Oth	Mental Health Disorders readmission numerator where gender identity is	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is additional gender category or other	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	additional gender category or other				
MHD_Readmission_den_GI_Other	Mental Health Disorders readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_Other	Mental Health Disorders readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is additional gender category or other	Yes	Decimal	3,1
MHD_Readmission_num_GI_NotDisc	Mental Health Disorders readmission numerator where gender identity is not disclosed	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is not disclosed	Yes	Numeric	9
MHD_Readmission_den_GI_NotDisc	Mental Health Disorders readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_GI_Not Disc	Mental Health Disorders readmission rate where gender identity is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is not disclosed	Yes	Decimal	3,1
SUD_Readmission_num	Substance Use Disorders readmission numerator	The total number of all-cause 30-day unplanned readmissions for substance use disorders	Yes	Numeric	9
SUD_Readmission_den	Substance Use Disorders readmission denominator	The total number of patients who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate	Substance Use Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1
SUD_Readmission_num_Race_AIAN	Substance Use Disorders readmission numerator where race and/or ethnicity is American Indian or Alaskan Native	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9
SUD_Readmission_den_Race_AIAN	Substance Use Disorders readmission denominator where race	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is American Indian or Alaskan Native				
SUD_Readmission_rate_Race_AIAN	Substance Use Disorders readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
SUD_Readmission_num_Race_Asian	Substance Use Disorders readmission numerator where race and/or ethnicity is Asian	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
SUD_Readmission_den_Race_Asian	Substance Use Disorders readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Asian	Substance Use Disorders readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Asian	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Race_Bl	Substance Use Disorders readmission numerator where race and/or ethnicity is Black or African American	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
SUD_Readmission_den_Race_Bl	Substance Use Disorders readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Bl	Substance Use Disorders readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
SUD_Readmission_num_Race_Hisp	Substance Use Disorders readmission numerator where race and/or ethnicity is Hispanic or Latino	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_Race_Hisp	Substance Use Disorders readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Hisp	Substance Use Disorders readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
SUD_Readmission_num_Race_MENA	Substance Use Disorders readmission numerator where race and/or ethnicity is Middle Eastern or North African	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
SUD_Readmission_den_Race_MENA	Substance Use Disorders readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_rate_Race_MENA	Substance Use Disorders readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
SUD_Readmission_num_Race_NHPI	Substance Use Disorders readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
SUD_Readmission_den_Race_NHPI	Substance Use Disorders readmission denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_NHPI	Substance Use Disorders readmission rate where race and/or ethnicity is Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Hawaiian or Other Pacific Islander				
SUD_Readmission_num_Race_Multi	Substance Use Disorders readmission numerator where race and/or ethnicity is Multi-racial	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
SUD_Readmission_den_Race_Multi	Substance Use Disorders readmission denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Multi	Substance Use Disorders readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
SUD_Readmission_num_Race_Wht	Substance Use Disorders readmission numerator where race and/or ethnicity is White	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is White	Yes	Numeric	9
SUD_Readmission_den_Race_Wht	Substance Use Disorders readmission	The total number of patients whose race and/or ethnicity is White and who were admitted to the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where race and/or ethnicity is White	hospital and were 18 years or older at time of admission			
SUD_Readmission_rate_Race_Whit	Substance Use Disorders readmission rate where race and/or ethnicity is White	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is White	Yes	Decimal	3,1
SUD_Readmission_num_Age_18_34	Substance Use Disorders readmission numerator where age is 18 to 34 years old	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 18 to 34 years old	Yes	Numeric	9
SUD_Readmission_den_Age_18_34	Substance Use Disorders readmission denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_18_34	Substance Use Disorders readmission rate where age is 18 to 34 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 18 to 34 years old	Yes	Decimal	3,1
SUD_Readmission_num_Age_35_49	Substance Use Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 35 to 49 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is 35 to 49 years old				
SUD_Readmission_den_Age_35_49	Substance Use Disorders readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_35_49	Substance Use Disorders readmission rate where age is 35 to 49 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 35 to 49 years old	Yes	Decimal	3,1
SUD_Readmission_num_Age_50_64	Substance Use Disorders readmission numerator where age is 50 to 64 years old	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 50 to 64 years old	Yes	Numeric	9
SUD_Readmission_den_Age_50_64	Substance Use Disorders readmission denominator where age is 50 to 64 years old	The total number of patients whose age is 50 to 64 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_50_64	Substance Use Disorders readmission rate where age is 50 to 64 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 50 to 64 years old	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Age_>65	Substance Use Disorders readmission numerator where age is 65 years or older	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 65 years or older	Yes	Numeric	9
SUD_Readmission_den_Age_>65	Substance Use Disorders readmission denominator where age is 65 years or older	The total number of patients whose age is 65 years or older and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_>65	Substance Use Disorders readmission rate where age is 65 years or older	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 65 years or older	Yes	Decimal	3,1
SUD_Readmission_num_Sex_F	Substance Use Disorders readmission numerator where sex assigned at birth is Female	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sex assigned at birth of the patient is Female	Yes	Numeric	9
SUD_Readmission_den_Sex_F	Substance Use Disorders readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Sex_F	Substance Use Disorders	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	readmission rate where sex assigned at birth is Female	after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Female			
SUD_Readmission_num_Sex_M	Substance Use Disorders readmission numerator where sex assigned at birth is Male	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sex assigned at birth of the patient is Male	Yes	Numeric	9
SUD_Readmission_den_Sex_M	Substance Use Disorders readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Sex_M	Substance Use Disorders readmission rate where sex assigned at birth is Male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Male	Yes	Decimal	3,1
SUD_Readmission_num_Sex_Unk	Substance Use Disorders readmission numerator where sex assigned at birth is Unknown	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
SUD_Readmission_den_Sex_Unk	Substance Use Disorders readmission	The total number of patients whose sex assigned at birth is Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sex assigned at birth is Unknown				
SUD_Readmission_rate_Sex_Unknown	Substance Use Disorders readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Unknown	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Medicare	Substance Use Disorders readmission numerator where payer type is Medicare	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Medicare	Yes	Numeric	9
SUD_Readmission_den_Payer_Medicare	Substance Use Disorders readmission denominator where payer type is Medicare	The total number of patients whose payer type is Medicare and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Medicare	Substance Use Disorders readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicare	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Medicaid	Substance Use Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Medicaid	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Medicaid				
SUD_Readmission_den_Payer_Medicaid	Substance Use Disorders readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Medicaid	Substance Use Disorders readmission rate where payer type is Medicaid	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicaid	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Private	Substance Use Disorders readmission numerator where payer type is Private	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Private	Yes	Numeric	9
SUD_Readmission_den_Payer_Private	Substance Use Disorders readmission denominator where payer type is Private	The total number of patients whose payer type is Private and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Private	Substance Use Disorders readmission rate where payer type is Private	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Private	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Payer_Self	Substance Use Disorders readmission numerator where payer type is Self Pay/Uninsured	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
SUD_Readmission_den_Payer_Self	Substance Use Disorders readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Self	Substance Use Disorders readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Oth	Substance Use Disorders readmission numerator where payer type is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Other/Unknown	Yes	Numeric	9
SUD_Readmission_den_Payer_Oth	Substance Use Disorders readmission denominator where payer type is Other/Unknown	The total number of patients whose payer type is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_rate_Payer_Oth	Substance Use Disorders readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Other/Unknown	Yes	Decimal	3,1
SUD_Readmission_num_Lang_ASL	Substance Use Disorders readmission numerator where preferred language is American Sign Language	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is American Sign Language	Yes	Numeric	9
SUD_Readmission_den_Lang_ASL	Substance Use Disorders readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Lang_ASL	Substance Use Disorders readmission rate where preferred language is American Sign Language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is American Sign Language	Yes	Decimal	3,1
SUD_Readmission_num_Lang_Eng	Substance Use Disorders readmission	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where preferred language is English				
SUD_Readmission_den_Lang_Eng	Substance Use Disorders readmission denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Lang_Eng	Substance Use Disorders readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is English	Yes	Decimal	3,1
SUD_Readmission_num_Lang_API	Substance Use Disorders readmission numerator where preferred language is Asian/Pacific Islander languages	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
SUD_Readmission_den_Lang_API	Substance Use Disorders readmission denominator where preferred language is	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Asian/Pacific Islander languages				
SUD_Readmission_rate_Lang_API	Substance Use Disorders readmission rate where preferred language is Asian/Pacific Islander languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
SUD_Readmission_num_Lang_ME	Substance Use Disorders readmission numerator where preferred language is Middle Eastern languages	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
SUD_Readmission_den_Lang_ME	Substance Use Disorders readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Lang_ME	Substance Use Disorders readmission rate where preferred language is	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Middle Eastern languages	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern languages				
SUD_Readmission_num_Lang_Span	Substance Use Disorders readmission numerator where preferred language is Spanish	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is Spanish	Yes	Numeric	9
SUD_Readmission_den_Lang_Span	Substance Use Disorders readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Lang_Span	Substance Use Disorders readmission rate where preferred language is Spanish	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Spanish	Yes	Decimal	3,1
SUD_Readmission_num_Lang_Oth	Substance Use Disorders readmission numerator where preferred language is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
SUD_Readmission_den_Lang_Oth	Substance Use Disorders readmission	The total number of patients whose preferred language is Other/Unknown and who were admitted to the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where preferred language is Other/Unknown	hospital and were 18 years or older at time of admission			
SUD_Readmission_rate_Lang_Oth	Substance Use Disorders readmission rate where preferred language is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Other/Unknown	Yes	Decimal	3,1
SUD_Readmission_num_Disability_none	Substance Use Disorders readmission numerator where disability status is: does not have a disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: does not have a disability	Yes	Numeric	9
SUD_Readmission_den_Disability_none	Substance Use Disorders readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_none	Substance Use Disorders readmission rate where disability status is: does not have a disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: does not have a disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Disability_Mobile	Substance Use Disorders readmission numerator where disability status is: has a mobility disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Mobile	Substance Use Disorders readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Mobile	Substance Use Disorders readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a mobility disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Cog	Substance Use Disorders readmission numerator where disability status is: has a cognition disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_Disability_Cog	Substance Use Disorders readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Cog	Substance Use Disorders readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a cognition disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Hear	Substance Use Disorders readmission numerator where disability status is: has a hearing disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Hear	Substance Use Disorders readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_rate_Disability_Hear	Substance Use Disorders readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a hearing disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Vis	Substance Use Disorders readmission numerator where disability status is: has a vision disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a vision disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Vis	Substance Use Disorders readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Vis	Substance Use Disorders readmission rate where disability status is: has a vision disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a vision disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Self	Substance Use Disorders readmission numerator where disability status	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a self-care disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has a self-care disability				
SUD_Readmission_den_Disability_Self	Substance Use Disorders readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Self	Substance Use Disorders readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a self-care disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Ind	Substance Use Disorders readmission numerator where disability status is: has an independent living disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Ind	Substance Use Disorders readmission denominator where disability status is: has an	The total number of patients whose disability status is: has an independent living disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	independent living disability				
SUD_Readmission_rate_Disability_Ind	Substance Use Disorders readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has an independent living disability	Yes	Decimal	3,1
SUD_Readmission_num_SO_SameSex	Substance Use Disorders readmission numerator where sexual orientation is lesbian, gay or homosexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
SUD_Readmission_den_SO_SameSex	Substance Use Disorders readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_SameSex	Substance Use Disorders readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_SO_Hetero	Substance Use Disorders readmission numerator where sexual orientation is straight or heterosexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9
SUD_Readmission_den_SO_Hetero	Substance Use Disorders readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_Hetero	Substance Use Disorders readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
SUD_Readmission_num_SO_Bi	Substance Use Disorders readmission numerator where sexual orientation is bisexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is bisexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_SO_Bi	Substance Use Disorders readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_Bi	Substance Use Disorders readmission rate where sexual orientation is bisexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is bisexual	Yes	Decimal	3,1
SUD_Readmission_num_SO_Else	Substance Use Disorders readmission numerator where sexual orientation is something else	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is something else	Yes	Numeric	9
SUD_Readmission_den_SO_Else	Substance Use Disorders readmission denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_Else	Substance Use Disorders readmission rate where sexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is something else	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is something else				
SUD_Readmission_num_SO_DK	Substance Use Disorders admission numerator where sexual orientation is don't know	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is don't know	Yes	Numeric	9
SUD_Readmission_den_SO_DK	Substance Use Disorders admission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_DK	Substance Use Disorders admission rate where sexual orientation is don't know	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is don't know	Yes	Decimal	3,1
SUD_Readmission_num_SO_NotDisc	Substance Use Disorders admission numerator where sexual orientation is not disclosed	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is not disclosed	Yes	Numeric	9
SUD_Readmission_den_SO_NotDisc	Substance Use Disorders admission	The total number of patients whose sexual orientation is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sexual orientation is not disclosed				
SUD_Readmission_rate_SO_NotDisc	Substance Use Disorders readmission rate where sexual orientation is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is not disclosed	Yes	Decimal	3,1
SUD_Readmission_num_GI_F	Substance Use Disorders readmission numerator where gender identity is female	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is female	Yes	Numeric	9
SUD_Readmission_den_GI_F	Substance Use Disorders readmission denominator where gender identity is female	The total number of patients whose gender identity is female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_F	Substance Use Disorders readmission rate where gender identity is female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female	Yes	Decimal	3,1
SUD_Readmission_num_GI_F2M	Substance Use Disorders readmission	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where gender identity is female-to-male (FTM)/transgender male/trans man	gender identity of the patient is female-to-male (FTM)/transgender male/trans man			
SUD_Readmission_den_GI_F2M	Substance Use Disorders readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_F2M	Substance Use Disorders readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
SUD_Readmission_num_GI_M	Substance Use Disorders readmission numerator where gender identity is male	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_GI_M	Substance Use Disorders readmission denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_M	Substance Use Disorders readmission rate where gender identity is male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male	Yes	Decimal	3,1
SUD_Readmission_num_GI_M2F	Substance Use Disorders readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
SUD_Readmission_den_GI_M2F	Substance Use Disorders readmission denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_rate_GI_M2F	Substance Use Disorders readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
SUD_Readmission_num_GI_Nonconf	Substance Use Disorders readmission numerator where gender identity is identifies as non-conforming gender	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
SUD_Readmission_den_GI_Nonconf	Substance Use Disorders readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_Nonconf	Substance Use Disorders readmission rate where gender identity is identifies as non-	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	conforming gender				
SUD_Readmission_num_GI_Oth	Substance Use Disorders readmission numerator where gender identity is additional gender category or other	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
SUD_Readmission_den_GI_Oth	Substance Use Disorders readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_Oth	Substance Use Disorders readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is additional gender category or other	Yes	Decimal	3,1
SUD_Readmission_num_GI_Not Disc	Substance Use Disorders readmission numerator where gender identity is not disclosed	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_GI_Not Disc	Substance Use Disorders readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_Not Disc	Substance Use Disorders readmission rate where gender identity is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is not disclosed	Yes	Decimal	3,1
CO_Readmission_num	Co-occurring Disorders readmission numerator	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders	Yes	Numeric	9
CO_Readmission_den	Co-occurring Disorders readmission denominator	The total number of patients who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1
CO_Readmission_num_Race_AIAN	Co-occurring Disorders readmission numerator where race and/or ethnicity is American Indian	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	or Alaskan Native				
CO_Readmission_den_Race_AI AN	Co-occurring Disorders readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_AI AN	Co-occurring Disorders readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
CO_Readmission_num_Race_Asian	Co-occurring Disorders readmission numerator where race and/or ethnicity is Asian	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
CO_Readmission_den_Race_Asian	Co-occurring Disorders readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Race_Asian	Co-occurring Disorders readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Asian	Yes	Decimal	3,1
CO_Readmission_num_Race_Black	Co-occurring Disorders readmission numerator where race and/or ethnicity is Black or African American	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
CO_Readmission_den_Race_Black	Co-occurring Disorders readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_Black	Co-occurring Disorders readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
CO_Readmission_num_Race_Hispanic	Co-occurring Disorders readmission	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where race and/or ethnicity is Hispanic or Latino				
CO_Readmission_den_Race_Hisp	Co-occurring Disorders readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_Hisp	Co-occurring Disorders readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
CO_Readmission_num_Race_MENA	Co-occurring Disorders readmission numerator where race and/or ethnicity is Middle Eastern or North African	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
CO_Readmission_den_Race_MENA	Co-occurring Disorders readmission denominator	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where race and/or ethnicity is Middle Eastern or North African				
CO_Readmission_rate_Race_MENA	Co-occurring Disorders readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
CO_Readmission_num_Race_NHPI	Co-occurring Disorders readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
CO_Readmission_den_Race_NHPI	Co-occurring Disorders readmission denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Race_NHPI	Co-occurring Disorders readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
CO_Readmission_num_Race_Multi	Co-occurring Disorders readmission numerator where race and/or ethnicity is Multi-racial	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
CO_Readmission_den_Race_Multi	Co-occurring Disorders readmission denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_Multi	Co-occurring Disorders readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
CO_Readmission_num_Race_Wht	Co-occurring Disorders readmission	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is White	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where race and/or ethnicity is White				
CO_Readmission_den_Race_White	Co-occurring Disorders readmission denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_White	Co-occurring Disorders readmission rate where race and/or ethnicity is White	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is White	Yes	Decimal	3,1
CO_Readmission_num_Age_18_34	Co-occurring Disorders readmission numerator where age is 18 to 34 years old	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 18 to 34 years old	Yes	Numeric	9
CO_Readmission_den_Age_18_34	Co-occurring Disorders readmission denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_18_34	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where age is 18 to 34 years old	of hospital discharge for patients aged 18 and older whose age is 18 to 34 years old			
CO_Readmission_num_Age_35_49	Co-occurring Disorders readmission numerator where age is 35 to 49 years old	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 35 to 49 years old	Yes	Numeric	9
CO_Readmission_den_Age_35_49	Co-occurring Disorders readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_35_49	Co-occurring Disorders readmission rate where age is 35 to 49 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 35 to 49 years old	Yes	Decimal	3,1
CO_Readmission_num_Age_50_64	Co-occurring Disorders readmission numerator where age is 50 to 64 years old	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 50 to 64 years old	Yes	Numeric	9
CO_Readmission_den_Age_50_64	Co-occurring Disorders readmission denominator where age is 50 to 64 years old	The total number of patients whose age is 50 to 64 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Age_50_64	Co-occurring Disorders readmission rate where age is 50 to 64 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 50 to 64 years old	Yes	Decimal	3,1
CO_Readmission_num_Age_>65	Co-occurring Disorders readmission numerator where age is 65 years or older	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 65 years or older	Yes	Numeric	9
CO_Readmission_den_Age_>65	Co-occurring Disorders readmission denominator where age is 65 years or older	The total number of patients whose age is 65 years or older and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_>65	Co-occurring Disorders readmission rate where age is 65 years or older	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 65 years or older	Yes	Decimal	3,1
CO_Readmission_num_Sex_F	Co-occurring Disorders readmission numerator where sex assigned at birth is Female	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sex assigned at birth of the patient is Female	Yes	Numeric	9
CO_Readmission_den_Sex_F	Co-occurring Disorders readmission denominator	The total number of patients whose sex assigned at birth is Female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where sex assigned at birth is Female				
CO_Readmission_rate_Sex_F	Co-occurring Disorders readmission rate where sex assigned at birth is Female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Female	Yes	Decimal	3,1
CO_Readmission_num_Sex_M	Co-occurring Disorders readmission numerator where sex assigned at birth is Male	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sex assigned at birth of the patient is Male	Yes	Numeric	9
CO_Readmission_den_Sex_M	Co-occurring Disorders readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Sex_M	Co-occurring Disorders readmission rate where sex assigned at birth is Male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Male	Yes	Decimal	3,1
CO_Readmission_num_Sex_Unknown	Co-occurring Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sex assigned at birth is Unknown				
CO_Readmission_den_Sex_Unknown	Co-occurring Disorders readmission denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Sex_Unknown	Co-occurring Disorders readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Unknown	Yes	Decimal	3,1
CO_Readmission_num_Payer_Medicare	Co-occurring Disorders readmission numerator where payer type is Medicare	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Medicare	Yes	Numeric	9
CO_Readmission_den_Payer_Medicare	Co-occurring Disorders readmission denominator where payer type is Medicare	The total number of patients whose payer type is Medicare and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Medicare	Co-occurring Disorders readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Payer_Medicaid	Co-occurring Disorders readmission numerator where payer type is Medicaid	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Medicaid	Yes	Numeric	9
CO_Readmission_den_Payer_Medicaid	Co-occurring Disorders readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Medicaid	Co-occurring Disorders readmission rate where payer type is Medicaid	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicaid	Yes	Decimal	3,1
CO_Readmission_num_Payer_Private	Co-occurring Disorders readmission numerator where payer type is Private	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Private	Yes	Numeric	9
CO_Readmission_den_Payer_Private	Co-occurring Disorders readmission denominator where payer type is Private	The total number of patients whose payer type is Private and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Private	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private	of hospital discharge for patients aged 18 and older whose payer type is Private			
CO_Readmission_num_Payer_Self	Co-occurring Disorders readmission numerator where payer type is Self Pay/Uninsured	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
CO_Readmission_den_Payer_Self	Co-occurring Disorders readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Self	Co-occurring Disorders readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
CO_Readmission_num_Payer_Oth	Co-occurring Disorders readmission numerator where payer type is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Other/Unknown	Yes	Numeric	9
CO_Readmission_den_Payer_Oth	Co-occurring Disorders readmission denominator where payer type	The total number of patients whose payer type is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Other/Unknown				
CO_Readmission_rate_Payer_O th	Co-occurring Disorders readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Other/Unknown	Yes	Decimal	3,1
CO_Readmission_num_Lang_A SL	Co-occurring Disorders readmission numerator where preferred language is American Sign Language	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is American Sign Language	Yes	Numeric	9
CO_Readmission_den_Lang_A SL	Co-occurring Disorders readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_A SL	Co-occurring Disorders readmission rate where preferred language is American Sign Language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is American Sign Language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Lang_Eng	Co-occurring Disorders readmission numerator where preferred language is English	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is English	Yes	Numeric	9
CO_Readmission_den_Lang_Eng	Co-occurring Disorders readmission denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_Eng	Co-occurring Disorders readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is English	Yes	Decimal	3,1
CO_Readmission_num_Lang_API	Co-occurring Disorders readmission numerator where preferred language is Asian/Pacific Islander languages	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
CO_Readmission_den_Lang_API	Co-occurring Disorders readmission	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where preferred language is Asian/Pacific Islander languages	admitted to the hospital and were 18 years or older at time of admission			
CO_Readmission_rate_Lang_API	Co-occurring Disorders readmission rate where preferred language is Asian/Pacific Islander languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
CO_Readmission_num_Lang_ME	Co-occurring Disorders readmission numerator where preferred language is Middle Eastern languages	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
CO_Readmission_den_Lang_ME	Co-occurring Disorders readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Lang_ME	Co-occurring Disorders readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
CO_Readmission_num_Lang_Span	Co-occurring Disorders readmission numerator where preferred language is Spanish	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is Spanish	Yes	Numeric	9
CO_Readmission_den_Lang_Span	Co-occurring Disorders readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_Span	Co-occurring Disorders readmission rate where preferred language is Spanish	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Spanish	Yes	Decimal	3,1
CO_Readmission_num_Lang_Oth	Co-occurring Disorders readmission numerator where preferred	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
CO_Readmission_den_Lang_Oth	Co-occurring Disorders readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_Oth	Co-occurring Disorders readmission rate where preferred language is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Other/Unknown	Yes	Decimal	3,1
CO_Readmission_num_Disability_none	Co-occurring Disorders readmission numerator where disability status is: does not have a disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: does not have a disability	Yes	Numeric	9
CO_Readmission_den_Disability_none	Co-occurring Disorders readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Disability_none	Co-occurring Disorders readmission rate where disability status is: does not have a disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: does not have a disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Mobile	Co-occurring Disorders readmission numerator where disability status is: has a mobility disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
CO_Readmission_den_Disability_Mobile	Co-occurring Disorders readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Mobile	Co-occurring Disorders readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a mobility disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Cog	Co-occurring Disorders readmission	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where disability status is: has a cognition disability	disability status of the patient is: has a cognition disability			
CO_Readmission_den_Disability_Cog	Co-occurring Disorders readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Cog	Co-occurring Disorders readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a cognition disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Hear	Co-occurring Disorders readmission numerator where disability status is: has a hearing disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
CO_Readmission_den_Disability_Hear	Co-occurring Disorders readmission denominator where disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	status is: has a hearing disability				
CO_Readmission_rate_Disability_Hear	Co-occurring Disorders readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a hearing disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Vis	Co-occurring Disorders readmission numerator where disability status is: has a vision disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a vision disability	Yes	Numeric	9
CO_Readmission_den_Disability_Vis	Co-occurring Disorders readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Vis	Co-occurring Disorders readmission rate where disability status is: has a vision disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a vision disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Disability_Self	Co-occurring Disorders readmission numerator where disability status is: has a self-care disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
CO_Readmission_den_Disability_Self	Co-occurring Disorders readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Self	Co-occurring Disorders readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a self-care disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Ind	Co-occurring Disorders readmission numerator where disability status is: has an independent living disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_den_Disability_Ind	Co-occurring Disorders readmission denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Ind	Co-occurring Disorders readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has an independent living disability	Yes	Decimal	3,1
CO_Readmission_num_SO_SameSex	Co-occurring Disorders readmission numerator where sexual orientation is lesbian, gay or homosexual	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
CO_Readmission_den_SO_SameSex	Co-occurring Disorders readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_SO_SameSex	Co-occurring Disorders readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
CO_Readmission_num_SO_Hetero	Co-occurring Disorders readmission numerator where sexual orientation is straight or heterosexual	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9
CO_Readmission_den_SO_Hetero	Co-occurring Disorders readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Hetero	Co-occurring Disorders readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_SO_Bi	Co-occurring Disorders readmission numerator where sexual orientation is bisexual	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is bisexual	Yes	Numeric	9
CO_Readmission_den_SO_Bi	Co-occurring Disorders readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Bi	Co-occurring Disorders readmission rate where sexual orientation is bisexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is bisexual	Yes	Decimal	3,1
CO_Readmission_num_SO_Else	Co-occurring Disorders readmission numerator where sexual orientation is something else	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is something else	Yes	Numeric	9
CO_Readmission_den_SO_Else	Co-occurring Disorders readmission denominator where sexual	The total number of patients whose sexual orientation is something else and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is something else				
CO_Readmission_rate_SO_Else	Co-occurring Disorders readmission rate where sexual orientation is something else	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is something else	Yes	Decimal	3,1
CO_Readmission_num_SO_DK	Co-occurring Disorders readmission numerator where sexual orientation is don't know	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is don't know	Yes	Numeric	9
CO_Readmission_den_SO_DK	Co-occurring Disorders readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_DK	Co-occurring Disorders readmission rate where sexual orientation is don't know	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is don't know	Yes	Decimal	3,1
CO_Readmission_num_SO_Not Disc	Co-occurring Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sexual orientation is not disclosed				
CO_Readmission_den_SO_Not Disc	Co-occurring Disorders readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Not Disc	Co-occurring Disorders readmission rate where sexual orientation is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is not disclosed	Yes	Decimal	3,1
CO_Readmission_num_GI_F	Co-occurring Disorders readmission numerator where gender identity is female	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is female	Yes	Numeric	9
CO_Readmission_den_GI_F	Co-occurring Disorders readmission denominator where gender identity is female	The total number of patients whose gender identity is female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_F	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female	of hospital discharge for patients aged 18 and older whose gender identity is female			
CO_Readmission_num_GI_F2M	Co-occurring Disorders readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
CO_Readmission_den_GI_F2M	Co-occurring Disorders readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_F2M	Co-occurring Disorders readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_GI_M	Co-occurring Disorders readmission numerator where gender identity is male	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is male	Yes	Numeric	9
CO_Readmission_den_GI_M	Co-occurring Disorders readmission denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_M	Co-occurring Disorders readmission rate where gender identity is male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male	Yes	Decimal	3,1
CO_Readmission_num_GI_M2F	Co-occurring Disorders readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
CO_Readmission_den_GI_M2F	Co-occurring Disorders readmission denominator where gender identity is male-	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	to-female (MTF)/transgender female/trans woman				
CO_Readmission_rate_GI_M2F	Co-occurring Disorders readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
CO_Readmission_num_GI_Nonconf	Co-occurring Disorders readmission numerator where gender identity is identifies as non-conforming gender	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
CO_Readmission_den_GI_Nonconf	Co-occurring Disorders readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_GI_Nonconforming	Co-occurring Disorders readmission rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
CO_Readmission_num_GI_Other	Co-occurring Disorders readmission numerator where gender identity is additional gender category or other	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
CO_Readmission_den_GI_Other	Co-occurring Disorders readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_Other	Co-occurring Disorders readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is additional gender category or other	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_GI_NotDisc	Co-occurring Disorders readmission numerator where gender identity is not disclosed	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is not disclosed	Yes	Numeric	9
CO_Readmission_den_GI_NotDisc	Co-occurring Disorders readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_NotDisc	Co-occurring Disorders readmission rate where gender identity is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is not disclosed	Yes	Decimal	3,1
Top_10_Disparities	The top ten disparities identified in the data	The top ten disparities identified in the data by the relative difference between a stratification group and the reference group for each measure, consistent with the requirements included in the Measures Submission Guide	Yes	Character	5000
Equity_Plan	Plan to address disparities identified in the data	A plan to address the disparities identified in the data including population impact, measurable objectives, and specific timeframe	Yes	Character	5000
Performance_Priority_Person_Center	Performance in the priority area of person-centered care	Description of performance in the priority area of person-centered care	Yes	Character	5000

Label	Data Element	Data Description	Required	Format	Size
Performance_Priority_Patient_Safety	Performance in the priority area of patient safety	Description of performance in the priority area of patient safety	Yes	Character	5000
Performance_Priority_SDOH	Performance in the priority area of addressing patient social determinants of health	Description of performance in the priority area of addressing patient social determinants of health	Yes	Character	5000
Performance_Priority_Treatment	Performance in the priority area of effective treatment	Description of performance in the priority area of effective treatment	Yes	Character	5000
Performance_Priority_Care_Coordinate	Performance in the priority area of care coordination	Description of performance in the priority area of care coordination	Yes	Character	5000
Performance_Priority_Care_Access	Performance in the priority area of access to care	Description of performance in the priority area of access to care	Yes	Character	5000
Methodology_Guidelines	Did the hospital follow the methodology in the Measures Submission guide? (Y/N)	Whether hospital used the methodology as outlined in the Measures Submission Guide	Yes	Character	1
Methodology_Explanation	Explanation of the methodology used	Explanation of the methodology used if the hospital did not follow the methodology in the Measures Submission guide	Yes	Character	5000

## Children's Hospital

Label	Data Element	Data Description	Required	Format	Size
Hospital_Name	Hospital Name	Name of the hospital	Yes	Character	60
HCAI_ID	Hospital HCAI ID	A unique nine-digit identifier assigned to each facility by HCAI. The first digit indicates the facility's license type. The second and third digits indicate the State of the licensed facility (California). The fourth and fifth digits identify the county in which the facility is located. The last four digits are unique within each county for each type of data (i.e., IP, ED and AS).	Yes	Character	9
Reporting_Organization	Reporting Organization	Name of the organization creating and submitting the Hospital Equity Measures Report	Yes	Character	60
Report_Period_Start_Date	Report Period Start Date	Start date for the reporting period covered in the Hospital Equity Measures Report (MM/DD/YYYY)	Yes	Date	10
Report_Period_End_Date	Report Period End Date	End date for the reporting period covered in the Hospital Equity Measures Report (MM/DD/YYYY)	Yes	Date	10
Clean_Water_Air	Hospital Location with Clean Water and Air	Response to whether the hospitals is located in an area with access to clean water and air (Y/N)	Yes	Character	1
Report_Web_Address	Hospital Web Address for Equity Report	Web address for the location of the Hospital Equity Report on the hospital's website	Yes	Character	60
JCA_1_Leadship	Joint Commission Accreditation question 1	Designate an individual to lead hospital health equity activities (Y/N)	Yes	Character	1
JCA_2_Document	Joint Commission Accreditation question 2	Provide documentation of policy prohibiting discrimination (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
JCA_3_Denominator	Joint Commission Accreditation Language Denominator	Number of patients that were asked their preferred language	Yes	Numeric	9
JCA_3_ASL_Num	Joint Commission Accreditation American Sign Language Numerator	Number of patients that reported their preferred language is American Sign Language	Yes	Numeric	9
JCA_3_ASL_Percent	Joint Commission Accreditation American Sign Language Percent	Percent of patients that reported their preferred language is American Sign Language	Yes	Decimal	3,1
JCA_3_English_Num	Joint Commission Accreditation English Language Numerator	Number of patients that reported their preferred language is English	Yes	Numeric	9
JCA_3_English_Percent	Joint Commission Accreditation English Language Percent	Percent of patients that reported their preferred language is English	Yes	Decimal	3,1
JCA_3_API_Num	Joint Commission Accreditation	Number of patients that reported their preferred language is an Asian/Pacific Islander Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Asian Pacific Islander Languages Numerator				
JCA_3_API_Percent	Joint Commission Accreditation Asian Pacific Islander Languages Percent	Percent of patients that reported their preferred language is Asian/Pacific Islander Languages	Yes	Decimal	3,1
JCA_3_ME_Num	Joint Commission Accreditation Middle Eastern Languages Numerator	Number of patients that reported their preferred language is an Asian/Pacific Islander Language	Yes	Numeric	9
JCA_3_ME_Percent	Joint Commission Accreditation Middle Eastern Languages	Percent of patients that reported their preferred language is Middle Eastern Languages	Yes	Decimal	3,1
JCA_3_Spanish_Num	Joint Commission Accreditation Spanish Language Numerator	Number of patients that reported their preferred language is Spanish	Yes	Numeric	9
JCA_3_Spanish_Percent	Joint Commission Accreditation Spanish	Percent of patients that reported their preferred language is Spanish	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Language Percent				
JCA_3_other_Num	Joint Commission Accreditation Other Languages Numerator	Number of patients that reported their preferred language is another language not specified	Yes	Numeric	9
JCA_3_other_Percent	Joint Commission Accreditation Other Languages	Percent of patients that reported their preferred language is another language not specified	Yes	Decimal	3,1
CMS_HCHE_1_Pop	Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure attestation 1	Our hospital strategic plan identifies priority populations who currently experience health disparities (Y/N)	Yes	Character	1
CMS_HCHE_2_Goal	CMS HCHE Measure attestation 2	Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals (Y/N)	Yes	Character	1
CMS_HCHE_3_Resource	CMS HCHE Measure attestation 3	Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
CMS_HCHE_4_ Approach	CMS HCHE Measure attestation 4	Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations (Y/N)	Yes	Character	1
CMS_HCHE_5_ Demographic	CMS HCHE Measure attestation 5	Our hospital collects demographic information, including self-reported race and ethnicity, and/or social determinant of health information on the majority of our patients (Y/N)	Yes	Character	1
CMS_HCHE_6_ Culture	CMS HCHE Measure attestation 6	Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information (Y/N)	Yes	Character	1
CMS_HCHE_7_ EHR	CMS HCHE Measure attestation 7	Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified EHR technology (Y/N)	Yes	Character	1
CMS_HCHE_8_ KPI	CMS HCHE Measure attestation 8	Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards. (Y/N)	Yes	Character	1
CMS_HCHE_9_ QI	CMS HCHE Measure attestation 9	Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities (Y/N)	Yes	Character	1
CMS_HCHE_10_ _Rev_Plan	CMS HCHE Measure attestation 10	Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
CMS_HCHE_11_Rev_KPI	CMS HCHE Measure attestation 11	Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews key performance indicators stratified by demographic and/or social factors (Y/N)	Yes	Character	1
SDoH_screen_num	CMS SDOH Screened numerator	Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN	Yes	Numeric	9
SDoH_den	CMS SDOH denominator	Number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission	Yes	Numeric	9
SDOH_Screen_Rate	CMS SDOH screen rate	The percent of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HSRN, and who screen positive for one or more of the following five HRSNs: Food insecurity, housing instability, transportation problems, utility difficulties, or interpersonal safety	Yes	Decimal	3,1
SDOH_Food_Positive	CMS Screening for Social Drivers of Health (SDOH) Food Insecurity numerator	Number of patients screened positive for food insecurity	Yes	Numeric	9
SDOH_Food_Positive_Rate	CMS SDOH Food Positive Rate	SDOH_Food_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SDOH_Food_Intervention	CMS SDOH Food Insecurity Intervention	Number of interventions provided for Food Insecurity	Yes	Numeric	9
SDOH_Food_Intervention_Rate	CMS SDOH Food Insecurity Intervention Rate	SDOH_Food_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Housing_Positive	CMS SDOH Housing Instability numerator	Number of patients screened positive for housing instability	Yes	Numeric	9
SDOH_Housing_Positive_Rate	CMS SDOH Housing Positive Rate	SDOH_Housing_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Housing_Intervention	CMS SDOH Housing Intervention	Number of interventions provided for housing instability	Yes	Numeric	9
SDOH_Housing_Intervention_Rate	CMS SDOH Housing Intervention Rate	SDOH_Housing_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Trans_Positive	CMS SDOH Transportation Problems numerator	Number of patients screened positive for transportation problems	Yes	Numeric	9
SDOH_Trans_Positive_Rate	CMS SDOH Transportation Problems Positive Rate	SDOH_Trans_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Trans_Intervention	CMS SDOH Transportation Problems Intervention	Number of interventions provided for transportation problems	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SDOH_Trans_Intervention_Rate	CMS SDOH Transportation Problems Intervention Rate	SDOH_Trans_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Utility_Positive	CMS SDOH Utility Difficulties numerator	Number of patients screened positive for utility difficulties	Yes	Numeric	9
SDOH_Utility_Positive_Rate	CMS SDOH Utility Difficulties Positive Rate	SDOH_Utility_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Utility_Intervention	CMS SDOH Utility Difficulties Intervention	Number of interventions provided for utility difficulties	Yes	Numeric	9
SDOH_Utility_Intervention_Rate	CMS SDOH Utility Difficulties Intervention Rate	SDOH_Utility_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Safety_Positive	CMS SDOH Interpersonal Safety numerator	Number of patients screened positive for interpersonal safety	Yes	Numeric	9
SDOH_Safety_Positive_Rate	CMS SDOH Interpersonal Safety Positive Rate	SDOH_Safety_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Safety_Intervention	CMS SDOH Interpersonal Safety Intervention	Number of interventions provided for interpersonal safety	Yes	Numeric	9
SDOH_Safety_Intervention_Rate	CMS SDOH Interpersonal Safety Intervention Rate	SDOH_Safety_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Y	Pediatric experience survey "would recommend hospital" responses	Number of respondents who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total	Pediatric experience survey total responses	Total number of respondents to pediatric experience survey	Yes	Numeric	9
PedSvy_Percent	Pediatric experience survey percent of "Yes" responses	The percent of respondents who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed	Pediatric experience survey total number of people surveyed	The total number of people surveyed on pediatric experience	Yes	Numeric	9
PedSvy_response rate	Pediatric experience survey response rate for people surveyed	The percent of people who responded to the pediatric experience survey	Yes	Decimal	3,1
PedSvy_Y_Race_AIAN	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is	Number of respondents whose race and/or ethnicity is American Indian or Alaskan Native who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Indian or Alaskan Native				
PedSvy_total_Race_AIAN	Pediatric experience survey total responses where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents to pediatric experience survey whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
PedSvy_Percent_Race_AIAN	Pediatric experience survey percent of "Yes" responses where race and/or ethnicity is American Indian or Alaskan Native	The percent of respondents whose race and/or ethnicity is American Indian or Alaskan Native who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Race_AIAN	Pediatric experience survey total number of people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The total number of people surveyed on pediatric experience whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_respon serate_Race_AI AN	Pediatric experience surveyresponse rate for people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
PedSvy_Y_Rac e_Asian	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is Asian	Number of respondents whose race and/or ethnicity is Asian who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_R ace_Asian	Pediatric experience survey total responses where race and/or ethnicity is Asian	Total number of respondents to pediatric experience survey whose race and/or ethnicity is Asian	Yes	Numeric	9
PedSvy_Percen t_Race_Asian	Pediatric experience survey percent of "Yes" responses where race and/or ethnicity is Asian	The percent of respondents whose race and/or ethnicity is Asian who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_totalsurveyed_Race_Asian	Pediatric experience survey total number of people surveyed where race and/or ethnicity is Asian	The total number of people surveyed on pediatric experience whose race and/or ethnicity is Asian	Yes	Numeric	9
PedSvy_response_rate_Race_Asian	Pediatric experience survey response rate for people surveyed where race and/or ethnicity is Asian	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is Asian	Yes	Decimal	3,1
PedSvy_Y_Race_Black	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is Black or African American	Number of respondents whose race and/or ethnicity is Black or African American who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Race_Black	Pediatric experience survey total responses where race and/or ethnicity is Black	Total number of respondents to pediatric experience survey whose race and/or ethnicity is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	or African American				
PedSvy_Percent_Race_Black	Pediatric experience survey percent of "Yes" responses where race and/or ethnicity is Black or African American	The percent of respondents whose race and/or ethnicity is Black or African American who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Race_Black	Pediatric experience survey total number of people surveyed where race and/or ethnicity is Black or African American	The total number of people surveyed on pediatric experience whose race and/or ethnicity is Black or African American	Yes	Numeric	9
PedSvy_response_rate_Race_Black	Pediatric experience survey response rate for people surveyed where race and/or ethnicity is Black or African American	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
PedSvy_Y_Race_Hispanic	Pediatric experience survey "would recommend	Number of respondents whose race and/or ethnicity is Hispanic or Latino who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	hospital" responses where race and/or ethnicity is Hispanic or Latino				
PedSvy_total_Race_Hisp	Pediatric experience survey total responses where race and/or ethnicity is Hispanic or Latino	Total number of respondents to pediatric experience survey whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
PedSvy_Percent_Race_Hisp	Pediatric experience survey percent of "Yes" responses where race and/or ethnicity is Hispanic or Latino	The percent of respondents whose race and/or ethnicity is Hispanic or Latino who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Race_Hisp	Pediatric experience survey total number of people surveyed where race and/or ethnicity is Hispanic or Latino	The total number of people surveyed on pediatric experience whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_respon serate_Race_Hi sp	Pediatric experience surveyresponse rate for people surveyed where race and/or ethnicity is Hispanic or Latino	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
PedSvy_Y_Rac e_MENA	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is Middle Eastern or North African	Number of respondents whose race and/or ethnicity is Middle Eastern or North African who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_R ace_MENA	Pediatric experience survey total responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents to pediatric experience survey whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
PedSvy_Percen t_Race_MENA	Pediatric experience survey percent of "Yes" responses where race	The percent of respondents whose race and/or ethnicity is Middle Eastern or North African who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Middle Eastern or North African				
PedSvy_totalsurveyed_Race_MENA	Pediatric experience surveytotal number of people surveyed where race and/or ethnicity is Middle Eastern or North African	The total number of people surveyed on pediatric experience whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
PedSvy_responserate_Race_MENA	Pediatric experience surveyresponse rate for people surveyed where race and/or ethnicity is Middle Eastern or North African	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
PedSvy_Y_Race_NHPI	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Number of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_total_Race_NHPI	Pediatric experience survey total responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents to pediatric experience survey whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
PedSvy_Percent_Race_NHPI	Pediatric experience survey percent of "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Race_NHPI	Pediatric experience survey total number of people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of people surveyed on pediatric experience whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_responserate_Race_NHPI	Pediatric experience survey response rate for people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
PedSvy_Y_Race_Multi	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is Other	Number of respondents whose race and/or ethnicity is Other who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Race_Multi	Pediatric experience survey total responses where race and/or ethnicity is Other	Total number of respondents to pediatric experience survey whose race and/or ethnicity is Other	Yes	Numeric	9
PedSvy_Percent_Race_Multi	Pediatric experience survey percent of "Yes" responses where race and/or ethnicity is Other	The percent of respondents whose race and/or ethnicity is Other who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_totalsurveyed_Race_Multi	Pediatric experience surveytotal number of people surveyed where race and/or ethnicity is Other	The total number of people surveyed on pediatric experience whose race and/or ethnicity is Other	Yes	Numeric	9
PedSvy_responseRate_Race_Multi	Pediatric experience surveyresponse rate for people surveyed where race and/or ethnicity is Other	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is Other	Yes	Decimal	3,1
PedSvy_Y_Race_White	Pediatric experience survey "would recommend hospital" responses where race and/or ethnicity is White	Number of respondents whose race and/or ethnicity is White who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Race_White	Pediatric experience survey total responses where race and/or ethnicity is White	Total number of respondents to pediatric experience survey whose race and/or ethnicity is White	Yes	Numeric	9
PedSvy_Percent_Race_White	Pediatric experience survey percent of	The percent of respondents whose race and/or ethnicity is White who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	"Yes" responses where race and/or ethnicity is White				
PedSvy_totalsurveyed_Race_White	Pediatric experience survey total number of people surveyed where race and/or ethnicity is White	The total number of people surveyed on pediatric experience whose race and/or ethnicity is White	Yes	Numeric	9
PedSvy_response_rate_Race_White	Pediatric experience survey response rate for people surveyed where race and/or ethnicity is White	The percent of people who responded to the pediatric experience survey whose race and/or ethnicity is White	Yes	Decimal	3,1
PedSvy_Y_Age_0_4	Pediatric experience survey "would recommend hospital" responses where age is 0 to 4 years old	Number of respondents whose patient's age is 0 to 4 years old who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Age_0_4	Pediatric experience survey total responses where	Total number of respondents to pediatric experience survey whose patient's age is 0 to 4 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is 0 to 4 years old				
PedSvy_Percent_Age_0_4	Pediatric experience survey percent of "Yes" responses where age is 0 to 4 years old	The percent of respondents whose patient's age is 0 to 4 years old who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Age_0_4	Pediatric experience surveytotal number of people surveyed where age is 0 to 4 years old	The total number of people surveyed on pediatric experience whose patient's age is 0 to 4 years old	Yes	Numeric	9
PedSvy_response_rate_Age_0_4	Pediatric experience surveyresponse rate for people surveyed where age is 0 to 4 years old	The percent of people who responded to the pediatric experience survey whose patient's age is 0 to 4 years old	Yes	Decimal	3,1
PedSvy_Y_Age_5_9	Pediatric experience survey "would recommend hospital" responses where age is 5 to 9 years old	Number of respondents whose patient's age is 5 to 9 years old who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Age_5_9	Pediatric experience	Total number of respondents to pediatric experience survey whose patient's age is 5 to 9 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	survey total responses where age is 5 to 9 years old				
PedSvy_Percent_Age_5_9	Pediatric experience survey percent of "Yes" responses where age is 5 to 9 years old	The percent of respondents whose patient's age is 5 to 9 years old who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Age_5_9	Pediatric experience survey total number of people surveyed where age is 5 to 9 years old	The total number of people surveyed on pediatric experience whose patient's age is 5 to 9 years old	Yes	Numeric	9
PedSvy_response_rate_Age_5_9	Pediatric experience survey response rate for people surveyed where age is 5 to 9 years old	The percent of people who responded to the pediatric experience survey whose patient's age is 5 to 9 years old	Yes	Decimal	3,1
PedSvy_Y_Age_10_14	Pediatric experience survey "would recommend hospital" responses where age is 10 to 14 years old	Number of respondents whose patient's age is 10 to 14 years old who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_total_Age_10_14	Pediatric experience survey total responses where age is 10 to 14 years old	Total number of respondents to pediatric experience survey whose patient's age is 10 to 14 years old	Yes	Numeric	9
PedSvy_Percent_Age_10_14	Pediatric experience survey percent of "Yes" responses where age is 10 to 14 years old	The percent of respondents whose patient's age is 10 to 14 years old who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Age_10_14	Pediatric experience survey total number of people surveyed where age is 10 to 14 years old	The total number of people surveyed on pediatric experience whose patient's age is 10 to 14 years old	Yes	Numeric	9
PedSvy_response_rate_Age_10_14	Pediatric experience survey response rate for people surveyed where age is 10 to 14 years old	The percent of people who responded to the pediatric experience survey whose patient's age is 10 to 14 years old	Yes	Decimal	3,1
PedSvy_Y_Age_>15	Pediatric experience survey "would recommend hospital" responses where	Number of respondents whose patient's age is 15 years or older who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is 15 years or older				
PedSvy_total_Age_>15	Pediatric experience survey total responses where age is 15 years or older	Total number of respondents to pediatric experience survey whose patient's age is 15 years or older	Yes	Numeric	9
PedSvy_Percent_Age_>15	Pediatric experience survey percent of "Yes" responses where age is 15 years or older	The percent of respondents whose patient's age is 15 years or older who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Age_>15	Pediatric experience survey total number of people surveyed where age is 15 years or older	The total number of people surveyed on pediatric experience whose patient's age is 15 years or older	Yes	Numeric	9
PedSvy_response_rate_Age_>15	Pediatric experience survey response rate for people surveyed where age is 15 years or older	The percent of people who responded to the pediatric experience survey whose patient's age is 15 years or older	Yes	Decimal	3,1
PedSvy_Y_Sex_F	Pediatric experience survey "would recommend	Number of respondents whose sex assigned at birth is female who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	hospital" responses where sex assigned at birth is Female				
PedSvy_total_Sex_F	Pediatric experience survey total responses where sex assigned at birth is Female	Total number of respondents to pediatric experience survey whose sex assigned at birth is female	Yes	Numeric	9
PedSvy_Percent_Sex_F	Pediatric experience survey percent of "Yes" responses where sex assigned at birth is female	The percent of respondents whose sex assigned at birth is female who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Sex_F	Pediatric experience survey total number of people surveyed where sex assigned at birth is female	The total number of people surveyed on pediatric experience whose sex assigned at birth is female	Yes	Numeric	9
PedSvy_response_rate_Sex_F	Pediatric experience survey response rate for people surveyed where sex assigned at birth is female	The percent of people who responded to the pediatric experience survey whose sex assigned at birth is female	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Y_Sex_M	Pediatric experience survey "would recommend hospital" responses where sex assigned at birth is Male	Number of respondents whose sex assigned at birth is male who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Sex_M	Pediatric experience survey total responses where sex assigned at birth is Male	Total number of respondents to pediatric experience survey whose sex assigned at birth is male	Yes	Numeric	9
PedSvy_Percent_Sex_M	Pediatric experience survey percent of "Yes" responses where sex assigned at birth is male	The percent of respondents whose sex assigned at birth is male who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Sex_M	Pediatric experience survey total number of people surveyed where sex assigned at birth is male	The total number of people surveyed on pediatric experience whose sex assigned at birth is male	Yes	Numeric	9
PedSvy_response_rate_Sex_M	Pediatric experience survey response	The percent of people who responded to the pediatric experience survey whose sex assigned at birth is male	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	rate for people surveyed where sex assigned at birth is male				
PedSvy_Y_Sex_Unk	Pediatric experience survey "would recommend hospital" responses where sex assigned at birth is Unknown	Number of respondents whose sex assigned at birth is unknown who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Sex_Unk	Pediatric experience survey total responses where sex assigned at birth is Unknown	Total number of respondents to pediatric experience survey whose sex assigned at birth is unknown	Yes	Numeric	9
PedSvy_Percent_Sex_Unk	Pediatric experience survey percent of "Yes" responses where sex assigned at birth is unknown	The percent of respondents whose sex assigned at birth is unknown who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Sex_Unk	Pediatric experience survey total number of people surveyed where sex	The total number of people surveyed on pediatric experience whose sex assigned at birth is unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is unknown				
PedSvy_responserate_Sex_Unknown	Pediatric experience survey response rate for people surveyed where sex assigned at birth is unknown	The percent of people who responded to the pediatric experience survey whose sex assigned at birth is unknown	Yes	Decimal	3,1
PedSvy_Y_Payer_Medicare	Pediatric experience survey "would recommend hospital" responses where payer type is Medicare	Number of respondents whose payer type is Medicare who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Payer_Medicare	Pediatric experience survey total responses where payer type is Medicare	Total number of respondents to pediatric experience survey whose payer type is Medicare	Yes	Numeric	9
PedSvy_Percent_Payer_Medicare	Pediatric experience survey percent of "Yes" responses where payer type is Medicare	The percent of respondents whose payer type is Medicare who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Payer_Medicare	Pediatric experience survey total	The total number of people surveyed on pediatric experience whose payer type is Medicare	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	number of people surveyed where payer type is Medicare				
PedSvy_responseRate_Payer_Medicare	Pediatric experience survey response rate for people surveyed where payer type is Medicare	The percent of people who responded to the pediatric experience survey whose payer type is Medicare	Yes	Decimal	3,1
PedSvy_Y_Payer_Medicaid	Pediatric experience survey "would recommend hospital" responses where payer type is Medicaid	Number of respondents whose payer type is Medicaid who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Payer_Medicaid	Pediatric experience survey total responses where payer type is Medicaid	Total number of respondents to pediatric experience survey whose payer type is Medicaid	Yes	Numeric	9
PedSvy_Percent_Payer_Medicaid	Pediatric experience survey percent of "Yes" responses where payer type is Medicaid	The percent of respondents whose payer type is Medicaid who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_totalsurveyed_Payer_Medicaid	Pediatric experience survey total number of people surveyed where payer type is Medicaid	The total number of people surveyed on pediatric experience whose payer type is Medicaid	Yes	Numeric	9
PedSvy_response_rate_Payer_Medicaid	Pediatric experience survey response rate for people surveyed where payer type is Medicaid	The percent of people who responded to the pediatric experience survey whose payer type is Medicaid	Yes	Decimal	3,1
PedSvy_Y_Payer_Private	Pediatric experience survey "would recommend hospital" responses where payer type is Private	Number of respondents whose payer type is Private who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Payer_Private	Pediatric experience survey total responses where payer type is Private	Total number of respondents to pediatric experience survey whose payer type is Private	Yes	Numeric	9
PedSvy_Percent_Payer_Private	Pediatric experience survey percent of "Yes" responses	The percent of respondents whose payer type is Private who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private				
PedSvy_totalsurveyed_Payer_Private	Pediatric experience survey total number of people surveyed where payer type is Private	The total number of people surveyed on pediatric experience whose payer type is Private	Yes	Numeric	9
PedSvy_response_rate_Payer_Private	Pediatric experience survey response rate for people surveyed where payer type is Private	The percent of people who responded to the pediatric experience survey whose payer type is Private	Yes	Decimal	3,1
PedSvy_Y_Payer_Self	Pediatric experience survey "would recommend hospital" responses where payer type is Self Pay/Uninsured	Number of respondents whose payer type is Self Pay/Uninsured who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Payer_Self	Pediatric experience survey total responses where payer type is Self Pay/Uninsured	Total number of respondents to pediatric experience survey whose payer type is Self Pay/Uninsured	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Percent_Payer_Self	Pediatric experience survey percent of "Yes" responses where payer type is Self Pay	The percent of respondents whose payer type is Self Pay/Uninsured who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Payer_Self	Pediatric experience survey total number of people surveyed where payer type is Self Pay	The total number of people surveyed on pediatric experience whose payer type is Self Pay/Uninsured	Yes	Numeric	9
PedSvy_response_rate_Payer_Self	Pediatric experience survey response rate for people surveyed where payer type is Self Pay	The percent of people who responded to the pediatric experience survey whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
PedSvy_Y_Payer_Oth	Pediatric experience survey "would recommend hospital" responses where payer type is Other/Unknown	Number of respondents whose payer type is Other/Unknown who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Payer_Oth	Pediatric experience survey total responses where	Total number of respondents to pediatric experience survey whose payer type is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Other/Unknown				
PedSvy_Percent_Payer_Oth	Pediatric experience survey percent of "Yes" responses where payer type is Other	The percent of respondents whose payer type is Other/Unknown who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Payer_Oth	Pediatric experience surveytotal number of people surveyed where payer type is Other	The total number of people surveyed on pediatric experience whose payer type is Other/Unknown	Yes	Numeric	9
PedSvy_response_rate_Payer_Oth	Pediatric experience surveyresponse rate for people surveyed where payer type is Other	The percent of people who responded to the pediatric experience survey whose payer type is Other/Unknown	Yes	Decimal	3,1
PedSvy_Y_Lang_ASL	Pediatric experience survey "would recommend hospital" responses where preferred language is American Sign Language	Number of respondents whose preferred language is American Sign Language who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_total_Lang_ASL	Pediatric experience survey total responses where preferred language is American Sign Language	Total number of respondents to pediatric experience survey whose preferred language is American Sign Language	Yes	Numeric	9
PedSvy_Percent_Lang_ASL	Pediatric experience survey percent of "Yes" responses where preferred language is American Sign Language	The percent of respondents whose preferred language is American Sign Language who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Lang_ASL	Pediatric experience survey total number of people surveyed where preferred language is American Sign Language	The total number of people surveyed on pediatric experience whose preferred language is American Sign Language	Yes	Numeric	9
PedSvy_response_rate_Lang_ASL	Pediatric experience survey response rate for people surveyed where preferred language is	The percent of people who responded to the pediatric experience survey whose preferred language is American Sign Language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	American Sign Language				
PedSvy_Y_Lang_Eng	Pediatric experience survey "would recommend hospital" responses where preferred language is English	Number of respondents whose preferred language is English who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Lang_Eng	Pediatric experience survey total responses where preferred language is English	Total number of respondents to pediatric experience survey whose preferred language is English	Yes	Numeric	9
PedSvy_Percent_Lang_Eng	Pediatric experience survey percent of "Yes" responses where preferred language is English	The percent of respondents whose preferred language is English who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Lang_Eng	Pediatric experience survey total number of people surveyed where preferred	The total number of people surveyed on pediatric experience whose preferred language is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is English				
PedSvy_response_rate_Lang_En g	Pediatric experience survey response rate for people surveyed where preferred language is English	The percent of people who responded to the pediatric experience survey whose preferred language is English	Yes	Decimal	3,1
PedSvy_Y_Lan g_API	Pediatric experience survey "would recommend hospital" responses where preferred language is an Asian/Pacific Islander language	Number of respondents whose preferred language is an Asian/Pacific Islander language who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Lan g_API	Pediatric experience survey total responses where preferred language is an Asian/Pacific Islander language	Total number of respondents to pediatric experience survey whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Percent_Lang_API	Pediatric experience survey percent of "Yes" responses where preferred language is an Asian/Pacific Islander language	The percent of respondents whose preferred language is an Asian/Pacific Islander language who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Lang_API	Pediatric experience survey total number of people surveyed where preferred language is an Asian/Pacific Islander language	The total number of people surveyed on pediatric experience whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
PedSvy_response_rate_Lang_API	Pediatric experience survey response rate for people surveyed where preferred language is an Asian/Pacific Islander language	The percent of people who responded to the pediatric experience survey whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
PedSvy_Y_Lang_ME	Pediatric experience survey "would	Number of respondents whose preferred language is Middle Eastern languages who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	recommend hospital" responses where preferred language is Middle Eastern languages				
PedSvy_total_Lang_ME	Pediatric experience survey total responses where preferred language is Middle Eastern languages	Total number of respondents to pediatric experience survey whose preferred language is Middle Eastern languages	Yes	Numeric	9
PedSvy_Percent_Lang_ME	Pediatric experience survey percent of "Yes" responses where preferred language is an Middle Eastern language	The percent of respondents whose preferred language is Middle Eastern languages who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Lang_ME	Pediatric experience surveytotal number of people surveyed where preferred language is an Middle Eastern language	The total number of people surveyed on pediatric experience whose preferred language is Middle Eastern languages	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_respon serate_Lang_M E	Pediatric experience surveyresponse rate for people surveyed where preferred language is an Middle Eastern language	The percent of people who responded to the pediatric experience survey whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
PedSvy_Y_Lan g_Span	Pediatric experience survey "would recommend hospital" responses where preferred language is Spanish	Number of respondents whose preferred language is Spanish who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_L ang_Span	Pediatric experience survey total responses where preferred language is Spanish	Total number of respondents to pediatric experience survey whose preferred language is Spanish	Yes	Numeric	9
PedSvy_Percen t_Lang_Span	Pediatric experience survey percent of "Yes" responses where preferred language is Spanish	The percent of respondents whose preferred language is Spanish who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_totalsurveyed_Lang_Span	Pediatric experience survey total number of people surveyed where preferred language is Spanish	The total number of people surveyed on pediatric experience whose preferred language is Spanish	Yes	Numeric	9
PedSvy_response_rate_Lang_Span	Pediatric experience survey response rate for people surveyed where preferred language is Spanish	The percent of people who responded to the pediatric experience survey whose preferred language is Spanish	Yes	Decimal	3,1
PedSvy_Y_Lang_Oth	Pediatric experience survey "would recommend hospital" responses where preferred language is Other/Unknown	Number of respondents whose preferred language is Other/Unknown who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Lang_Oth	Pediatric experience survey total responses where preferred language is Other/Unknown	Total number of respondents to pediatric experience survey whose preferred language is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Percent_Lang_Oth	Pediatric experience survey percent of "Yes" responses where preferred language is Other	The percent of respondents whose preferred language is Other/Unknown who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Lang_Oth	Pediatric experience surveytotal number of people surveyed where preferred language is Other	The total number of people surveyed on pediatric experience whose preferred language is Other/Unknown	Yes	Numeric	9
PedSvy_response_rate_Lang_Oth	Pediatric experience surveyresponse rate for people surveyed where preferred language is Other	The percent of people who responded to the pediatric experience survey whose preferred language is Other/Unknown	Yes	Decimal	3,1
PedSvy_Y_Disability_none	Pediatric experience survey "would recommend hospital" responses where disability status is: does not have a disability	Number of respondents whose disability status is: does not have a disability who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_total_Disability_none	Pediatric experience survey total responses where disability status is: does not have a disability	Total number of respondents to pediatric experience survey whose disability status is: does not have a disability	Yes	Numeric	9
PedSvy_Percent_Disability_none	Pediatric experience survey percent of "Yes" responses where disability status is does not have a disability	The percent of respondents whose disability status is: does not have a disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Disability_none	Pediatric experience survey total number of people surveyed where disability status is does not have a disability	The total number of people surveyed on pediatric experience whose disability status is: does not have a disability	Yes	Numeric	9
PedSvy_response_rate_Disability_none	Pediatric experience survey response rate for people surveyed where disability status is does not have a disability	The percent of people who responded to the pediatric experience survey whose disability status is: does not have a disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Y_Disability_Mobile	Pediatric experience survey "would recommend hospital" responses where disability status is: has a mobility disability	Number of respondents whose disability status is: has a mobility disability who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Disability_Mobile	Pediatric experience survey total responses where disability status is: has a mobility disability	Total number of respondents to pediatric experience survey whose disability status is: has a mobility disability	Yes	Numeric	9
PedSvy_Percent_Disability_Mobile	Pediatric experience survey percent of "Yes" responses where disability status is has a mobility disability	The percent of respondents whose disability status is: has a mobility disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Disability_Mobile	Pediatric experience survey total number of people surveyed where disability status is has a	The total number of people surveyed on pediatric experience whose disability status is: has a mobility disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	mobility disability				
PedSvy_responserate_Disability_Mobile	Pediatric experience survey response rate for people surveyed where disability status is has a mobility disability	The percent of people who responded to the pediatric experience survey whose disability status is: has a mobility disability	Yes	Decimal	3,1
PedSvy_Y_Disability_Cog	Pediatric experience survey "would recommend hospital" responses where disability status is: has a cognition disability	Number of respondents whose disability status is: has a cognition disability who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Disability_Cog	Pediatric experience survey total responses where disability status is: has a cognition disability	Total number of respondents to pediatric experience survey whose disability status is: has a cognition disability	Yes	Numeric	9
PedSvy_Percent_Disability_Cog	Pediatric experience survey percent of "Yes" responses	The percent of respondents whose disability status is: has a cognition disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where disability status is has a cognitive disability				
PedSvy_totalsurveyed_Disability_Cog	Pediatric experience surveytotal number of people surveyed where disability status is has a cognitive disability	The total number of people surveyed on pediatric experience whose disability status is: has a cognition disability	Yes	Numeric	9
PedSvy_response_rate_Disability_Cog	Pediatric experience surveyresponse rate for people surveyed where disability status is has a cognitive disability	The percent of people who responded to the pediatric experience survey whose disability status is: has a cognition disability	Yes	Decimal	3,1
PedSvy_Y_Disability_Hear	Pediatric experience survey "would recommend hospital" responses where disability status is: has a hearing disability	Number of respondents whose disability status is: has a hearing disability who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_total_Disability_Hear	Pediatric experience survey total responses where disability status is: has a hearing disability	Total number of respondents to pediatric experience survey whose disability status is: has a hearing disability	Yes	Numeric	9
PedSvy_Percent_Disability_Hear	Pediatric experience survey percent of "Yes" responses where disability status is has a hearing disability	The percent of respondents whose disability status is: has a hearing disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Disability_Hear	Pediatric experience survey total number of people surveyed where disability status is has a hearing disability	The total number of people surveyed on pediatric experience whose disability status is: has a hearing disability	Yes	Numeric	9
PedSvy_response_rate_Disability_Hear	Pediatric experience survey response rate for people surveyed where disability status is has a hearing disability	The percent of people who responded to the pediatric experience survey whose disability status is: has a hearing disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Y_Disability_Vis	Pediatric experience survey "would recommend hospital" responses where disability status is: has a vision disability	Number of respondents whose disability status is: has a vision disability who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Disability_Vis	Pediatric experience survey total responses where disability status is: has a vision disability	Total number of respondents to pediatric experience survey whose disability status is: has a vision disability	Yes	Numeric	9
PedSvy_Percent_Disability_Vis	Pediatric experience survey percent of "Yes" responses where disability status is has a vision disability	The percent of respondents whose disability status is: has a vision disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Disability_Vis	Pediatric experience survey total number of people surveyed where disability status is has a vision disability	The total number of people surveyed on pediatric experience whose disability status is: has a vision disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_respon serate_Disability _Vis	Pediatric experience surveyresponse rate for people surveyed where disability status is has a vision disability	The percent of people who responded to the pediatric experience survey whose disability status is: has a vision disability	Yes	Decimal	3,1
PedSvy_Y_Disab ility_Self	Pediatric experience survey "would recommend hospital" responses where disability status is: has a self- care disability	Number of respondents whose disability status is: has a self-care disability who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_D isability_Self	Pediatric experience survey total responses where disability status is: has a self- care disability	Total number of respondents to pediatric experience survey whose disability status is: has a self-care disability	Yes	Numeric	9
PedSvy_Percen t_Disability_Self	Pediatric experience survey percent of "Yes" responses where disability status is has a self-care disability	The percent of respondents whose disability status is: has a self-care disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_totalsurveyed_Disability_Self	Pediatric experience surveytotal number of people surveyed where disability status is has a self-care disability	The total number of people surveyed on pediatric experience whose disability status is: has a self-care disability	Yes	Numeric	9
PedSvy_response_rate_Disability_Self	Pediatric experience surveyresponse rate for people surveyed where disability status is has a self-care disability	The percent of people who responded to the pediatric experience survey whose disability status is: has a self-care disability	Yes	Decimal	3,1
PedSvy_Y_Disability_Ind	Pediatric experience survey "would recommend hospital" responses where disability status is: has an independent living disability	Number of respondents whose disability status is: has an independent living disability who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_Disability_Ind	Pediatric experience survey total responses where disability status	Total number of respondents to pediatric experience survey whose disability status is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has an independent living disability				
PedSvy_Percent_Disability_Ind	Pediatric experience survey percent of "Yes" responses where disability status is has a independent living disability	The percent of respondents whose disability status is: has an independent living disability who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_Disability_Ind	Pediatric experience surveytotal number of people surveyed where disability status is has a independent living disability	The total number of people surveyed on pediatric experience whose disability status is: has an independent living disability	Yes	Numeric	9
PedSvy_response_rate_Disability_Ind	Pediatric experience surveyresponse rate for people surveyed where disability status is has a independent living disability	The percent of people who responded to the pediatric experience survey whose disability status is: has an independent living disability	Yes	Decimal	3,1
PedSvy_Y_SO_SameSex	Pediatric experience survey "would	Number of respondents whose sexual orientation is lesbian, gay or homosexual who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	recommend hospital" responses where sexual orientation is lesbian, gay or homosexual				
PedSvy_total_SO_SameSex	Pediatric experience survey total responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents to pediatric experience survey whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
PedSvy_Percent_SO_SameSex	Pediatric experience survey percent of "Yes" responses where sexual orientation is lesbian, gay or homosexual	The percent of respondents whose sexual orientation is lesbian, gay or homosexual who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_SO_SameSex	Pediatric experience survey total number of people surveyed where sexual orientation is lesbian, gay or homosexual	The total number of people surveyed on pediatric experience whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_respon serate_SO_Sa meSex	Pediatric experience surveyresponse rate for people surveyed where sexual orientation is lesbian, gay or homosexual	The percent of people who responded to the pediatric experience survey whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
PedSvy_Y_SO_ Hetero	Pediatric experience survey "would recommend hospital" responses where sexual orientation is straight or heterosexual	Number of respondents whose sexual orientation is straight or heterosexual who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_S O_Hetero	Pediatric experience survey total responses where sexual orientation is straight or heterosexual	Total number of respondents to pediatric experience survey whose sexual orientation is straight or heterosexual	Yes	Numeric	9
PedSvy_Percen t_SO_Hetero	Pediatric experience survey percent of "Yes" responses where sexual	The percent of respondents whose sexual orientation is straight or heterosexual who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is straight or heterosexual				
PedSvy_totalsurveyed_SO_Hetero	Pediatric experience surveytotal number of people surveyed where sexual orientation is straight or heterosexual	The total number of people surveyed on pediatric experience whose sexual orientation is straight or heterosexual	Yes	Numeric	9
PedSvy_responserate_SO_Hetero	Pediatric experience surveyresponse rate for people surveyed where sexual orientation is straight or heterosexual	The percent of people who responded to the pediatric experience survey whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
PedSvy_Y_SO_Bi	Pediatric experience survey "would recommend hospital" responses where sexual orientation is bisexual	Number of respondents whose sexual orientation is bisexual who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_SO_Bi	Pediatric experience	Total number of respondents to pediatric experience survey whose sexual orientation is bisexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	survey total responses where sexual orientation is bisexual				
PedSvy_Percent_SO_Bi	Pediatric experience survey percent of "Yes" responses where sexual orientation is bisexual	The percent of respondents whose sexual orientation is bisexual who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_SO_Bi	Pediatric experience survey total number of people surveyed where sexual orientation is bisexual	The total number of people surveyed on pediatric experience whose sexual orientation is bisexual	Yes	Numeric	9
PedSvy_response_rate_SO_Bi	Pediatric experience survey response rate for people surveyed where sexual orientation is bisexual	The percent of people who responded to the pediatric experience survey whose sexual orientation is bisexual	Yes	Decimal	3,1
PedSvy_Y_SO_Else	Pediatric experience survey "would recommend	Number of respondents whose sexual orientation is something else who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	hospital" responses where sexual orientation is something else				
PedSvy_total_SO_Else	Pediatric experience survey total responses where sexual orientation is something else	Total number of respondents to pediatric experience survey whose sexual orientation is something else	Yes	Numeric	9
PedSvy_Percent_SO_Else	Pediatric experience survey percent of "Yes" responses where sexual orientation is something else	The percent of respondents whose sexual orientation is something else who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_SO_Else	Pediatric experience survey total number of people surveyed where sexual orientation is something else	The total number of people surveyed on pediatric experience whose sexual orientation is something else	Yes	Numeric	9
PedSvy_response_rate_SO_Else	Pediatric experience survey response rate for people surveyed where	The percent of people who responded to the pediatric experience survey whose sexual orientation is something else	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	sexual orientation is something else				
PedSvy_Y_SO_DK	Pediatric experience survey "would recommend hospital" responses where sexual orientation is don't know	Number of respondents whose sexual orientation is don't know who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_SO_DK	Pediatric experience survey total responses where sexual orientation is don't know	Total number of respondents to pediatric experience survey whose sexual orientation is don't know	Yes	Numeric	9
PedSvy_Percent_SO_DK	Pediatric experience survey percent of "Yes" responses where sexual orientation is don't know	The percent of respondents whose sexual orientation is don't know who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_SO_DK	Pediatric experience survey total number of people surveyed where sexual	The total number of people surveyed on pediatric experience whose sexual orientation is don't know	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is don't know				
PedSvy_responserate_SO_DK	Pediatric experience survey response rate for people surveyed where sexual orientation is don't know	The percent of people who responded to the pediatric experience survey whose sexual orientation is don't know	Yes	Decimal	3,1
PedSvy_Y_SO_NotDisc	Pediatric experience survey "would recommend hospital" responses where sexual orientation is not disclosed	Number of respondents whose sexual orientation is not disclosed who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_SO_NotDisc	Pediatric experience survey total responses where sexual orientation is not disclosed	Total number of respondents to pediatric experience survey whose sexual orientation is not disclosed	Yes	Numeric	9
PedSvy_Percent_SO_NotDisc	Pediatric experience survey percent of "Yes" responses where sexual	The percent of respondents whose sexual orientation is not disclosed who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed				
PedSvy_totalsurveyed_SO_Not Disc	Pediatric experience surveytotal number of people surveyed where sexual orientation is not disclosed	The total number of people surveyed on pediatric experience whose sexual orientation is not disclosed	Yes	Numeric	9
PedSvy_response_rate_SO_Not Disc	Pediatric experience surveyresponse rate for people surveyed where sexual orientation is not disclosed	The percent of people who responded to the pediatric experience survey whose sexual orientation is not disclosed	Yes	Decimal	3,1
PedSvy_Y_GI_F	Pediatric experience survey "would recommend hospital" responses where gender identity is female	Number of respondents whose gender identity is female who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_GI_F	Pediatric experience survey total responses where gender identity is female	Total number of respondents to pediatric experience survey whose gender identity is female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Percent_GI_F	Pediatric experience survey percent of "Yes" responses where gender identity is female	The percent of respondents whose gender identity is female who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_GI_F	Pediatric experience survey total number of people surveyed where gender identity is female	The total number of people surveyed on pediatric experience whose gender identity is female	Yes	Numeric	9
PedSvy_response_rate_GI_F	Pediatric experience survey response rate for people surveyed where gender identity is female	The percent of people who responded to the pediatric experience survey whose gender identity is female	Yes	Decimal	3,1
PedSvy_Y_GI_F2M	Pediatric experience survey "would recommend hospital" responses where gender identity is female-to-male (FTM)/transgender male/trans man	Number of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_total_GI_F2M	Pediatric experience survey total responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents to pediatric experience survey whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
PedSvy_Percent_GI_F2M	Pediatric experience survey percent of "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_GI_F2M	Pediatric experience survey total number of people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of people surveyed on pediatric experience whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_responserate_GI_F2M	Pediatric experience survey response rate for people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of people who responded to the pediatric experience survey whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
PedSvy_Y_GI_M	Pediatric experience survey "would recommend hospital" responses where gender identity is male	Number of respondents whose gender identity is male who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_GI_M	Pediatric experience survey total responses where gender identity is male	Total number of respondents to pediatric experience survey whose gender identity is male	Yes	Numeric	9
PedSvy_Percent_GI_M	Pediatric experience survey percent of "Yes" responses where gender identity is male	The percent of respondents whose gender identity is male who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_GI_M	Pediatric experience	The total number of people surveyed on pediatric experience whose gender identity is male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	surveytotal number of people surveyed where gender identity is male				
PedSvy_respon serate_GI_M	Pediatric experience surveyresponse rate for people surveyed where gender identity is male	The percent of people who responded to the pediatric experience survey whose gender identity is male	Yes	Decimal	3,1
PedSvy_Y_GI_ M2F	Pediatric experience survey "would recommend hospital" responses where gender identity is male-to-female (MTF)/transgend er female/trans woman	Number of respondents whose gender identity is male- to-female (MTF)/transgender female/trans woman who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_G I_M2F	Pediatric experience survey total responses where gender identity is male-to-female (MTF)/transgend er female/trans woman	Total number of respondents to pediatric experience survey whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_Percent_GI_M2F	Pediatric experience survey percent of "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans	The percent of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_GI_M2F	Pediatric experience survey total number of people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The total number of people surveyed on pediatric experience whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
PedSvy_response_rate_GI_M2F	Pediatric experience survey response rate for people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The percent of people who responded to the pediatric experience survey whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
PedSvy_Y_GI_Nonconf	Pediatric experience survey "would recommend	Number of respondents whose gender identity is identifies as non-conforming gender who reported willingness to recommend the hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	hospital" responses where gender identity is identifies as non-conforming gender				
PedSvy_total_GI_Nonconf	Pediatric experience survey total responses where gender identity is identifies as non-conforming gender	Total number of respondents to pediatric experience survey whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
PedSvy_Percent_GI_Nonconf	Pediatric experience survey percent of "Yes" responses where gender identity is non-conforming gender	The percent of respondents whose gender identity is identifies as non-conforming gender who reported a willingness to recommend the hospital	Yes	Decimal	3,1
PedSvy_totalsurveyed_GI_Nonconf	Pediatric experience surveytotal number of people surveyed where gender identity is non-conforming gender	The total number of people surveyed on pediatric experience whose gender identity is identifies as non-conforming gender	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
PedSvy_responserate_GI_Noncon	Pediatric experience survey response rate for people surveyed where gender identity is non-conforming gender	The percent of people who responded to the pediatric experience survey whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
PedSvy_Y_GI_Oth	Pediatric experience survey "would recommend hospital" responses where gender identity is additional gender category or other	Number of respondents whose gender identity is additional gender category or other who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_GI_Oth	Pediatric experience survey total responses where gender identity is additional gender category or other	Total number of respondents to pediatric experience survey whose gender identity is additional gender category or other	Yes	Numeric	9
PedSvy_Percent_GI_Oth	Pediatric experience survey percent of "Yes" responses where gender identity is other	The percent of respondents whose gender identity is additional gender category or other who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
PedSvy_totalsurveyed_GI_Oth	Pediatric experience survey total number of people surveyed where gender identity is other	The total number of people surveyed on pediatric experience whose gender identity is additional gender category or other	Yes	Numeric	9
PedSvy_response_rate_GI_Oth	Pediatric experience survey response rate for people surveyed where gender identity is other	The percent of people who responded to the pediatric experience survey whose gender identity is additional gender category or other	Yes	Decimal	3,1
PedSvy_Y_GI_NotDisc	Pediatric experience survey "would recommend hospital" responses where gender identity is not disclosed	Number of respondents whose gender identity is not disclosed who reported willingness to recommend the hospital	Yes	Numeric	9
PedSvy_total_GI_NotDisc	Pediatric experience survey total responses where gender identity is not disclosed	Total number of respondents to pediatric experience survey whose gender identity is not disclosed	Yes	Numeric	9
PedSvy_Percent_GI_NotDisc	Pediatric experience survey percent of "Yes" responses	The percent of respondents whose gender identity is not disclosed who reported a willingness to recommend the hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is not disclosed				
PedSvy_totalsurveyed_GI_NotDisc	Pediatric experience surveytotal number of people surveyed where gender identity is not disclosed	The total number of people surveyed on pediatric experience whose gender identity is not disclosed	Yes	Numeric	9
PedSvy_response_rate_GI_NotDisc	Pediatric experience surveyresponse rate for people surveyed where gender identity is not disclosed	The percent of people who responded to the pediatric experience survey whose gender identity is not disclosed	Yes	Decimal	3,1
Readmin_num	Readmission numerator	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission	Yes	Numeric	9
Readmin_den	Readmission denominator	The total number of patients who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate	Readmission rate	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals	Yes	Decimal	3,1
Readmin_num_Race_AIAN	Readmission numerator where race and/or ethnicity is American Indian	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	or Alaskan Native				
Readmin_den_Race_AIAN	Readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Race_AIAN	Readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
Readmin_num_Race_Asian	Readmission numerator where race and/or ethnicity is Asian	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
Readmin_den_Race_Asian	Readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Race_Asian	Readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is Asian	Yes	Decimal	3,1
Readmin_num_Race_Black	Readmission numerator where race and/or	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Black or African American	and/or ethnicity of the patient is Black or African American			
Readmin_den_Race_Bl	Readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Race_Bl	Readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
Readmin_num_Race_Hisp	Readmission numerator where race and/or ethnicity is Hispanic or Latino	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
Readmin_den_Race_Hisp	Readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Race_Hisp	Readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmin_num_ Race_MENA	Readmission numerator where race and/or ethnicity is Middle Eastern or North African	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
Readmin_den_ Race_MENA	Readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_ Race_MENA	Readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
Readmin_num_ Race_NHPI	Readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
Readmin_den_ Race_NHPI	Readmission denominator where race and/or ethnicity is Native Hawaiian or	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who were admitted to a children's hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Other Pacific Islander				
Readmin_rate_Race_NHPI	Readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
Readmin_num_Race_Multi	Readmission numerator where race and/or ethnicity is Multi-racial	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
Readmin_den_Race_Multi	Readmission denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Race_Multi	Readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
Readmin_num_Race_Wht	Readmission numerator where race and/or ethnicity is White	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the race and/or ethnicity of the patient is White	Yes	Numeric	9
Readmin_den_Race_Wht	Readmission denominator where race	The total number of patients whose race and/or ethnicity is White who were admitted to a children's hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is White				
Readmin_rate_Race_Wht	Readmission rate where race and/or ethnicity is White	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose race and/or ethnicity is White	Yes	Decimal	3,1
Readmin_num_Age_0_4	Readmission numerator where age is 0 to 4 years	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission whose patient's age is 0 to 4 years old	Yes	Numeric	9
Readmin_den_Age_0_4	Readmission denominator where age is 0 to 4 years	The total number of patients whose patient's age is 0 to 4 years old who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Age_0_4	Readmission rate where age is 0 to 4 years	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose patient's age is 0 to 4 years old	Yes	Decimal	3,1
Readmin_num_Age_5_9	Readmission numerator where age is 5 to 9 years old	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission whose patient's age is 5 to 9 years old	Yes	Numeric	9
Readmin_den_Age_5_9	Readmission denominator where age is 5 to 9 years old	The total number of patients whose patient's age is 5 to 9 years old who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Age_5_9	Readmission rate where age is 5 to 9 years old	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		discharge for patients of all ages at children's hospitals whose patient's age is 5 to 9 years old			
Readmin_num_Age_10_14	Readmission numerator where age is 10 to 14 years old	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission whose patient's age is 10 to 14 years old	Yes	Numeric	9
Readmin_den_Age_10_14	Readmission denominator where age is 10 to 14 years old	The total number of patients whose patient's age is 10 to 14 years old who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Age_10_14	Readmission rate where age is 10 to 14 years old	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose patient's age is 10 to 14 years old	Yes	Decimal	3,1
Readmin_num_Age_>15	Readmission numerator where age is 15 years or older	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission whose patient's age is 15 years or older	Yes	Numeric	9
Readmin_den_Age_>15	Readmission denominator where age is 15 years or older	The total number of patients whose patient's age is 15 years or older who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Age_>15	Readmission rate where age is 15 years or older	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose patient's age is 15 years or older	Yes	Decimal	3,1
Readmin_num_Sex_F	Readmission numerator where sex assigned at birth is Female	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sex assigned at birth of the patient is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_den_Sex_F	Readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Sex_F	Readmission rate where sex assigned at birth is Female	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sex assigned at birth is Female	Yes	Decimal	3,1
Readmin_num_Sex_M	Readmission numerator where sex assigned at birth is Male	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sex assigned at birth of the patient is Male	Yes	Numeric	9
Readmin_den_Sex_M	Readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Sex_M	Readmission rate where sex assigned at birth is Male	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sex assigned at birth is Male	Yes	Decimal	3,1
Readmin_num_Sex_Unk	Readmission numerator where sex assigned at birth is Unknown	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
Readmin_den_Sex_Unk	Readmission denominator where sex	The total number of patients whose sex assigned at birth is Unknown who were admitted to a children's hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Unknown				
Readmin_rate_Sex_Unk	Readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sex assigned at birth is Unknown	Yes	Decimal	3,1
Readmin_num_Payer_Medicare	Readmission numerator where payer type is Medicare	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Medicare	Yes	Numeric	9
Readmin_den_Payer_Medicare	Readmission denominator where payer type is Medicare	The total number of patients where the payer type for the patient is Medicare who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Payer_Medicare	Readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals where the payer type for the patient is Medicare	Yes	Decimal	3,1
Readmin_num_Payer_Medicaid	Readmission numerator where payer type is Medicaid	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Medicaid	Yes	Numeric	9
Readmin_den_Payer_Medicaid	Readmission denominator where payer type is Medicaid	The total number of patients where the payer type for the patient is Medicaid who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Payer_Medicaid	Readmission rate where payer type is Medicaid	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		discharge for patients of all ages at children's hospitals where the payer type for the patient is Medicaid			
Readmin_num_Payer_Private	Readmission numerator where payer type is Private	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Private	Yes	Numeric	9
Readmin_den_Payer_Private	Readmission denominator where payer type is Private	The total number of patients where the payer type for the patient is Private who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Payer_Private	Readmission rate where payer type is Private	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals where the payer type for the patient is Private	Yes	Decimal	3,1
Readmin_num_Payer_Self	Readmission numerator where payer type is Self Pay/Uninsured	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
Readmin_den_Payer_Self	Readmission denominator where payer type is Self Pay/Uninsured	The total number of patients where the payer type for the patient is Self Pay/Uninsured who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Payer_Self	Readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals where the payer type for the patient is Self Pay/Uninsured	Yes	Decimal	3,1
Readmin_num_Payer_Oth	Readmission numerator where	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Other/Unknown	date of an eligible index admission where the payer type for the patient is Other/Unknown			
Readmin_den_Payer_Oth	Readmission denominator where payer type is Other/Unknown	The total number of patients where the payer type for the patient is Other/Unknown who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Payer_Oth	Readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals where the payer type for the patient is Other/Unknown	Yes	Decimal	3,1
Readmin_num_Lang_ASL	Readmission numerator where preferred language is American Sign Language	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is American Sign Language	Yes	Numeric	9
Readmin_den_Lang_ASL	Readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Lang_ASL	Readmission rate where preferred language is American Sign Language	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose preferred language is American Sign Language	Yes	Decimal	3,1
Readmin_num_Lang_Eng	Readmission numerator where	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	preferred language is English	date of an eligible index admission where the preferred language of the patient is English			
Readmin_den_Lang_Eng	Readmission denominator where preferred language is English	The total number of patients whose preferred language is English who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Lang_Eng	Readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose preferred language is English	Yes	Decimal	3,1
Readmin_num_Lang_API	Readmission numerator where preferred language is Asian/Pacific Islander languages	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
Readmin_den_Lang_API	Readmission denominator where preferred language is Asian/Pacific Islander languages	The total number of patients whose preferred language is an Asian/Pacific Islander language who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Lang_API	Readmission rate where preferred language is an Asian/Pacific	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Islander language	whose preferred language is an Asian/Pacific Islander language			
Readmin_num_Lang_ME	Readmission numerator where preferred language is Middle Eastern languages	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
Readmin_den_Lang_ME	Readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Lang_ME	Readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
Readmin_num_Lang_Span	Readmission numerator where preferred language is Spanish	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is Spanish	Yes	Numeric	9
Readmin_den_Lang_Span	Readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Lang_Span	Readmission rate where	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	preferred language is Spanish	any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose preferred language is Spanish			
Readmin_num_Lang_Oth	Readmission numerator where preferred language is Other/Unknown	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
Readmin_den_Lang_Oth	Readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Lang_Oth	Readmission rate where preferred language is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose preferred language is Other/Unknown	Yes	Decimal	3,1
Readmin_num_Disability_none	Readmission numerator where disability status is: does not have a disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: does not have a disability	Yes	Numeric	9
Readmin_den_Disability_none	Readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Disability_none	Readmission rate where disability status	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is: does not have a disability	discharge for patients of all ages at children's hospitals whose disability status is: does not have a disability			
Readmin_num_Disability_Mobile	Readmission numerator where disability status is: has a mobility disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
Readmin_den_Disability_Mobile	Readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Disability_Mobile	Readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose disability status is: has a mobility disability	Yes	Decimal	3,1
Readmin_num_Disability_Cog	Readmission numerator where disability status is: has a cognition disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
Readmin_den_Disability_Cog	Readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Disability_Cog	Readmission rate where	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	disability status is: has a cognition disability	any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose disability status is: has a cognition disability			
Readmin_num_Disability_Hear	Readmission numerator where disability status is: has a hearing disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
Readmin_den_Disability_Hear	Readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Disability_Hear	Readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose disability status is: has a hearing disability	Yes	Decimal	3,1
Readmin_num_Disability_Vis	Readmission numerator where disability status is: has a vision disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a vision disability	Yes	Numeric	9
Readmin_den_Disability_Vis	Readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Disability_Vis	Readmission rate where	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	disability status is: has a vision disability	any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose disability status is: has a vision disability			
Readmin_num_Disability_Self	Readmission numerator where disability status is: has a self-care disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
Readmin_den_Disability_Self	Readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_Disability_Self	Readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose disability status is: has a self-care disability	Yes	Decimal	3,1
Readmin_num_Disability_Ind	Readmission numerator where disability status is: has an independent living disability	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
Readmin_den_Disability_Ind	Readmission denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability who were admitted to a children's hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_rate_Disability_Ind	Readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose disability status is: has an independent living disability	Yes	Decimal	3,1
Readmin_num_SO_SameSex	Readmission numerator where sexual orientation is lesbian, gay or homosexual	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
Readmin_den_SO_SameSex	Readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_SO_SameSex	Readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
Readmin_num_SO_Hetero	Readmission numerator where sexual orientation is straight or heterosexual	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_den_SO_Hetero	Readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_SO_Hetero	Readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
Readmin_num_SO_Bi	Readmission numerator where sexual orientation is bisexual	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is bisexual	Yes	Numeric	9
Readmin_den_SO_Bi	Readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_SO_Bi	Readmission rate where sexual orientation is bisexual	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sexual orientation is bisexual	Yes	Decimal	3,1
Readmin_num_SO_Else	Readmission numerator where sexual orientation is something else	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_den_SO_Else	Readmission denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_SO_Else	Readmission rate where sexual orientation is something else	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sexual orientation is something else	Yes	Decimal	3,1
Readmin_num_SO_DK	Readmission numerator where sexual orientation is don't know	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is don't know	Yes	Numeric	9
Readmin_den_SO_DK	Readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_SO_DK	Readmission rate where sexual orientation is don't know	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sexual orientation is don't know	Yes	Decimal	3,1
Readmin_num_SO_NotDisc	Readmission numerator where sexual orientation is not disclosed	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the sexual orientation of the patient is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_den_SO_NotDisc	Readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_SO_NotDisc	Readmission rate where sexual orientation is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose sexual orientation is not disclosed	Yes	Decimal	3,1
Readmin_num_GI_F	Readmission numerator where gender identity is female	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is female	Yes	Numeric	9
Readmin_den_GI_F	Readmission denominator where gender identity is female	The total number of patients whose gender identity is female who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_GI_F	Readmission rate where gender identity is female	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is female	Yes	Decimal	3,1
Readmin_num_GI_F2M	Readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_den_GI_F2M	Readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_GI_F2M	Readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
Readmin_num_GI_M	Readmission numerator where gender identity is male	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is male	Yes	Numeric	9
Readmin_den_GI_M	Readmission denominator where gender identity is male	The total number of patients whose gender identity is male who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_GI_M	Readmission rate where gender identity is male	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is male	Yes	Decimal	3,1
Readmin_num_GI_M2F	Readmission numerator where gender identity is male-to-female	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	(MTF)/transgender female/trans woman	identity of the patient is male-to-female (MTF)/transgender female/trans woman			
Readmin_den_GI_M2F	Readmission denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_GI_M2F	Readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
Readmin_num_GI_Nonconf	Readmission numerator where gender identity is identifies as non-conforming gender	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
Readmin_den_GI_Nonconf	Readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender who were admitted to a children's hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_rate_GI_Nonconf	Readmission rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
Readmin_num_GI_Oth	Readmission numerator where gender identity is additional gender category or other	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
Readmin_den_GI_Oth	Readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other who were admitted to a children's hospital	Yes	Numeric	9
Readmin_rate_GI_Oth	Readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is additional gender category or other	Yes	Decimal	3,1
Readmin_num_GI_NotDisc	Readmission numerator where gender identity is not disclosed	The number of inpatient admissions to any children's hospitals which occurs within 30 days of the discharge date of an eligible index admission where the gender identity of the patient is not disclosed	Yes	Numeric	9
Readmin_den_GI_NotDisc	Readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed who were admitted to a children's hospital	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmin_rate_GI_NotDisc	Readmission rate where gender identity is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients of all ages at children's hospitals whose gender identity is not disclosed	Yes	Decimal	3,1
Top_10_Disparities	The top ten disparities identified in the data	The top ten disparities identified in the data by the relative difference between a stratification group and the reference group for each measure, consistent with the requirements included in the Measures Submission Guide	Yes	Character	5000
Equity_Plan	Plan to address disparities identified in the data	A plan to address the disparities identified in the data including population impact, measurable objectives, and specific timeframe	Yes	Character	5000
Performance_Priority_Person_Center	Performance in the priority area of person-centered care	Description of performance in the priority area of person-centered care	Yes	Character	5000
Performance_Priority_Patient_Safety	Performance in the priority area of patient safety	Description of performance in the priority area of patient safety	Yes	Character	5000
Performance_Priority_SDOH	Performance in the priority area of addressing patient social determinants of health	Description of performance in the priority area of addressing patient social determinants of health	Yes	Character	5000
Performance_Priority_Treatment	Performance in the priority area of effective treatment	Description of performance in the priority area of effective treatment	Yes	Character	5000

Label	Data Element	Data Description	Required	Format	Size
Performance_Priority_Care_Coordinate	Performance in the priority area of care coordination	Description of performance in the priority area of care coordination	Yes	Character	5000
Performance_Priority_Care_Access	Performance in the priority area of access to care	Description of performance in the priority area of access to care	Yes	Character	5000
Methodology_Guidelines	Did the hospital follow the methodology in the Measures Submission guide? (Y/N)	Whether hospital used the methodology as outlined in the Measures Submission Guide	Yes	Character	1
Methodology_Explanation	Explanation of the methodology used	Explanation of the methodology used if the hospital did not follow the methodology in the Measures Submission guide	Yes	Character	5000

## Acute Psychiatric Hospitals

Label	Data Element	Data Description	Required	Format	Size
Hospital_Name	Hospital Name	Name of the hospital	Yes	Character	60
HCAI_ID	Hospital HCAI ID	A unique nine-digit identifier assigned to each facility by HCAI. The first digit indicates the facility's license type. The second and third digits indicate the State of the licensed facility (California). The fourth and fifth digits identify the county in which the facility is located. The last four digits are unique within each county for each type of data	Yes	Numeric	9
Reporting_Organization	Reporting Organization	Name of the organization creating and submitting the Hospital Equity Measures Report	Yes	Character	60
Report_Period_Start_Date	Report Period Start Date	Start date for the reporting period covered in the Hospital Equity Measures Report (MM/DD/YYYY)	Yes	Date	10
Report_Period_End_Date	Report Period End Date	End date for the reporting period covered in the Hospital Equity Measures Report (MM/DD/YYYY)	Yes	Date	10
Clean_Water_Air	Hospital Location with Clean Water and Air	Response to whether the hospitals is located in an area with access to clean water and air (Y/N)	Yes	Character	1
Report_Web_Address	Hospital Web Address for Equity Report	Web address for the location of the Hospital Equity Report on the hospital's website	Yes	Character	60
JCA_1_Leadship	Joint Commission Accreditation question 1	Designate an individual to lead hospital health equity activities (Y/N)	Yes	Character	1
JCA_2_Document	Joint Commission Accreditation question 2	Provide documentation of policy prohibiting discrimination (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
JCA_3_Denominator	Joint Commission Accreditation Language Denominator	Number of patients that were asked their preferred language	Yes	Numeric	9
JCA_3_ASL_Num	Joint Commission Accreditation American Sign Language Language Numerator	Number of patients that reported their preferred language is American Sign Language	Yes	Numeric	9
JCA_3_ASL_Percent	Joint Commission Accreditation American Sign Language Language Percent	Percent of patients that reported their preferred language is American Sign Language	Yes	Decimal	3,1
JCA_3_English_Num	Joint Commission Accreditation English Language Numerator	Number of patients that reported their preferred language is English	Yes	Numeric	9
JCA_3_English_Percent	Joint Commission Accreditation English Language Percent	Percent of patients that reported their preferred language is English	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
JCA_3_API_Nu m	Joint Commission Accreditation Asian Pacific Islander Languages Numerator	Number of patients that reported their preferred language is an Asian/Pacific Islander Language	Yes	Numeric	9
JCA_3_API_Per cent	Joint Commission Accreditation Asian Pacific Islander Languages Percent	Percent of patients that reported their preferred language is Asian/Pacific Islander Languages	Yes	Decimal	3,1
JCA_3_ME_Nu m	Joint Commission Accreditation Middle Eastern Languages Numerator	Number of patients that reported their preferred language is an Asian/Pacific Islander Language	Yes	Numeric	9
JCA_3_ME_Per cent	Joint Commission Accreditation Middle Eastern Languages	Percent of patients that reported their preferred language is Middle Eastern Languages	Yes	Decimal	3,1
JCA_3_Spanish _Num	Joint Commission Accreditation Spanish Language Numerator	Number of patients that reported their preferred language is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
JCA_3_Spanish_Percent	Joint Commission Accreditation Spanish Language Percent	Percent of patients that reported their preferred language is Spanish	Yes	Decimal	3,1
JCA_3_other_Num	Joint Commission Accreditation Other Languages Numerator	Number of patients that reported their preferred language is another language not specified	Yes	Numeric	9
JCA_3_other_Percent	Joint Commission Accreditation Other Languages	Percent of patients that reported their preferred language is another language not specified	Yes	Decimal	3,1
CMS_HCHE_1_Pop	Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure attestation 1	Our hospital strategic plan identifies priority populations who currently experience health disparities (Y/N)	Yes	Character	1
CMS_HCHE_2_Goal	CMS HCHE Measure attestation 2	Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
CMS_HCHE_3_Resource	CMS HCHE Measure attestation 3	Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals (Y/N)	Yes	Character	1
CMS_HCHE_4_Approach	CMS HCHE Measure attestation 4	Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations (Y/N)	Yes	Character	1
CMS_HCHE_5_Demographic	CMS HCHE Measure attestation 5	Our hospital collects demographic information, including self-reported race and ethnicity, and/or social determinant of health information on the majority of our patients (Y/N)	Yes	Character	1
CMS_HCHE_6_Culture	CMS HCHE Measure attestation 6	Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information (Y/N)	Yes	Character	1
CMS_HCHE_7_EHR	CMS HCHE Measure attestation 7	Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified EHR technology (Y/N)	Yes	Character	1
CMS_HCHE_8_KPI	CMS HCHE Measure attestation 8	Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards. (Y/N)	Yes	Character	1
CMS_HCHE_9_QI	CMS HCHE Measure attestation 9	Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities (Y/N)	Yes	Character	1
CMS_HCHE_10_Rev_Plan	CMS HCHE Measure attestation 10	Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity (Y/N)	Yes	Character	1
CMS_HCHE_11_Rev_KPI	CMS HCHE Measure attestation 11	Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews key performance indicators stratified by demographic and/or social factors (Y/N)	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
SDoH_screen_num	CMS SDOH Screened numerator	Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN	Yes	Numeric	9
SDoH_den	CMS SDOH denominator	Number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission	Yes	Numeric	9
SDOH_Screen_Rate	CMS SDOH screen rate	The percent of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HSRN, and who screen positive for one or more of the following five HRSNs: Food insecurity, housing instability, transportation problems, utility difficulties, or interpersonal safety	Yes	Decimal	3,1
SDOH_Food_Positive	CMS Screening for Social Drivers of Health (SDOH) Food Insecurity numerator	Number of patients screened positive for food insecurity	Yes	Numeric	9
SDOH_Food_Positive_Rate	CMS SDOH Food Positive Rate	SDOH_Food_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Food_Intervention	CMS SDOH Food Insecurity Intervention	Number of interventions provided for Food Insecurity	Yes	Numeric	9
SDOH_Food_Intervention_Rate	CMS SDOH Food Insecurity Intervention Rate	SDOH_Food_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Housing_Positive	CMS SDOH Housing Instability numerator	Number of patients screened positive for housing instability		Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SDOH_Housing_Positive_Rate	CMS SDOH Housing Positive Rate	SDOH_Housing_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Housing_Intervention	CMS SDOH Housing Intervention	Number of interventions provided for housing instability	Yes	Numeric	9
SDOH_Housing_Intervention_Rate	CMS SDOH Housing Intervention Rate	SDOH_Housing_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Trans_Positive	CMS SDOH Transportation Problems numerator	Number of patients screened positive for transportation problems	Yes	Numeric	9
SDOH_Trans_Positive_Rate	CMS SDOH Transportation Problems Positive Rate	SDOH_Trans_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Trans_Intervention	CMS SDOH Transportation Problems Intervention	Number of interventions provided for transportation problems	Yes	Numeric	9
SDOH_Trans_Intervention_Rate	CMS SDOH Transportation Problems Intervention Rate	SDOH_Trans_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_Utility_Positive	CMS SDOH Utility Difficulties numerator	Number of patients screened positive for utility difficulties	Yes	Numeric	9
SDOH_Utility_Positive_Rate	CMS SDOH Utility Difficulties Positive Rate	SDOH_Utility_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SDOH_UTILITY_Intervention	CMS SDOH Utility Difficulties Intervention	Number of interventions provided for utility difficulties	Yes	Numeric	9
SDOH_UTILITY_Intervention_Rate	CMS SDOH Utility Difficulties Intervention Rate	SDOH_UTILITY_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_SAFETY_Positive	CMS SDOH Interpersonal Safety numerator	Number of patients screened positive for interpersonal safety	Yes	Numeric	9
SDOH_SAFETY_Positive_Rate	CMS SDOH Interpersonal Safety Positive Rate	SDOH_SAFETY_Positive divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
SDOH_SAFETY_Intervention	CMS SDOH Interpersonal Safety Intervention	Number of interventions provided for interpersonal safety	Yes	Numeric	9
SDOH_SAFETY_Intervention_Rate	CMS SDOH Interpersonal Safety Intervention Rate	SDOH_SAFETY_Intervention divided by SDOH_screen_num multiplied by 100	Yes	Decimal	3,1
HCAHPS_Recom_19_Y	HCAHPS question 19 "Yes" responses	Total number of respondents who replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total	HCAHPS question 19 total responses	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_Percent	HCAHPS question 19 percent of "Yes" responses	The percent of respondents who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_totalsurveyed	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_response rate	HCAHPS question 19 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_AIAN	HCAHPS question 19 "Yes" responses where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents whose race and/or ethnicity is American Indian or Alaskan Native and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_AIAN	HCAHPS question 19 total responses where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_AIAN	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is American Indian	The percent of respondents whose race and/or ethnicity is American Indian or Alaskan Native who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	or Alaskan Native				
HCAHPS_Recom_19_totalsurveyed_Race_AIAN	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_AIAN	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Asian	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Asian	Total number of respondents whose race and/or ethnicity is Asian and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Asian	HCAHPS question 19 total responses where race and/or ethnicity is Asian	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Race_Asian	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Asian	The percent of respondents whose race and/or ethnicity is Asian who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Asian	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Asian	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Asian	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Asian	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Asian	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Asian	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Black	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Black or African American	Total number of respondents whose race and/or ethnicity is Black or African American and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Black	HCAHPS question 19 total responses where race and/or ethnicity is Black	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	or African American				
HCAHPS_Recom_19_Percent_Race_BlK	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Black or African American	The percent of respondents whose race and/or ethnicity is Black or African American who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_BlK	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Black or African American	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Race_BlK	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Black or African American	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Hisp	HCAHPS question 19 "Yes" responses where race and/or ethnicity	Total number of respondents whose race and/or ethnicity is Hispanic or Latino and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino				
HCAHPS_Recom_19_total_Race_Hisp	HCAHPS question 19 total responses where race and/or ethnicity is Hispanic or Latino	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_Hisp	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Hispanic or Latino	The percent of respondents whose race and/or ethnicity is Hispanic or Latino who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Hisp	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Hispanic or Latino	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Hisp	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino				
HCAHPS_Recom_19_Y_Race_MENA	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents whose race and/or ethnicity is Middle Eastern or North African and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_MENA	HCAHPS question 19 total responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_MENA	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Middle Eastern or North African	The percent of respondents whose race and/or ethnicity is Middle Eastern or North African who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_MENA	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Middle Eastern or North African	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Race_MENA	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Middle Eastern or North African	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_NHPI	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_NHPI	HCAHPS question 19 total responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Race_NHPI	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Native Hawaiian	The percent of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	or Other Pacific Islander				
HCAHPS_Recom_19_totalsurveyed_Race_NHPI	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_NHPI	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Multi	HCAHPS question 19 "Yes" responses where race and/or ethnicity is Multi-racial	Total number of respondents whose race and/or ethnicity is Multi-racial and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Multi	HCAHPS question 19 total responses where race and/or	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Multi-racial				
HCAHPS_Recom_19_Percent_Race_Multi	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is Multi-racial	The percent of respondents whose race and/or ethnicity is Multi-racial who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Multi	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is Multi-racial	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Multi	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is Multi-racial	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Race_Wht	HCAHPS question 19 "Yes" responses where race and/or ethnicity is White	Total number of respondents whose race and/or ethnicity is White and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Race_Wht	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is White	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is White				
HCAHPS_Recom_19_Percent_Race_Wh	HCAHPS question 19 percent of "Yes" responses where race and/or ethnicity is White	The percent of respondents whose race and/or ethnicity is White who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Race_Wh	HCAHPS question 19 total number of people surveyed where race and/or ethnicity is White	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is White	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Race_Wh	HCAHPS question 19 response rate for people surveyed where race and/or ethnicity is White	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose race and/or ethnicity is White	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_<18	HCAHPS question 19 "Yes" responses where age is younger than 18 years	Total number of respondents whose age is younger than 18 years and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_<18	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is younger than 18 years	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is younger than 18 years				
HCAHPS_Recom_19_Percent_Age_<18	HCAHPS question 19 percent of "Yes" responses where age is younger than 18 years	The percent of respondents whose age is younger than 18 years who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Age_<18	HCAHPS question 19 total number of people surveyed where age is younger than 18 years	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is younger than 18 years	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Age_<18	HCAHPS question 19 response rate for people surveyed where age is younger than 18 years	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is younger than 18 years	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_18_34	HCAHPS question 19 "Yes" responses where age is 18 to 34 years old	Total number of respondents whose age is 18 to 34 years old and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_18_34	HCAHPS question 19 total responses where age is 18 to 34 years old	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 18 to 34 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Age_18_34	HCAHPS question 19 percent of "Yes" responses where age is 18 to 34 years old	The percent of respondents whose age is 18 to 34 years old who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Age_18_34	HCAHPS question 19 total number of people surveyed where age is 18 to 34 years old	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 18 to 34 years old	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Age_18_34	HCAHPS question 19 response rate for people surveyed where age is 18 to 34 years old	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 18 to 34 years old	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_35_49	HCAHPS question 19 "Yes" responses where age is 35 to 49 years old	Total number of respondents whose age is 35 to 49 years old and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_35_49	HCAHPS question 19 total responses where age is 35 to 49 years old	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 35 to 49 years old	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Age_35_49	HCAHPS question 19 percent of "Yes" responses where	The percent of respondents whose age is 35 to 49 years old who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	age is 35 to 49 years old				
HCAHPS_Recom_19_totalsurveyed_Age_35_49	HCAHPS question 19 total number of people surveyed where age is 35 to 49 years old	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 35 to 49 years old	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Age_35_49	HCAHPS question 19 response rate for people surveyed where age is 35 to 49 years old	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 35 to 49 years old	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_50_64	HCAHPS question 19 "Yes" responses where age is 50 to 64 years old	Total number of respondents whose age is 50 to 64 years old and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_50_64	HCAHPS question 19 total responses where age is 50 to 64 years old	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 50 to 64 years old	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Age_50_64	HCAHPS question 19 percent of "Yes" responses where age is 50 to 64 years old	The percent of respondents whose age is 50 to 64 years old who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_totalsurveyed_Age_50_64	HCAHPS question 19 total number of people surveyed where age is 50 to 64 years old	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 50 to 64 years old	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Age_50_64	HCAHPS question 19 response rate for people surveyed where age is 50 to 64 years old	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 50 to 64 years old	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Age_>65	HCAHPS question 19 "Yes" responses where age is 65 years or older	Total number of respondents whose age is 65 years or older and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Age_>65	HCAHPS question 19 total responses where age is 65 years or older	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 65 years or older	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Age_>65	HCAHPS question 19 percent of "Yes" responses where age is 65 years or older	The percent of respondents whose age is 65 years or older who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Age_>65	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose age is 65 years or older	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 65 years or older				
HCAHPS_Recom_19_response_rate_Age_>65	HCAHPS question 19 response rate for people surveyed where age is 65 years or older	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose age is 65 years or older	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Sex_F	HCAHPS question 19 "Yes" responses where sex assigned at birth is Female	Total number of respondents whose sex assigned at birth is Female and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Sex_F	HCAHPS question 19 total responses where sex assigned at birth is Female	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Female	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Sex_F	HCAHPS question 19 percent of "Yes" responses where sex assigned at birth is female	The percent of respondents whose sex assigned at birth is Female who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Sex_F	HCAHPS question 19 total number of people surveyed where sex assigned at birth is female	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Sex_F	HCAHPS question 19 response rate for people surveyed where sex assigned at birth is female	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Female	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Sex_M	HCAHPS question 19 "Yes" responses where sex assigned at birth is Male	Total number of respondents whose sex assigned at birth is Male and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Sex_M	HCAHPS question 19 total responses where sex assigned at birth is Male	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Male	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Sex_M	HCAHPS question 19 percent of "Yes" responses where sex assigned at birth is male	The percent of respondents whose sex assigned at birth is Male who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Sex_M	HCAHPS question 19 total number of people surveyed where sex assigned at birth is male	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Sex_M	HCAHPS question 19 response rate for people surveyed where sex assigned at birth is male	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Male	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Sex_Unk	HCAHPS question 19 "Yes" responses where sex assigned at birth is Unknown	Total number of respondents whose sex assigned at birth is Unknown and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Sex_Unk	HCAHPS question 19 total responses where sex assigned at birth is Unknown	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Unknown	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Sex_Unk	HCAHPS question 19 percent of "Yes" responses where sex assigned at birth is unknown	The percent of respondents whose sex assigned at birth is Unknown who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Sex_Unk	HCAHPS question 19 total number of people surveyed where sex assigned at birth is unknown	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Sex_Unk	HCAHPS question 19 response rate for people surveyed where sex assigned at birth is unknown	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sex assigned at birth is Unknown	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Payer_Medicare	HCAHPS question 19 "Yes" responses where payer type is Medicare	Total number of respondents whose payer type is Medicare and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Payer_Medicare	HCAHPS question 19 total responses where payer type is Medicare	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Medicare	HCAHPS question 19 percent of "Yes" responses where payer type is Medicare	The percent of respondents whose payer type is Medicare who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Medicare	HCAHPS question 19 total number of people surveyed where payer type is Medicare	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Recom_19_response	HCAHPS question 19 response rate for	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
rate_Payer_Medicare	people surveyed where payer type is Medicare				
HCAHPS_Recom_19_Y_Payer_Medicaid	HCAHPS question 19 "Yes" responses where payer type is Medicaid	Total number of respondents whose payer type is Medicaid and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Payer_Medicaid	HCAHPS question 19 total responses where payer type is Medicaid	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Medicaid	HCAHPS question 19 percent of "Yes" responses where payer type is Medicaid	The percent of respondents whose payer type is Medicaid who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Medicaid	HCAHPS question 19 total number of people surveyed where payer type is Medicaid	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Payer_Medicaid	HCAHPS question 19 response rate for people surveyed where payer type is Medicaid	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Medicaid	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_Payer_Private	HCAHPS question 19 "Yes" responses where payer type is Private	Total number of respondents whose payer type is Private and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Payer_Private	HCAHPS question 19 total responses where payer type is Private	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Private	HCAHPS question 19 percent of "Yes" responses where payer type is Private	The percent of respondents whose payer type is Private who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Private	HCAHPS question 19 total number of people surveyed where payer type is Private	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Payer_Private	HCAHPS question 19 response rate for people surveyed where payer type is Private	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Private	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Payer_Self	HCAHPS question 19 "Yes" responses where payer type	Total number of respondents whose payer type is Self Pay/Uninsured and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Self Pay/Uninsured				
HCAHPS_Recom_19_total_Payer_Self	HCAHPS question 19 total responses where payer type is Self Pay/Uninsured	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Self	HCAHPS question 19 percent of "Yes" responses where payer type is Self Pay	The percent of respondents whose payer type is Self Pay/Uninsured who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Self	HCAHPS question 19 total number of people surveyed where payer type is Self Pay	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Payer_Self	HCAHPS question 19 response rate for people surveyed where payer type is Self Pay	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Payer_Oth	HCAHPS question 19 "Yes" responses where payer type is Other/Unknown	Total number of respondents whose payer type is Other/Unknown and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_Payer_Oth	HCAHPS question 19 total responses where payer type is Other/Unknown	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Other/Unknown	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Payer_Oth	HCAHPS question 19 percent of "Yes" responses where payer type is Other	The percent of respondents whose payer type is Other/Unknown who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Payer_Oth	HCAHPS question 19 total number of people surveyed where payer type is Other	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose payer type is Other/Unknown	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Payer_Oth	HCAHPS question 19 response rate for people surveyed where payer type is Other	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose payer type is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_AS	HCAHPS question 19 "Yes" responses where preferred language is American Sign Language	Total number of respondents whose preferred language is American Sign Language and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_Lang_ASL	HCAHPS question 19 total responses where preferred language is American Sign Language	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is American Sign Language	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_ASL	HCAHPS question 19 percent of "Yes" responses where preferred language is American Sign Language	The percent of respondents whose preferred language is American Sign Language who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_ASL	HCAHPS question 19 total number of people surveyed where preferred language is American Sign Language	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is American Sign Language	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Lang_ASL	HCAHPS question 19 response rate for people surveyed where preferred language is American Sign Language	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is American Sign Language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_Lang_Eng	HCAHPS question 19 "Yes" responses where preferred language is English	Total number of respondents whose preferred language is English and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_Eng	HCAHPS question 19 total responses where preferred language is English	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_Eng	HCAHPS question 19 percent of "Yes" responses where preferred language is English	The percent of respondents whose preferred language is English who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_Eng	HCAHPS question 19 total number of people surveyed where preferred language is English	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Lang_Eng	HCAHPS question 19 response rate for people surveyed where preferred	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is English	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is English				
HCAHPS_Recom_19_Y_Lang_API	HCAHPS question 19 "Yes" responses where preferred language is an Asian/Pacific Islander language	Total number of respondents whose preferred language is an Asian/Pacific Islander language and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_API	HCAHPS question 19 total responses where preferred language is an Asian/Pacific Islander language	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_API	HCAHPS question 19 percent of "Yes" responses where preferred language is an Asian/Pacific Islander language	The percent of respondents whose preferred language is an Asian/Pacific Islander language who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_API	HCAHPS question 19 total number of people surveyed where preferred	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is an Asian/Pacific Islander language				
HCAHPS_Recom_19_response_rate_Lang_API	HCAHPS question 19 response rate for people surveyed where preferred language is an Asian/Pacific Islander language	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_ME	HCAHPS question 19 "Yes" responses where preferred language is Middle Eastern languages	Total number of respondents whose preferred language is Middle Eastern languages and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_ME	HCAHPS question 19 total responses where preferred language is Middle Eastern languages	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Middle Eastern languages	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Lang_ME	HCAHPS question 19 percent of "Yes" responses where preferred	The percent of respondents whose preferred language is Middle Eastern languages who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is an Middle Eastern language				
HCAHPS_Recom_19_totalsurveyed_Lang_ME	HCAHPS question 19 total number of people surveyed where preferred language is an Middle Eastern language	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Middle Eastern languages	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Lang_ME	HCAHPS question 19 response rate for people surveyed where preferred language is an Middle Eastern language	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_Span	HCAHPS question 19 "Yes" responses where preferred language is Spanish	Total number of respondents whose preferred language is Spanish and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_Span	HCAHPS question 19 total responses where preferred language is Spanish	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Lang_Span	HCAHPS question 19 percent of "Yes" responses where preferred language is Spanish	The percent of respondents whose preferred language is Spanish who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_Span	HCAHPS question 19 total number of people surveyed where preferred language is Spanish	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Spanish	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Lang_Span	HCAHPS question 19 response rate for people surveyed where preferred language is Spanish	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is Spanish	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Lang_Oth	HCAHPS question 19 "Yes" responses where preferred language is Other/Unknown	Total number of respondents whose preferred language is Other/Unknown and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Lang_Oth	HCAHPS question 19 total responses where preferred	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
HCAHPS_Recom_19_Percent_Lang_Oth	HCAHPS question 19 percent of "Yes" responses where preferred language is Other	The percent of respondents whose preferred language is Other/Unknown who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Lang_Oth	HCAHPS question 19 total number of people surveyed where preferred language is Other	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose preferred language is Other/Unknown	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Lang_Oth	HCAHPS question 19 response rate for people surveyed where preferred language is Other	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose preferred language is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_none	HCAHPS question 19 "Yes" responses where disability status is: does not have a disability	Total number of respondents whose disability status is: does not have a disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_Disability_none	HCAHPS question 19 total responses where disability status is: does not have a disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_none	HCAHPS question 19 percent of "Yes" responses where disability status is does not have a disability	The percent of respondents whose disability status is: does not have a disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_none	HCAHPS question 19 total number of people surveyed where disability status is does not have a disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Disability_none	HCAHPS question 19 response rate for people surveyed where disability status is does not have a disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: does not have a disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Mobile	HCAHPS question 19 "Yes" responses	Total number of respondents whose disability status is: has a mobility disability and replied probably yes or	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where disability status is: has a mobility disability	definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "			
HCAHPS_Recom_19_total_Disability_Mobile	HCAHPS question 19 total responses where disability status is: has a mobility disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a mobility disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Mobile	HCAHPS question 19 percent of "Yes" responses where disability status is has a mobility disability	The percent of respondents whose disability status is: has a mobility disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Mobile	HCAHPS question 19 total number of people surveyed where disability status is has a mobility disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a mobility disability	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_Disability_Mobile	HCAHPS question 19 response rate for people surveyed where disability status is has a	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a mobility disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	mobility disability				
HCAHPS_Recom_19_Y_Disability_Cog	HCAHPS question 19 "Yes" responses where disability status is: has a cognition disability	Total number of respondents whose disability status is: has a cognition disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Cog	HCAHPS question 19 total responses where disability status is: has a cognition disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a cognition disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Cog	HCAHPS question 19 percent of "Yes" responses where disability status is has a cognitive disability	The percent of respondents whose disability status is: has a cognition disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Cog	HCAHPS question 19 total number of people surveyed where disability status is has a cognitive disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_Disability_Cog	HCAHPS question 19 response rate for people surveyed where disability status is has a cognitive disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a cognition disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Hear	HCAHPS question 19 "Yes" responses where disability status is: has a hearing disability	Total number of respondents whose disability status is: has a hearing disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Hear	HCAHPS question 19 total responses where disability status is: has a hearing disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a hearing disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Hear	HCAHPS question 19 percent of "Yes" responses where disability status is has a hearing disability	The percent of respondents whose disability status is: has a hearing disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Hear	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a hearing disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where disability status is has a hearing disability				
HCAHPS_Recom_19_response_rate_Disability_Hear	HCAHPS question 19 response rate for people surveyed where disability status is has a hearing disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a hearing disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Vis	HCAHPS question 19 "Yes" responses where disability status is: has a vision disability	Total number of respondents whose disability status is: has a vision disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Vis	HCAHPS question 19 total responses where disability status is: has a vision disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Vis	HCAHPS question 19 percent of "Yes" responses where disability status is has a vision disability	The percent of respondents whose disability status is: has a vision disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_totalsurveyed_Disability_Vis	HCAHPS question 19 total number of people surveyed where disability status is has a vision disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Disability_Vis	HCAHPS question 19 response rate for people surveyed where disability status is has a vision disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a vision disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Self	HCAHPS question 19 "Yes" responses where disability status is: has a self-care disability	Total number of respondents whose disability status is: has a self-care disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Self	HCAHPS question 19 total responses where disability status is: has a self-care disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a self-care disability	Yes	Numeric	9
HCAHPS_Recom_19_Percent_Disability_Self	HCAHPS question 19 percent of "Yes" responses where disability status	The percent of respondents whose disability status is: has a self-care disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is has a self-care disability				
HCAHPS_Recom_19_totalsurveyed_Disability_Self	HCAHPS question 19 total number of people surveyed where disability status is has a self-care disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has a self-care disability	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Disability_Self	HCAHPS question 19 response rate for people surveyed where disability status is has a self-care disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has a self-care disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_Disability_Ind	HCAHPS question 19 "Yes" responses where disability status is: has an independent living disability	Total number of respondents whose disability status is: has an independent living disability and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_Disability_Ind	HCAHPS question 19 total responses where disability status is: has an independent living disability	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Percent_Disability_Ind	HCAHPS question 19 percent of "Yes" responses where disability status is has a independent living disability	The percent of respondents whose disability status is: has an independent living disability who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_Disability_Ind	HCAHPS question 19 total number of people surveyed where disability status is has a independent living disability	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose disability status is: has an independent living disability	Yes	Numeric	9
HCAHPS_Recom_19_response rate_Disability_Ind	HCAHPS question 19 response rate for people surveyed where disability status is has a independent living disability	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose disability status is: has an independent living disability	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_SameSex	HCAHPS question 19 "Yes" responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents whose sexual orientation is lesbian, gay or homosexual and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_total_SO_SameSex	HCAHPS question 19 total responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_SameSex	HCAHPS question 19 percent of "Yes" responses where sexual orientation is lesbian, gay or homosexual	The percent of respondents whose sexual orientation is lesbian, gay or homosexual who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_SameSex	HCAHPS question 19 total number of people surveyed where sexual orientation is lesbian, gay or homosexual	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
HCAHPS_Recom_19_response rate_SO_SameSex	HCAHPS question 19 response rate for people surveyed where sexual orientation is lesbian, gay or homosexual	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_SO_Hetero	HCAHPS question 19 "Yes" responses where sexual orientation is straight or heterosexual	Total number of respondents whose sexual orientation is straight or heterosexual and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_Hetero	HCAHPS question 19 total responses where sexual orientation is straight or heterosexual	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_Hetero	HCAHPS question 19 percent of "Yes" responses where sexual orientation is straight or heterosexual	The percent of respondents whose sexual orientation is straight or heterosexual who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_Hetero	HCAHPS question 19 total number of people surveyed where sexual orientation is straight or heterosexual	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_SO_Hetero	HCAHPS question 19 response rate for people surveyed where sexual orientation is straight or heterosexual	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_Bi	HCAHPS question 19 "Yes" responses where sexual orientation is bisexual	Total number of respondents whose sexual orientation is bisexual and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_Bi	HCAHPS question 19 total responses where sexual orientation is bisexual	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is bisexual	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_Bi	HCAHPS question 19 percent of "Yes" responses where sexual orientation is bisexual	The percent of respondents whose sexual orientation is bisexual who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_Bi	HCAHPS question 19 total number of people surveyed where sexual	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is bisexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is bisexual				
HCAHPS_Recom_19_response_rate_SO_Bi	HCAHPS question 19 response rate for people surveyed where sexual orientation is bisexual	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is bisexual	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_Else	HCAHPS question 19 "Yes" responses where sexual orientation is something else	Total number of respondents whose sexual orientation is something else and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_Else	HCAHPS question 19 total responses where sexual orientation is something else	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is something else	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_Else	HCAHPS question 19 percent of "Yes" responses where sexual orientation is something else	The percent of respondents whose sexual orientation is something else who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_Else	HCAHPS question 19 total number of people surveyed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is something else				
HCAHPS_Recom_19_response_rate_SO_Else	HCAHPS question 19 response rate for people surveyed where sexual orientation is something else	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is something else	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_DK	HCAHPS question 19 "Yes" responses where sexual orientation is don't know	Total number of respondents whose sexual orientation is don't know and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_DK	HCAHPS question 19 total responses where sexual orientation is don't know	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is don't know	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_DK	HCAHPS question 19 percent of "Yes" responses where sexual orientation is don't know	The percent of respondents whose sexual orientation is don't know who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_SO_DK	HCAHPS question 19 total number of	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where sexual orientation is don't know	friends and family? " whose sexual orientation is don't know			
HCAHPS_Recom_19_response_rate_SO_DK	HCAHPS question 19 response rate for people surveyed where sexual orientation is don't know	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is don't know	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_SO_NotDisc	HCAHPS question 19 "Yes" responses where sexual orientation is not disclosed	Total number of respondents whose sexual orientation is not disclosed and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_SO_NotDisc	HCAHPS question 19 total responses where sexual orientation is not disclosed	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose sexual orientation is not disclosed	Yes	Numeric	9
HCAHPS_Recom_19_Percent_SO_NotDisc	HCAHPS question 19 percent of "Yes" responses where sexual orientation is not disclosed	The percent of respondents whose sexual orientation is not disclosed who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurv	HCAHPS question 19 total	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
eyed_SO_NotDisc	number of people surveyed where sexual orientation is not disclosed	friends and family? " whose sexual orientation is not disclosed			
HCAHPS_Recom_19_response_rate_SO_NotDisc	HCAHPS question 19 response rate for people surveyed where sexual orientation is not disclosed	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose sexual orientation is not disclosed	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_F	HCAHPS question 19 "Yes" responses where gender identity is female	Total number of respondents whose gender identity is female and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_F	HCAHPS question 19 total responses where gender identity is female	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_F	HCAHPS question 19 percent of "Yes" responses where gender identity is female	The percent of respondents whose gender identity is female who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_F	HCAHPS question 19 total number of	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where gender identity is female				
HCAHPS_Recom_19_response_rate_GI_F	HCAHPS question 19 response rate for people surveyed where gender identity is female	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is female	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_F2M	HCAHPS question 19 "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_F2M	HCAHPS question 19 total responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_F2M	HCAHPS question 19 percent of "Yes" responses where gender identity is female-to-male	The percent of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	(FTM)/transgender male/trans man				
HCAHPS_Recom_19_totalsurveyed_GI_F2M	HCAHPS question 19 total number of people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_GI_F2M	HCAHPS question 19 response rate for people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_M	HCAHPS question 19 "Yes" responses where gender identity is male	Total number of respondents whose gender identity is male and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_M	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	gender identity is male				
HCAHPS_Recom_19_Percent_GI_M	HCAHPS question 19 percent of "Yes" responses where gender identity is male	The percent of respondents whose gender identity is male who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_M	HCAHPS question 19 total number of people surveyed where gender identity is male	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is male	Yes	Numeric	9
HCAHPS_Recom_19_response_rate_GI_M	HCAHPS question 19 response rate for people surveyed where gender identity is male	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is male	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_M2F	HCAHPS question 19 "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans woman	Total number of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_M2F	HCAHPS question 19 total responses where	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	gender identity is male-to-female (MTF)/transgender female/trans woman	and family? " whose gender identity is male-to-female (MTF)/transgender female/trans woman			
HCAHPS_Recom_19_Percent_GI_M2F	HCAHPS question 19 percent of "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans	The percent of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_M2F	HCAHPS question 19 total number of people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
HCAHPS_Recom_19_response rate_GI_M2F	HCAHPS question 19 response rate for people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_Y_GI_No nconf	HCAHPS question 19 "Yes" responses where gender identity is identifies as non- conforming gender	Total number of respondents whose gender identity is identifies as non-conforming gender and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_ Nonconf	HCAHPS question 19 total responses where gender identity is identifies as non- conforming gender	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Recom_19_Percent_ GI_Nonconf	HCAHPS question 19 percent of "Yes" responses where gender identity is non-conforming gender	The percent of respondents whose gender identity is identifies as non-conforming gender who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurv eyed_GI_Nonco nf	HCAHPS question 19 total number of people surveyed where gender identity is non- conforming gender	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Recom_19_response	HCAHPS question 19	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
rate_GI_Nonconf	response rate for people surveyed where gender identity is non-conforming gender	friends and family? " whose gender identity is identifies as non-conforming gender			
HCAHPS_Recom_19_Y_GI_Oth	HCAHPS question 19 "Yes" responses where gender identity is additional gender category or other	Total number of respondents whose gender identity is additional gender category or other and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_Oth	HCAHPS question 19 total responses where gender identity is additional gender category or other	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is additional gender category or other	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_Oth	HCAHPS question 19 percent of "Yes" responses where gender identity is other	The percent of respondents whose gender identity is additional gender category or other who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurveyed_GI_Oth	HCAHPS question 19 total number of people surveyed where gender identity is other	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is additional gender category or other	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Recom_19_response_rate_GI_Oth	HCAHPS question 19 response rate for people surveyed where gender identity is other	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your friends and family? " whose gender identity is additional gender category or other	Yes	Decimal	3,1
HCAHPS_Recom_19_Y_GI_No tDisc	HCAHPS question 19 "Yes" responses where gender identity is not disclosed	Total number of respondents whose gender identity is not disclosed and replied probably yes or definitely yes to HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Numeric	9
HCAHPS_Recom_19_total_GI_ NotDisc	HCAHPS question 19 total responses where gender identity is not disclosed	Total number of respondents to HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Recom_19_Percent_GI_NotDisc	HCAHPS question 19 percent of "Yes" responses where gender identity is not disclosed	The percent of respondents whose gender identity is not disclosed who responded "probably yes" or "definitely yes" to the HCAHPS question, "Would you recommend this hospital to your friends and family? "	Yes	Decimal	3,1
HCAHPS_Recom_19_totalsurv eyed_GI_NotDisc	HCAHPS question 19 total number of people surveyed where gender identity is not disclosed	The total number of people surveyed on the HCAHPS question, "Would you recommend this hospital to your friends and family? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Recom_19_response	HCAHPS question 19	The percent of people who responded to the HCAHPS survey, "Would you recommend this hospital to your	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
rate_GI_NotDisc	response rate for people surveyed where gender identity is not disclosed	friends and family? " whose gender identity is not disclosed			
HCAHPS_Info_17_Y	HCAHPS question 17 "Yes" responses	Total number of respondents who replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total	HCAHPS question 17 total responses	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_Percent	HCAHPS question 17 percent of "Yes" responses	The percent of respondents who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " Native	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_AIAN	HCAHPS question 17 "Yes" responses where race	Total number of respondents whose race and/or ethnicity is American Indian or Alaskan Native and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is American Indian or Alaskan Native	what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_Race_AIAN	HCAHPS question 17 total response where race and/or ethnicity is American Indian or Alaskan Native	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_AIAN	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is American Indian or Alaskan Native	The percent of respondents whose race and/or ethnicity is American Indian or Alaskan Native who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_AIAN	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_ResponseRate_Race_AIAN	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is American Indian or Alaskan Native	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Asian	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Asian	Total number of respondents whose race and/or ethnicity is Asian and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Asian	HCAHPS question 17 total response where race and/or ethnicity is Asian	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Asian	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_Asian	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Asian	The percent of respondents whose race and/or ethnicity is Asian who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_Asian	HCAHPS question 17 total number of people surveyed where race	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Asian				
HCAHPS_Info_17_ResponseRate_Race_Asian	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Asian	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Asian	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Black	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Black or African American	Total number of respondents whose race and/or ethnicity is Black or African American and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Black	HCAHPS question 17 total response where race and/or ethnicity is Black or African American	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_Black	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Black or African American	The percent of respondents whose race and/or ethnicity is Black or African American who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Race_Black	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Black or African American	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Black or African American	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Black	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Black or African American	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Hispanic	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Hispanic or Latino	Total number of respondents whose race and/or ethnicity is Hispanic or Latino and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Hispanic	HCAHPS question 17 total response where race and/or ethnicity is Hispanic or Latino	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Percent_Race_Hisp	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Hispanic or Latino	The percent of respondents whose race and/or ethnicity is Hispanic or Latino who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_Hisp	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Hispanic or Latino	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Hisp	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Hispanic or Latino	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_MENA	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Middle Eastern or North African	Total number of respondents whose race and/or ethnicity is Middle Eastern or North African and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Race_MENA	HCAHPS question 17 total response where race and/or ethnicity is Middle Eastern or North African	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_MENA	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Middle Eastern or North African	The percent of respondents whose race and/or ethnicity is Middle Eastern or North African who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_MENA	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Middle Eastern or North African	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_MENA	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Middle Eastern or North African	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_Race_NHPI	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_NHPI	HCAHPS question 17 total response where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_NHPI	HCAHPS question 17 percent of "Yes" responses where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of respondents whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Race_NHPI	HCAHPS question 17 total number of people surveyed where race and/or ethnicity	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Native Hawaiian or Other Pacific Islander				
HCAHPS_Info_17_ResponseRate_Race_NHPI	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_Multi	HCAHPS question 17 "Yes" responses where race and/or ethnicity is Multi-racial	Total number of respondents whose race and/or ethnicity is Multi-racial and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_Multi	HCAHPS question 17 total response where race and/or ethnicity is Multi-racial	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_Multi	HCAHPS question 17 percent of "Yes" responses where race and/or	The percent of respondents whose race and/or ethnicity is Multi-racial who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Multi-racial				
HCAHPS_Info_17_TotalSurveyed_Race_Multi	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is Multi-racial	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Multi-racial	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Multi	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is Multi-racial	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Race_White	HCAHPS question 17 "Yes" responses where race and/or ethnicity is White	Total number of respondents whose race and/or ethnicity is White and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Race_White	HCAHPS question 17 total response where race and/or ethnicity is White	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is White	Yes	Numeric	9
HCAHPS_Info_17_Percent_Race_White	HCAHPS question 17 percent of "Yes" responses where	The percent of respondents whose race and/or ethnicity is White who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is White				
HCAHPS_Info_17_TotalSurveyed_Race_Whit	HCAHPS question 17 total number of people surveyed where race and/or ethnicity is White	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is White	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Race_Whit	HCAHPS question 17 response rate for people surveyed where race and/or ethnicity is White	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose race and/or ethnicity is White	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_<18	HCAHPS question 17 "Yes" responses where age is younger than 18 years	Total number of respondents whose age is younger than 18 years and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_<18	HCAHPS question 17 total response where age is younger than 18 years	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is younger than 18 years	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_<18	HCAHPS question 17 percent of "Yes" responses where	The percent of respondents whose age is younger than 18 years who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	age is younger than 18 years				
HCAHPS_Info_17_TotalSurveyed_Age_<18	HCAHPS question 17 total number of people surveyed where age is younger than 18 years	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is younger than 18 years	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Age_<18	HCAHPS question 17 response rate for people surveyed where age is younger than 18 years	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is younger than 18 years	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_18_34	HCAHPS question 17 "Yes" responses where age is 18 to 34 years old	Total number of respondents whose age is 18 to 34 years old and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_18_34	HCAHPS question 17 total response where age is 18 to 34 years old	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 18 to 34 years old	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_18_34	HCAHPS question 17 percent of "Yes" responses where age is 18 to 34 years old	The percent of respondents whose age is 18 to 34 years old who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Age_18_34	HCAHPS question 17 total number of people surveyed where age is 18 to 34 years old	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 18 to 34 years old	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Age_18_34	HCAHPS question 17 response rate for people surveyed where age is 18 to 34 years old	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 18 to 34 years old	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_35_49	HCAHPS question 17 "Yes" responses where age is 35 to 49 years old	Total number of respondents whose age is 35 to 49 years old and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_35_49	HCAHPS question 17 total response where age is 35 to 49 years old	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 35 to 49 years old	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_35_49	HCAHPS question 17 percent of "Yes" responses where age is 35 to 49 years old	The percent of respondents whose age is 35 to 49 years old who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Age_35_49	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 35 to 49 years old	problems to look out for after you left the hospital? " whose age is 35 to 49 years old			
HCAHPS_Info_17_ResponseRate_Age_35_49	HCAHPS question 17 response rate for people surveyed where age is 35 to 49 years old	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 35 to 49 years old	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_50_64	HCAHPS question 17 "Yes" responses where age is 50 to 64 years old	Total number of respondents whose age is 50 to 64 years old and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_50_64	HCAHPS question 17 total response where age is 50 to 64 years old	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 50 to 64 years old	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_50_64	HCAHPS question 17 percent of "Yes" responses where age is 50 to 64 years old	The percent of respondents whose age is 50 to 64 years old who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Age_50_64	HCAHPS question 17 total number of people surveyed where age is 50 to 64 years old	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 50 to 64 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_ResponseRate_Age_50_64	HCAHPS question 17 response rate for people surveyed where age is 50 to 64 years old	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 50 to 64 years old	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Age_>65	HCAHPS question 17 "Yes" responses where age is 65 years or older	Total number of respondents whose age is 65 years or older and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Age_>65	HCAHPS question 17 total response where age is 65 years or older	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 65 years or older	Yes	Numeric	9
HCAHPS_Info_17_Percent_Age_>65	HCAHPS question 17 percent of "Yes" responses where age is 65 years or older	The percent of respondents whose age is 65 years or older who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Age_>65	HCAHPS question 17 total number of people surveyed where age is 65 years or older	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose age is 65 years or older	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Age_>65	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where age is 65 years or older	problems to look out for after you left the hospital? " whose age is 65 years or older			
HCAHPS_Info_17_Y_Sex_F	HCAHPS question 17 "Yes" responses where sex assigned at birth is Female	Total number of respondents whose sex assigned at birth is Female and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Sex_F	HCAHPS question 17 total response where sex assigned at birth is Female	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Female	Yes	Numeric	9
HCAHPS_Info_17_Percent_Sex_F	HCAHPS question 17 percent of "Yes" responses where sex assigned at birth is female	The percent of respondents whose sex assigned at birth is Female who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Sex_F	HCAHPS question 17 total number of people surveyed where sex assigned at birth is female	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Female	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Sex_F	HCAHPS question 17 response rate for people surveyed where sex	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Female	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is female				
HCAHPS_Info_17_Y_Sex_M	HCAHPS question 17 "Yes" responses where sex assigned at birth is Male	Total number of respondents whose sex assigned at birth is Male and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Sex_M	HCAHPS question 17 total response where sex assigned at birth is Male	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Male	Yes	Numeric	9
HCAHPS_Info_17_Percent_Sex_M	HCAHPS question 17 percent of "Yes" responses where sex assigned at birth is male	The percent of respondents whose sex assigned at birth is Male who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Sex_M	HCAHPS question 17 total number of people surveyed where sex assigned at birth is male	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Male	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Sex_M	HCAHPS question 17 response rate for people surveyed where sex	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Male	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is male				
HCAHPS_Info_17_Y_Sex_Unk	HCAHPS question 17 "Yes" responses where sex assigned at birth is Unknown	Total number of respondents whose sex assigned at birth is Unknown and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Sex_Unk	HCAHPS question 17 total response where sex assigned at birth is Unknown	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Unknown	Yes	Numeric	9
HCAHPS_Info_17_Percent_Sex_Unk	HCAHPS question 17 percent of "Yes" responses where sex assigned at birth is unknown	The percent of respondents whose sex assigned at birth is Unknown who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Sex_Unk	HCAHPS question 17 total number of people surveyed where sex assigned at birth is unknown	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Unknown	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Sex_Unk	HCAHPS question 17 response rate for people surveyed where sex	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sex assigned at birth is Unknown	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is unknown				
HCAHPS_Info_17_Y_Payer_Medicare	HCAHPS question 17 "Yes" responses where payer type is Medicare	Total number of respondents whose payer type is Medicare and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Payer_Medicare	HCAHPS question 17 total response where payer type is Medicare	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Medicare	HCAHPS question 17 percent of "Yes" responses where payer type is Medicare	The percent of respondents whose payer type is Medicare who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Medicare	HCAHPS question 17 total number of people surveyed where payer type is Medicare	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicare	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Medicare	HCAHPS question 17 response rate for people surveyed where payer type is Medicare	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_Payer_Medicaid	HCAHPS question 17 "Yes" responses where payer type is Medicaid	Total number of respondents whose payer type is Medicaid and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Payer_Medicaid	HCAHPS question 17 total response where payer type is Medicaid	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Medicaid	HCAHPS question 17 percent of "Yes" responses where payer type is Medicaid	The percent of respondents whose payer type is Medicaid who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Medicaid	HCAHPS question 17 total number of people surveyed where payer type is Medicaid	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicaid	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Medicaid	HCAHPS question 17 response rate for people surveyed where payer type is Medicaid	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Medicaid	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Payer_Private	HCAHPS question 17 "Yes" responses	Total number of respondents whose payer type is Private and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private	writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_Payer_Private	HCAHPS question 17 total response where payer type is Private	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Private	HCAHPS question 17 percent of "Yes" responses where payer type is Private	The percent of respondents whose payer type is Private who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Private	HCAHPS question 17 total number of people surveyed where payer type is Private	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Private	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Private	HCAHPS question 17 response rate for people surveyed where payer type is Private	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Private	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Payer_Self	HCAHPS question 17 "Yes" responses where payer type is Self Pay/Uninsured	Total number of respondents whose payer type is Self Pay/Uninsured and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Payer_Self	HCAHPS question 17 total response where payer type is Self Pay/Uninsured	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Info_17_Percent_Payer_Self	HCAHPS question 17 percent of "Yes" responses where payer type is Self Pay	The percent of respondents whose payer type is Self Pay/Uninsured who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Self	HCAHPS question 17 total number of people surveyed where payer type is Self Pay	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Self Pay/Uninsured	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Self	HCAHPS question 17 response rate for people surveyed where payer type is Self Pay	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Payer_Oth	HCAHPS question 17 "Yes" responses where payer type is Other/Unknown	Total number of respondents whose payer type is Other/Unknown and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Payer_Oth	HCAHPS question 17 total response where	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Other/Unknown	look out for after you left the hospital? " whose payer type is Other/Unknown			
HCAHPS_Info_17_Percent_Payer_Oth	HCAHPS question 17 percent of "Yes" responses where payer type is Other	The percent of respondents whose payer type is Other/Unknown who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Payer_Oth	HCAHPS question 17 total number of people surveyed where payer type is Other	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Other/Unknown	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Payer_Oth	HCAHPS question 17 response rate for people surveyed where payer type is Other	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose payer type is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_AS L	HCAHPS question 17 "Yes" responses where preferred language is American Sign Language	Total number of respondents whose preferred language is American Sign Language and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_AS L	HCAHPS question 17 total response where preferred language is	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is American Sign Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Sign Language				
HCAHPS_Info_17_Percent_Lang_ASL	HCAHPS question 17 percent of "Yes" responses where preferred language is American Sign Language	The percent of respondents whose preferred language is American Sign Language who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_ASL	HCAHPS question 17 total number of people surveyed where preferred language is American Sign Language	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is American Sign Language	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_ASL	HCAHPS question 17 response rate for people surveyed where preferred language is American Sign Language	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is American Sign Language	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_Eng	HCAHPS question 17 "Yes" responses where preferred language is English	Total number of respondents whose preferred language is English and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Lang_Eng	HCAHPS question 17 total response where preferred language is English	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_Eng	HCAHPS question 17 percent of "Yes" responses where preferred language is English	The percent of respondents whose preferred language is English who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_Eng	HCAHPS question 17 total number of people surveyed where preferred language is English	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is English	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_Eng	HCAHPS question 17 response rate for people surveyed where preferred language is English	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is English	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_API	HCAHPS question 17 "Yes" responses where preferred language is an	Total number of respondents whose preferred language is an Asian/Pacific Islander language and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Asian/Pacific Islander language	what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_Lang_API	HCAHPS question 17 total response where preferred language is an Asian/Pacific Islander language	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_API	HCAHPS question 17 percent of "Yes" responses where preferred language is an Asian/Pacific Islander language	The percent of respondents whose preferred language is an Asian/Pacific Islander language who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_API	HCAHPS question 17 total number of people surveyed where preferred language is an Asian/Pacific Islander language	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_API	HCAHPS question 17 response rate for	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where preferred language is an Asian/Pacific Islander language	problems to look out for after you left the hospital? " whose preferred language is an Asian/Pacific Islander language			
HCAHPS_Info_17_Y_Lang_ME	HCAHPS question 17 "Yes" responses where preferred language is Middle Eastern languages	Total number of respondents whose preferred language is Middle Eastern languages and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_ME	HCAHPS question 17 total response where preferred language is Middle Eastern languages	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Middle Eastern languages	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_ME	HCAHPS question 17 percent of "Yes" responses where preferred language is an Middle Eastern language	The percent of respondents whose preferred language is Middle Eastern languages who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Lang_ME	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where preferred language is an Middle Eastern language	problems to look out for after you left the hospital? " whose preferred language is Middle Eastern languages			
HCAHPS_Info_17_ResponseRate_Lang_ME	HCAHPS question 17 response rate for people surveyed where preferred language is an Middle Eastern language	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_Span	HCAHPS question 17 "Yes" responses where preferred language is Spanish	Total number of respondents whose preferred language is Spanish and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_Span	HCAHPS question 17 total response where preferred language is Spanish	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Spanish	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_Span	HCAHPS question 17 percent of "Yes" responses where preferred language is Spanish	The percent of respondents whose preferred language is Spanish who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Lang_Span	HCAHPS question 17 total number of people surveyed where preferred language is Spanish	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Spanish	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_Span	HCAHPS question 17 response rate for people surveyed where preferred language is Spanish	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Spanish	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Lang_Oth	HCAHPS question 17 "Yes" responses where preferred language is Other/Unknown	Total number of respondents whose preferred language is Other/Unknown and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Lang_Oth	HCAHPS question 17 total response where preferred language is Other/Unknown	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Other/Unknown	Yes	Numeric	9
HCAHPS_Info_17_Percent_Lang_Oth	HCAHPS question 17 percent of "Yes" responses where preferred	The percent of respondents whose preferred language is Other/Unknown who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is Other				
HCAHPS_Info_17_TotalSurveyed_Lang_Oth	HCAHPS question 17 total number of people surveyed where preferred language is Other	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Other/Unknown	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Lang_Oth	HCAHPS question 17 response rate for people surveyed where preferred language is Other	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose preferred language is Other/Unknown	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_none	HCAHPS question 17 "Yes" responses where disability status is: does not have a disability	Total number of respondents whose disability status is: does not have a disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_none	HCAHPS question 17 total response where disability status is: does not have a disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_none	HCAHPS question 17 percent of "Yes"	The percent of respondents whose disability status is: does not have a disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	responses where disability status is does not have a disability	get information in writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_TotalSurveyed_Disability_none	HCAHPS question 17 total number of people surveyed where disability status is does not have a disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: does not have a disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_none	HCAHPS question 17 response rate for people surveyed where disability status is does not have a disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: does not have a disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_Mobile	HCAHPS question 17 "Yes" responses where disability status is: has a mobility disability	Total number of respondents whose disability status is: has a mobility disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Mobile	HCAHPS question 17 total response where disability status	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a mobility disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has a mobility disability				
HCAHPS_Info_17_Percent_Disability_Mobile	HCAHPS question 17 percent of "Yes" responses where disability status is has a mobility disability	The percent of respondents whose disability status is: has a mobility disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Mobile	HCAHPS question 17 total number of people surveyed where disability status is has a mobility disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a mobility disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Mobile	HCAHPS question 17 response rate for people surveyed where disability status is has a mobility disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a mobility disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_Cog	HCAHPS question 17 "Yes" responses where disability status is: has a cognition disability	Total number of respondents whose disability status is: has a cognition disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_Disability_Cog	HCAHPS question 17 total response where disability status is: has a cognition disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a cognition disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Cog	HCAHPS question 17 percent of "Yes" responses where disability status is has a cognitive disability	The percent of respondents whose disability status is: has a cognition disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Cog	HCAHPS question 17 total number of people surveyed where disability status is has a cognitive disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a cognition disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Cog	HCAHPS question 17 response rate for people surveyed where disability status is has a cognitive disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a cognition disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_Disability_Hear	HCAHPS question 17 "Yes" responses where disability status is: has a hearing disability	Total number of respondents whose disability status is: has a hearing disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Hear	HCAHPS question 17 total response where disability status is: has a hearing disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a hearing disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Hear	HCAHPS question 17 percent of "Yes" responses where disability status is has a hearing disability	The percent of respondents whose disability status is: has a hearing disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Hear	HCAHPS question 17 total number of people surveyed where disability status is has a hearing disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a hearing disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Hear	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where disability status is has a hearing disability	problems to look out for after you left the hospital? " whose disability status is: has a hearing disability			
HCAHPS_Info_17_Y_Disability_Vis	HCAHPS question 17 "Yes" responses where disability status is: has a vision disability	Total number of respondents whose disability status is: has a vision disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Vis	HCAHPS question 17 total response where disability status is: has a vision disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Vis	HCAHPS question 17 percent of "Yes" responses where disability status is has a vision disability	The percent of respondents whose disability status is: has a vision disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_Disability_Vis	HCAHPS question 17 total number of people surveyed where disability status is has a vision disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a vision disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseR	HCAHPS question 17	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
ate_Disability_V is	response rate for people surveyed where disability status is has a vision disability	information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a vision disability			
HCAHPS_Info_ 17_Y_Disability _Self	HCAHPS question 17 "Yes" responses where disability status is: has a self-care disability	Total number of respondents whose disability status is: has a self-care disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_ 17_total_Disabili ty_Self	HCAHPS question 17 total response where disability status is: has a self- care disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a self-care disability	Yes	Numeric	9
HCAHPS_Info_ 17_Percent_Dis ability_Self	HCAHPS question 17 percent of "Yes" responses where disability status is has a self-care disability	The percent of respondents whose disability status is: has a self-care disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_ 17_TotalSurvey ed_Disability_S elf	HCAHPS question 17 total number of people surveyed where disability status is has a	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a self-care disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	self-care disability				
HCAHPS_Info_17_ResponseRate_Disability_Self	HCAHPS question 17 response rate for people surveyed where disability status is has a self-care disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has a self-care disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_Disability_Ind	HCAHPS question 17 "Yes" responses where disability status is: has an independent living disability	Total number of respondents whose disability status is: has an independent living disability and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_Disability_Ind	HCAHPS question 17 total response where disability status is: has an independent living disability	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has an independent living disability	Yes	Numeric	9
HCAHPS_Info_17_Percent_Disability_Ind	HCAHPS question 17 percent of "Yes" responses where disability status is has a independent living disability	The percent of respondents whose disability status is: has an independent living disability who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_Disability_Ind	HCAHPS question 17 total number of people surveyed where disability status is has a independent living disability	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has an independent living disability	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_Disability_Ind	HCAHPS question 17 response rate for people surveyed where disability status is has a independent living disability	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose disability status is: has an independent living disability	Yes	Decimal	3,1
HCAHPS_Info_17_Y_SO_SameSex	HCAHPS question 17 "Yes" responses where sexual orientation is lesbian, gay or homosexual	Total number of respondents whose sexual orientation is lesbian, gay or homosexual and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_SameSex	HCAHPS question 17 total response where sexual orientation is lesbian, gay or homosexual	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Percent_SO_SameSex	HCAHPS question 17 percent of "Yes" responses where sexual orientation is lesbian, gay or homosexual	The percent of respondents whose sexual orientation is lesbian, gay or homosexual who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_SameSex	HCAHPS question 17 total number of people surveyed where sexual orientation is lesbian, gay or homosexual	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_SameSex	HCAHPS question 17 response rate for people surveyed where sexual orientation is lesbian, gay or homosexual	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
HCAHPS_Info_17_Y_SO_Hetero	HCAHPS question 17 "Yes" responses where sexual orientation is straight or heterosexual	Total number of respondents whose sexual orientation is straight or heterosexual and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_SO_Hetero	HCAHPS question 17 total response where sexual orientation is straight or heterosexual	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_Hetero	HCAHPS question 17 percent of "Yes" responses where sexual orientation is straight or heterosexual	The percent of respondents whose sexual orientation is straight or heterosexual who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_Hetero	HCAHPS question 17 total number of people surveyed where sexual orientation is straight or heterosexual	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is straight or heterosexual	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_Hetero	HCAHPS question 17 response rate for people surveyed where sexual orientation is straight or heterosexual	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_Y_SO_Bi	HCAHPS question 17 "Yes" responses where sexual orientation is bisexual	Total number of respondents whose sexual orientation is bisexual and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_Bi	HCAHPS question 17 total response where sexual orientation is bisexual	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is bisexual	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_Bi	HCAHPS question 17 percent of "Yes" responses where sexual orientation is bisexual	The percent of respondents whose sexual orientation is bisexual who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_Bi	HCAHPS question 17 total number of people surveyed where sexual orientation is bisexual	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is bisexual	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_Bi	HCAHPS question 17 response rate for people surveyed where sexual	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is bisexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is bisexual				
HCAHPS_Info_17_Y_SO_Else	HCAHPS question 17 "Yes" responses where sexual orientation is something else	Total number of respondents whose sexual orientation is something else and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_Else	HCAHPS question 17 total response where sexual orientation is something else	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is something else	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_Else	HCAHPS question 17 percent of "Yes" responses where sexual orientation is something else	The percent of respondents whose sexual orientation is something else who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_Else	HCAHPS question 17 total number of people surveyed where sexual orientation is something else	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is something else	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_Else	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is something else	problems to look out for after you left the hospital? " whose sexual orientation is something else			
HCAHPS_Info_17_Y_SO_DK	HCAHPS question 17 "Yes" responses where sexual orientation is don't know	Total number of respondents whose sexual orientation is don't know and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_DK	HCAHPS question 17 total response where sexual orientation is don't know	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is don't know	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_DK	HCAHPS question 17 percent of "Yes" responses where sexual orientation is don't know	The percent of respondents whose sexual orientation is don't know who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_DK	HCAHPS question 17 total number of people surveyed where sexual orientation is don't know	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is don't know	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_SO_DK	HCAHPS question 17 response rate for	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	people surveyed where sexual orientation is don't know	problems to look out for after you left the hospital? " whose sexual orientation is don't know			
HCAHPS_Info_17_Y_SO_NotDisc	HCAHPS question 17 "Yes" responses where sexual orientation is not disclosed	Total number of respondents whose sexual orientation is not disclosed and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_SO_NotDisc	HCAHPS question 17 total response where sexual orientation is not disclosed	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_Percent_SO_NotDisc	HCAHPS question 17 percent of "Yes" responses where sexual orientation is not disclosed	The percent of respondents whose sexual orientation is not disclosed who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_SO_NotDisc	HCAHPS question 17 total number of people surveyed where sexual orientation is not disclosed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_ResponseR	HCAHPS question 17	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
ate_SO_NotDisc	response rate for people surveyed where sexual orientation is not disclosed	information in writing about what symptoms or health problems to look out for after you left the hospital? " whose sexual orientation is not disclosed			
HCAHPS_Info_17_Y_GI_F	HCAHPS question 17 "Yes" responses where gender identity is female	Total number of respondents whose gender identity is female and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_F	HCAHPS question 17 total response where gender identity is female	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_F	HCAHPS question 17 percent of "Yes" responses where gender identity is female	The percent of respondents whose gender identity is female who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_F	HCAHPS question 17 total number of people surveyed where gender identity is female	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_F	HCAHPS question 17 response rate for people surveyed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female	problems to look out for after you left the hospital? " whose gender identity is female			
HCAHPS_Info_17_Y_GI_F2M	HCAHPS question 17 "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_F2M	HCAHPS question 17 total response where gender identity is female-to-male (FTM)/transgender male/trans man	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_F2M	HCAHPS question 17 percent of "Yes" responses where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of respondents whose gender identity is female-to-male (FTM)/transgender male/trans man who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_F2M	HCAHPS question 17 total number of people surveyed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female-to-male (FTM)/transgender male/trans man	whose gender identity is female-to-male (FTM)/transgender male/trans man			
HCAHPS_Info_17_ResponseRate_GI_F2M	HCAHPS question 17 response rate for people surveyed where gender identity is female-to-male (FTM)/transgender male/trans man	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_M	HCAHPS question 17 "Yes" responses where gender identity is male	Total number of respondents whose gender identity is male and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_M	HCAHPS question 17 total response where gender identity is male	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_M	HCAHPS question 17 percent of "Yes" responses where gender identity is male	The percent of respondents whose gender identity is male who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_TotalSurveyed_GI_M	HCAHPS question 17 total number of people surveyed where gender identity is male	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_M	HCAHPS question 17 response rate for people surveyed where gender identity is male	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_M2F	HCAHPS question 17 "Yes" responses where gender identity is male-to-female (MTF)/transgender female/trans woman	Total number of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9
HCAHPS_Info_17_total_GI_M2F	HCAHPS question 17 total response where gender identity is male-to-female (MTF)/transgender female/trans woman	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_M2F	HCAHPS question 17 percent of "Yes"	The percent of respondents whose gender identity is male-to-female (MTF)/transgender female/trans woman who responded "yes" to the HCAHPS question,	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	responses where gender identity is male-to-female (MTF)/transgender female/trans	" During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_TotalSurveyed_GI_M2F	HCAHPS question 17 total number of people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_M2F	HCAHPS question 17 response rate for people surveyed where gender identity is male-to-female (MTF)/transgender female/trans	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_Nonconforming	HCAHPS question 17 "Yes" responses where gender identity is identifies as non-conforming gender	Total number of respondents whose gender identity is identifies as non-conforming gender and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
HCAHPS_Info_17_total_GI_No_nconf	HCAHPS question 17 total response where gender identity is identifies as non-conforming gender	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_Nonconf	HCAHPS question 17 percent of "Yes" responses where gender identity is non-conforming gender	The percent of respondents whose gender identity is identifies as non-conforming gender who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_Nonconf	HCAHPS question 17 total number of people surveyed where gender identity is non-conforming gender	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is identifies as non-conforming gender	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_Nonconf	HCAHPS question 17 response rate for people surveyed where gender identity is non-conforming gender	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_Oth	HCAHPS question 17	Total number of respondents whose gender identity is additional gender category or other and replied "yes" to	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	"Yes" responses where gender identity is additional gender category or other	HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_GI_Oth	HCAHPS question 17 total response where gender identity is additional gender category or other	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is additional gender category or other	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_Oth	HCAHPS question 17 percent of "Yes" responses where gender identity is other	The percent of respondents whose gender identity is additional gender category or other who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_Oth	HCAHPS question 17 total number of people surveyed where gender identity is other	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is additional gender category or other	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_Oth	HCAHPS question 17 response rate for people surveyed where gender identity is other	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is additional gender category or other	Yes	Decimal	3,1
HCAHPS_Info_17_Y_GI_NotDisc	HCAHPS question 17 "Yes" responses	Total number of respondents whose gender identity is not disclosed and replied "yes" to HCAHPS question, " During this hospital stay, did you get information in	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is not disclosed	writing about what symptoms or health problems to look out for after you left the hospital? "			
HCAHPS_Info_17_total_GI_NotDisc	HCAHPS question 17 total response where gender identity is not disclosed	Total number of respondents to HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_Percent_GI_NotDisc	HCAHPS question 17 percent of "Yes" responses where gender identity is not disclosed	The percent of respondents whose gender identity is not disclosed who responded "yes" to the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? "	Yes	Decimal	3,1
HCAHPS_Info_17_TotalSurveyed_GI_NotDisc	HCAHPS question 17 total number of people surveyed where gender identity is not disclosed	The total number of people surveyed on the HCAHPS question, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is not disclosed	Yes	Numeric	9
HCAHPS_Info_17_ResponseRate_GI_NotDisc	HCAHPS question 17 response rate for people surveyed where gender identity is not disclosed	The percent of people who responded to the HCAHPS survey, " During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital? " whose gender identity is not disclosed	Yes	Decimal	3,1
AHRQ_Pneumonia_num	AHRQ pneumonia numerator	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom	AHRQ pneumonia denominator	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission	Yes	Numeric	9
AHRQ_Pneumonia_rate	AHRQ pneumonia rate	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_AIAN	AHRQ pneumonia numerator where race and/or ethnicity is American Indian or Alaskan Native	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_AIAN	AHRQ pneumonia denominator where race and/or ethnicity is American Indian or Alaskan Native	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_AIAN	AHRQ pneumonia rate where race and/or ethnicity is American Indian or Alaskan Native	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Race_Asian	AHRQ pneumonia numerator where race and/or ethnicity is Asian	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Asian	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Asian	AHRQ pneumonia denominator where race and/or ethnicity is Asian	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Asian	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Asian	AHRQ pneumonia rate where race and/or ethnicity is Asian	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Asian	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Black	AHRQ pneumonia numerator where race and/or ethnicity is Black or African American	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Black or African American	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Black	AHRQ pneumonia denominator where race and/or ethnicity is Black or African American	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Black or African American	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Race_BlK	AHRQ pneumonia rate where race and/or ethnicity is Black or African American	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Black or African American	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Hisp	AHRQ pneumonia numerator where race and/or ethnicity is Hispanic or Latino	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Hisp	AHRQ pneumonia denominator where race and/or ethnicity is Hispanic or Latino	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Hispanic or Latino	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Hisp	AHRQ pneumonia rate where race and/or ethnicity is Hispanic or Latino	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Hispanic or Latino	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_MENA	AHRQ pneumonia numerator where race and/or ethnicity is	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern or North African				
AHRQ_Pneumonia_denom_Race_MENA	AHRQ pneumonia denominator where race and/or ethnicity is Middle Eastern or North African	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Middle Eastern or North African	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_MENA	AHRQ pneumonia rate where race and/or ethnicity is Middle Eastern or North African	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_NHPI	AHRQ pneumonia numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_NHPI	AHRQ pneumonia denominator where race and/or ethnicity is Native Hawaiian or	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Other Pacific Islander				
AHRQ_Pneumonia_rate_Race_NHPI	AHRQ pneumonia rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Multi	AHRQ pneumonia numerator where race and/or ethnicity is Multi-racial	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Multi-racial	Yes	Numeric	9
AHRQ_Pneumonia_denom_Race_Multi	AHRQ pneumonia denominator where race and/or ethnicity is Multi-racial	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Multi-racial	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Multi	AHRQ pneumonia rate where race and/or ethnicity is Multi-racial	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is Multi-racial	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Race_Wht	AHRQ pneumonia numerator where race and/or ethnicity is White	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is White	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Race_Wht	AHRQ pneumonia denominator where race and/or ethnicity is White	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is White	Yes	Numeric	9
AHRQ_Pneumonia_rate_Race_Wht	AHRQ pneumonia rate where race and/or ethnicity is White	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the race and/or ethnicity is White	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_<18	AHRQ pneumonia numerator where age is younger than 18 years	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is younger than 18 years	Yes	Numeric	9
AHRQ_Pneumonia_denom_Age_<18	AHRQ pneumonia denominator where age is younger than 18 years	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is younger than 18 years	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_<18	AHRQ pneumonia rate where age is younger than 18 years	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is younger than 18 years	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_18_34	AHRQ pneumonia numerator where age is 18 to 34 years old	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 18 to 34 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Age_18_34	AHRQ pneumonia denominator where age is 18 to 34 years old	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 18 to 34 years old	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_18_34	AHRQ pneumonia rate where age is 18 to 34 years old	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 18 to 34 years old	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_35_49	AHRQ pneumonia numerator where age is 35 to 49 years old	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 35 to 49 years old	Yes	Numeric	9
AHRQ_Pneumonia_denom_Age_35_49	AHRQ pneumonia denominator where age is 35 to 49 years old	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 35 to 49 years old	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_35_49	AHRQ pneumonia rate where age is 35 to 49 years old	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 35 to 49 years old	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_50_64	AHRQ pneumonia numerator where age is 50 to 64 years old	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 50 to 64 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Age_50_64	AHRQ pneumonia denominator where age is 50 to 64 years old	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 50 to 64 years old	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_50_64	AHRQ pneumonia rate where age is 50 to 64 years old	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 50 to 64 years old	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Age_>65	AHRQ pneumonia numerator where age is 65 years or older	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 65 years or older	Yes	Numeric	9
AHRQ_Pneumonia_denom_Age_>65	AHRQ pneumonia denominator where age is 65 years or older	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 65 years or older	Yes	Numeric	9
AHRQ_Pneumonia_rate_Age_>65	AHRQ pneumonia rate where age is 65 years or older	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the age is 65 years or older	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Sex_F	AHRQ pneumonia numerator where sex assigned at birth is Female	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Sex_F	AHRQ pneumonia denominator where sex assigned at birth is Female	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Female	Yes	Numeric	9
AHRQ_Pneumonia_rate_Sex_F	AHRQ pneumonia rate where sex assigned at birth is Female	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Female	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Sex_M	AHRQ pneumonia numerator where sex assigned at birth is Male	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Male	Yes	Numeric	9
AHRQ_Pneumonia_denom_Sex_M	AHRQ pneumonia denominator where sex assigned at birth is Male	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Male	Yes	Numeric	9
AHRQ_Pneumonia_rate_Sex_M	AHRQ pneumonia rate where sex assigned at birth is Male	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Male	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Sex_Oth	AHRQ pneumonia numerator where sex assigned at	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	birth is Other/Unknown				
AHRQ_Pneumonia_denom_Sex_Oth	AHRQ pneumonia denominator where sex assigned at birth is Other/Unknown	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Unknown	Yes	Numeric	9
AHRQ_Pneumonia_rate_Sex_Orth	AHRQ pneumonia rate where sex assigned at birth is Other/Unknown	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sex assigned at birth is Unknown	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Payer_Medicare	AHRQ pneumonia numerator where payer type is Medicare	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicare	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Medicare	AHRQ pneumonia denominator where payer type is Medicare	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicare	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Medicare	AHRQ pneumonia rate where payer type is Medicare	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicare	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Payer_Medicaid	AHRQ pneumonia numerator where payer type is Medicaid	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicaid	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Medicaid	AHRQ pneumonia denominator where payer type is Medicaid	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicaid	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Medicaid	AHRQ pneumonia rate where payer type is Medicaid	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Medicaid	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Payer_Private	AHRQ pneumonia numerator where payer type is Private	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Private	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Private	AHRQ pneumonia denominator where payer type is Private	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Private	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Private	AHRQ pneumonia rate where payer type is Private	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Private	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Payer_Self	AHRQ pneumonia numerator where payer type is Self Pay/Uninsured	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Self Pay/Uninsured	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Self	AHRQ pneumonia denominator where payer type is Self Pay/Uninsured	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Self Pay/Uninsured	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Self	AHRQ pneumonia rate where payer type is Self Pay/Uninsured	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Self Pay/Uninsured	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Payer_Oth	AHRQ pneumonia numerator where payer type is Other/Unknown	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_denom_Payer_Oth	AHRQ pneumonia denominator where payer type is Other/Unknown	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_rate_Payer_Oth	AHRQ pneumonia rate where payer type is Other/Unknown	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the payer type is Other/Unknown	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Lang_ASL	AHRQ pneumonia numerator where preferred language is American Sign Language	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is American Sign Language	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_ASL	AHRQ pneumonia denominator where preferred language is American Sign Language	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is American Sign Language	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_ASL	AHRQ pneumonia rate where preferred language is American Sign Language	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is American Sign Language	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_Eng	AHRQ pneumonia numerator where preferred language is English	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is English	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_Eng	AHRQ pneumonia denominator where preferred language is English	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Lang_Eng	AHRQ pneumonia rate where preferred language is English	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is English	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_API	AHRQ pneumonia numerator where preferred language is Asian/Pacific Islander languages	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_API	AHRQ pneumonia denominator where preferred language is Asian/Pacific Islander languages	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is an Asian/Pacific Islander language	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_API	AHRQ pneumonia rate where preferred language is Asian/Pacific Islander languages	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is an Asian/Pacific Islander language	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_ME	AHRQ pneumonia numerator where preferred	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Middle Eastern languages	admission where the preferred language is Middle Eastern languages			
AHRQ_Pneumonia_denom_Lang_ME	AHRQ pneumonia denominator where preferred language is Middle Eastern languages	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Middle Eastern languages	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_ME	AHRQ pneumonia rate where preferred language is Middle Eastern languages	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Middle Eastern languages	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Lang_Span	AHRQ pneumonia numerator where preferred language is Spanish	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Spanish	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_Span	AHRQ pneumonia denominator where preferred language is Spanish	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Spanish	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_Span	AHRQ pneumonia rate where preferred	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	language is Spanish	pneumonia present on admission where the preferred language is Spanish			
AHRQ_Pneumonia_num_Lang_Oth	AHRQ pneumonia numerator where preferred language is Other/Unknown	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_denom_Lang_Oth	AHRQ pneumonia denominator where preferred language is Other/Unknown	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Other/Unknown	Yes	Numeric	9
AHRQ_Pneumonia_rate_Lang_Oth	AHRQ pneumonia rate where preferred language is Other/Unknown	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the preferred language is Other/Unknown	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_none	AHRQ pneumonia numerator where disability status is: does not have a disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: does not have a disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_none	AHRQ pneumonia denominator where disability status is: does not have a disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: does not have a disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Disability_none	AHRQ pneumonia rate where disability status is: does not have a disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: does not have a disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Mobile	AHRQ pneumonia numerator where disability status is: has a mobility disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a mobility disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Mobile	AHRQ pneumonia denominator where disability status is: has a mobility disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a mobility disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Mobile	AHRQ pneumonia rate where disability status is: has a mobility disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a mobility disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Cog	AHRQ pneumonia numerator where disability status is: has a cognition disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_Disability_Cog	AHRQ pneumonia denominator where disability status is: has a cognition disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a cognition disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Cog	AHRQ pneumonia rate where disability status is: has a cognition disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a cognition disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Hear	AHRQ pneumonia numerator where disability status is: has a hearing disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a hearing disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Hear	AHRQ pneumonia denominator where disability status is: has a hearing disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a hearing disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Hear	AHRQ pneumonia rate where disability status is: has a hearing disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a hearing disability	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_Disability_Vis	AHRQ pneumonia numerator where disability status is: has a vision disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a vision disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Vis	AHRQ pneumonia denominator where disability status is: has a vision disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a vision disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Vis	AHRQ pneumonia rate where disability status is: has a vision disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a vision disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Self	AHRQ pneumonia numerator where disability status is: has a self-care disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a self-care disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Self	AHRQ pneumonia denominator where disability status is: has a self-care disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a self-care disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_Disability_Self	AHRQ pneumonia rate where disability status is: has a self-care disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has a self-care disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_Disability_Ind	AHRQ pneumonia numerator where disability status is: has an independent living disability	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has an independent living disability	Yes	Numeric	9
AHRQ_Pneumonia_denom_Disability_Ind	AHRQ pneumonia denominator where disability status is: has an independent living disability	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has an independent living disability	Yes	Numeric	9
AHRQ_Pneumonia_rate_Disability_Ind	AHRQ pneumonia rate where disability status is: has an independent living disability	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the disability status is: has an independent living disability	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_SameSex	AHRQ pneumonia numerator where sexual orientation is	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	lesbian, gay or homosexual				
AHRQ_Pneumonia_denom_SO_SameSex	AHRQ pneumonia denominator where sexual orientation is lesbian, gay or homosexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is lesbian, gay or homosexual	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_SameSex	AHRQ pneumonia rate where sexual orientation is lesbian, gay or homosexual	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is lesbian, gay or homosexual	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_Hetero	AHRQ pneumonia numerator where sexual orientation is straight or heterosexual	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is straight or heterosexual	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_Hetero	AHRQ pneumonia denominator where sexual orientation is straight or heterosexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is straight or heterosexual	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_Hetero	AHRQ pneumonia rate where sexual	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is straight or heterosexual	pneumonia present on admission where the sexual orientation is straight or heterosexual			
AHRQ_Pneumonia_num_SO_Bi	AHRQ pneumonia numerator where sexual orientation is bisexual	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is bisexual	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_Bi	AHRQ pneumonia denominator where sexual orientation is bisexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is bisexual	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_Bi	AHRQ pneumonia rate where sexual orientation is bisexual	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is bisexual	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_Else	AHRQ pneumonia numerator where sexual orientation is something else	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is something else	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_Else	AHRQ pneumonia denominator where sexual orientation is something else	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_rate_SO_Else	AHRQ pneumonia rate where sexual orientation is something else	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is something else	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_DK	AHRQ pneumonia numerator where sexual orientation is don't know	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is don't know	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_DK	AHRQ pneumonia denominator where sexual orientation is don't know	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is don't know	Yes	Numeric	9
AHRQ_Pneumonia_rate_SO_DK	AHRQ pneumonia rate where sexual orientation is don't know	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is don't know	Yes	Decimal	4,1
AHRQ_Pneumonia_num_SO_NotDisc	AHRQ pneumonia numerator where sexual orientation is not disclosed	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is not disclosed	Yes	Numeric	9
AHRQ_Pneumonia_denom_SO_NotDisc	AHRQ pneumonia denominator where sexual	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed	present on admission where the sexual orientation is not disclosed			
AHRQ_Pneumonia_rate_SO_NotDisc	AHRQ pneumonia rate where sexual orientation is not disclosed	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the sexual orientation is not disclosed	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_F	AHRQ pneumonia numerator where gender identity is female	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_F	AHRQ pneumonia denominator where gender identity is female	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_F	AHRQ pneumonia rate where gender identity is female	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_F2M	AHRQ pneumonia numerator where gender identity is female-to-male (FTM)/transgender male/trans man	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_GI_F2M	AHRQ pneumonia denominator where gender identity is female-to-male (FTM)/transgender male/trans man	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_F2M	AHRQ pneumonia rate where gender identity is female-to-male (FTM)/transgender male/trans man	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_M	AHRQ pneumonia numerator where gender identity is male	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_M	AHRQ pneumonia denominator where gender identity is male	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_M	AHRQ pneumonia rate where gender identity is male	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_num_GI_M2F	AHRQ pneumonia numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_M2F	AHRQ pneumonia denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_M2F	AHRQ pneumonia rate where gender identity is male-to-female (MTF)/transgender female/trans woman	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_Nonconf	AHRQ pneumonia numerator where gender identity is identifies as non-conforming gender	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is identifies as non-conforming gender	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
AHRQ_Pneumonia_denom_GI_Nonconf	AHRQ pneumonia denominator where gender identity is identifies as non-conforming gender	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is identifies as non-conforming gender	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_No nconf	AHRQ pneumonia rate where gender identity is identifies as non-conforming gender	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is identifies as non-conforming gender	Yes	Decimal	4,1
AHRQ_Pneumonia_num_GI_Oth	AHRQ pneumonia numerator where gender identity is additional gender category or other	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is additional gender category or other	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_Oth	AHRQ pneumonia denominator where gender identity is additional gender category or other	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is additional gender category or other	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_Oth	AHRQ pneumonia rate where gender identity is	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of	Yes	Decimal	4,1

Label	Data Element	Data Description	Required	Format	Size
	additional gender category or other	pneumonia present on admission where the gender identity is additional gender category or other			
AHRQ_Pneumonia_num_GI_No tDisc	AHRQ pneumonia numerator where gender identity is not disclosed	Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is not disclosed	Yes	Numeric	9
AHRQ_Pneumonia_denom_GI_NotDisc	AHRQ pneumonia denominator where gender identity is not disclosed	Number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is not disclosed	Yes	Numeric	9
AHRQ_Pneumonia_rate_GI_Not Disc	AHRQ pneumonia rate where gender identity is not disclosed	In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission where the gender identity is not disclosed	Yes	Decimal	4,1
Readmission_IP F_num	Readmission in an Inpatient Psychiatric Facility (IPF) numerator	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission	Yes	Numeric	9
Readmission_IP F_den	Readmission in an IPF denominator	The total number of patients who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate	Readmission in an IPF rate	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_num_Race_A IAN	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9
Readmission_IP F_den_Race_AI AN	Readmission in an IPF denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Race_AI AN	Readmission in an IPF rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
Readmission_IP F_num_Race_A sian	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is Asian	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_IPF_den_Race_Asian	Readmission in an IPF denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Race_Asian	Readmission in an IPF rate where race and/or ethnicity is Asian	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is Asian	Yes	Decimal	3,1
Readmission_IPF_num_Race_Black	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is Black or African American	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
Readmission_IPF_den_Race_Black	Readmission in an IPF denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Race_Black	Readmission in an IPF rate where race and/or ethnicity	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is Black or African American	facility whose race and/or ethnicity is Black or African American			
Readmission_IPF_num_Race_Hisp	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is Hispanic or Latino	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
Readmission_IPF_den_Race_Hisp	Readmission in an IPF denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Race_Hisp	Readmission in an IPF rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
Readmission_IPF_num_Race_MENA	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern or North African				
Readmission_IPF_den_Race_MENA	Readmission in an IPF denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Race_MENA	Readmission in an IPF rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
Readmission_IPF_num_Race_NHPI	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
Readmission_IPF_den_Race_NHPI	Readmission in an IPF denominator where race and/or ethnicity is Native	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Hawaiian or Other Pacific Islander				
Readmission_IPF_rate_Race_NHPI	Readmission in an IPF rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
Readmission_IPF_num_Race_Multi	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is Multi-racial	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
Readmission_IPF_den_Race_Multi	Readmission in an IPF denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Race_Multi	Readmission in an IPF rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_num_Race_ Wht	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where race and/or ethnicity is White	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the race and/or ethnicity of the patient is White	Yes	Numeric	9
Readmission_IP F_den_Race_W ht	Readmission in an IPF denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Race_W ht	Readmission in an IPF rate where race and/or ethnicity is White	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose race and/or ethnicity is White	Yes	Decimal	3,1
Readmission_IP F_num_Age_18 _34	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where age is 18 to 34 years old	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the age of the patient is 18 to 34 years old	Yes	Numeric	9
Readmission_IP F_den_Age_18 _34	Readmission in an IPF denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_rate_Age_18 _34	Readmission in an IPF rate where age is 18 to 34 years old	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose age is 18 to 34 years old	Yes	Decimal	3,1
Readmission_IP F_num_Age_35 _49	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where age is 35 to 49 years old	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the age of the patient is 35 to 49 years old	Yes	Numeric	9
Readmission_IP F_den_Age_35 _49	Readmission in an IPF denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Age_35 _49	Readmission in an IPF rate where age is 35 to 49 years old	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose age is 35 to 49 years old	Yes	Decimal	3,1
Readmission_IP F_num_Age_50 _64	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where age is 50 to 64 years old	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the age of the patient is 50 to 64 years old	Yes	Numeric	9
Readmission_IP F_den_Age_50 _64	Readmission in an IPF denominator	The total number of patients whose age is 50 to 64 years old and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 50 to 64 years old				
Readmission_IPF_rate_Age_50_64	Readmission in an IPF rate where age is 50 to 64 years old	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose age is 50 to 64 years old	Yes	Decimal	3,1
Readmission_IPF_num_Age_>65	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where age is 65 years or older	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the age of the patient is 65 years or older	Yes	Numeric	9
Readmission_IPF_den_Age_>65	Readmission in an IPF denominator where age is 65 years or older	The total number of patients whose age is 65 years or older and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Age_>65	Readmission in an IPF rate where age is 65 years or older	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose age is 65 years or older	Yes	Decimal	3,1
Readmission_IPF_num_Sex_F	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where sex assigned at birth is Female	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sex assigned at birth of the patient is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_den_Sex_F	Readmission in an IPF denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Sex_F	Readmission in an IPF rate where sex assigned at birth is Female	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sex assigned at birth is Female	Yes	Decimal	3,1
Readmission_IP F_num_Sex_M	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where sex assigned at birth is Male	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sex assigned at birth of the patient is Male	Yes	Numeric	9
Readmission_IP F_den_Sex_M	Readmission in an IPF denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Sex_M	Readmission in an IPF rate where sex assigned at birth is Male	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sex assigned at birth is Male	Yes	Decimal	3,1
Readmission_IP F_num_Sex_Unk	Readmission in an Inpatient Psychiatric	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Facility (IPF) numerator where sex assigned at birth is Unknown	eligible index admission and where the sex assigned at birth of the patient is Unknown			
Readmission_IPF_den_Sex_Unknown	Readmission in an IPF denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Sex_Unknown	Readmission in an IPF rate where sex assigned at birth is Unknown	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sex assigned at birth is Unknown	Yes	Decimal	3,1
Readmission_IPF_num_Payer_Medicare	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where payer type is Medicare	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the payer type for the patient is Medicare	Yes	Numeric	9
Readmission_IPF_den_Payer_Medicare	Readmission in an IPF denominator where payer type is Medicare	The total number of patients whose payer type is Medicare and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Payer_Medicare	Readmission in an IPF rate where payer type is Medicare	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose payer type is Medicare	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_num_Payer_ Medicaid	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where payer type is Medicaid	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the payer type for the patient is Medicaid	Yes	Numeric	9
Readmission_IP F_den_Payer_ Medicaid	Readmission in an IPF denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Payer_ Medicaid	Readmission in an IPF rate where payer type is Medicaid	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose payer type is Medicaid	Yes	Decimal	3,1
Readmission_IP F_num_Payer_ Private	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where payer type is Private	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the payer type for the patient is Private	Yes	Numeric	9
Readmission_IP F_den_Payer_P rivate	Readmission in an IPF denominator where payer type is Private	The total number of patients whose payer type is Private and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Payer_P rivate	Readmission in an IPF rate	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private	patients 18 years and older in an inpatient psychiatric facility whose payer type is Private			
Readmission_IPF_num_Payer_Self	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where payer type is Self Pay/Uninsured	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
Readmission_IPF_den_Payer_Self	Readmission in an IPF denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Payer_Self	Readmission in an IPF rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
Readmission_IPF_num_Payer_Oth	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where payer type is Other/Unknown	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the payer type for the patient is Other/Unknown	Yes	Numeric	9
Readmission_IPF_den_Payer_Oth	Readmission in an IPF denominator where payer type	The total number of patients whose payer type is Other/Unknown and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Other/Unknown				
Readmission_IP F_rate_Payer_ Oth	Readmission in an IPF rate where payer type is Other/Unknown	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose payer type is Other/Unknown	Yes	Decimal	3,1
Readmission_IP F_num_Lang_A SL	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where preferred language is American Sign Language	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the preferred language of the patient is American Sign Language	Yes	Numeric	9
Readmission_IP F_den_Lang_A SL	Readmission in an IPF denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Lang_A SL	Readmission in an IPF rate where preferred language is American Sign Language	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose preferred language is American Sign Language	Yes	Decimal	3,1
Readmission_IP F_num_Lang_E ng	Readmission in an Inpatient Psychiatric	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Facility (IPF) numerator where preferred language is English	eligible index admission and where the preferred language of the patient is English			
Readmission_IPF_den_Lang_Eng	Readmission in an IPF denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Lang_Eng	Readmission in an IPF rate where preferred language is English	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose preferred language is English	Yes	Decimal	3,1
Readmission_IPF_num_Lang_API	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where preferred language is an Asian/Pacific Islander language	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
Readmission_IPF_den_Lang_API	Readmission in an IPF denominator where preferred language is an Asian/Pacific	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Islander language				
Readmission_IPF_rate_Lang_API	Readmission in an IPF rate where preferred language is an Asian/Pacific Islander language	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
Readmission_IPF_num_Lang_ME	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where preferred language is Middle Eastern languages	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
Readmission_IPF_den_Lang_ME	Readmission in an IPF denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Lang_ME	Readmission in an IPF rate where preferred language is Middle Eastern languages	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose preferred language is Middle Eastern languages	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_num_Lang_S pan	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where preferred language is Spanish	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the preferred language of the patient is Spanish	Yes	Numeric	9
Readmission_IP F_den_Lang_S pan	Readmission in an IPF denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_Lang_S pan	Readmission in an IPF rate where preferred language is Spanish	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose preferred language is Spanish	Yes	Decimal	3,1
Readmission_IP F_num_Lang_O th	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where preferred language is Other/Unknown	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
Readmission_IP F_den_Lang_Ot h	Readmission in an IPF denominator where preferred	The total number of patients whose preferred language is Other/Unknown and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
Readmission_IPF_rate_Lang_Other	Readmission in an IPF rate where preferred language is Other/Unknown	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose preferred language is Other/Unknown	Yes	Decimal	3,1
Readmission_IPF_num_Disability_none	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where disability status is: does not have a disability	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the disability status of the patient is: does not have a disability	Yes	Numeric	9
Readmission_IPF_den_Disability_none	Readmission in an IPF denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Disability_none	Readmission in an IPF rate where disability status is: does not have a disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: does not have a disability	Yes	Decimal	3,1
Readmission_IPF_num_Disability_Mobile	Readmission in an Inpatient Psychiatric Facility (IPF)	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the disability status of the patient is: has a mobility disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where disability status is: has a mobility disability				
Readmission_IPF_den_Disability_Mobile	Readmission in an IPF denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Disability_Mobile	Readmission in an IPF rate where disability status is: has a mobility disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: has a mobility disability	Yes	Decimal	3,1
Readmission_IPF_num_Disability_Cog	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where disability status is: has a cognition disability	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
Readmission_IPF_den_Disability_Cog	Readmission in an IPF denominator where disability status is: has a	The total number of patients whose disability status is: has a cognition disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	cognition disability				
Readmission_IPF_rate_Disability_Cog	Readmission in an IPF rate where disability status is: has a cognition disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: has a cognition disability	Yes	Decimal	3,1
Readmission_IPF_num_Disability_Hear	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where disability status is: has a hearing disability	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
Readmission_IPF_den_Disability_Hear	Readmission in an IPF denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Disability_Hear	Readmission in an IPF rate where disability status is: has a hearing disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: has a hearing disability	Yes	Decimal	3,1
Readmission_IPF_num_Disability_Vis	Readmission in an Inpatient Psychiatric	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Facility (IPF) numerator where disability status is: has a vision disability	eligible index admission and where the disability status of the patient is: has a vision disability			
Readmission_IPF_den_Disability_Vis	Readmission in an IPF denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Disability_Vis	Readmission in an IPF rate where disability status is: has a vision disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: has a vision disability	Yes	Decimal	3,1
Readmission_IPF_num_Disability_Self	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where disability status is: has a self-care disability	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
Readmission_IPF_den_Disability_Self	Readmission in an IPF denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_IPF_rate_Disability_Self	Readmission in an IPF rate where disability status is: has a self-care disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: has a self-care disability	Yes	Decimal	3,1
Readmission_IPF_num_Disability_Ind	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where disability status is: has an independent living disability	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
Readmission_IPF_den_Disability_Ind	Readmission in an IPF denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_Disability_Ind	Readmission in an IPF rate where disability status is: has an independent living disability	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose disability status is: has an independent living disability	Yes	Decimal	3,1
Readmission_IPF_num_SO_SameSex	Readmission in an Inpatient Psychiatric Facility (IPF)	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where sexual orientation is lesbian, gay or homosexual	orientation of the patient is lesbian, gay or homosexual			
Readmission_IPF_den_SO_SameSex	Readmission in an IPF denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_SO_SameSex	Readmission in an IPF rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
Readmission_IPF_num_SO_Hetero	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where sexual orientation is straight or heterosexual	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9
Readmission_IPF_den_SO_Hetero	Readmission in an IPF denominator where sexual orientation is	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	straight or heterosexual				
Readmission_IPF_rate_SO_Hetero	Readmission in an IPF rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
Readmission_IPF_num_SO_Bi	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where sexual orientation is bisexual	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sexual orientation of the patient is bisexual	Yes	Numeric	9
Readmission_IPF_den_SO_Bi	Readmission in an IPF denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_SO_Bi	Readmission in an IPF rate where sexual orientation is bisexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sexual orientation is bisexual	Yes	Decimal	3,1
Readmission_IPF_num_SO_Else	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sexual orientation of the patient is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sexual orientation is something else				
Readmission_IPF_den_SO_Else	Readmission in an IPF denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_SO_Else	Readmission in an IPF rate where sexual orientation is something else	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sexual orientation is something else	Yes	Decimal	3,1
Readmission_IPF_num_SO_DK	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where sexual orientation is don't know	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sexual orientation of the patient is don't know	Yes	Numeric	9
Readmission_IPF_den_SO_DK	Readmission in an IPF denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_SO_DK	Readmission in an IPF rate where sexual	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is don't know	patients 18 years and older in an inpatient psychiatric facility whose sexual orientation is don't know			
Readmission_IP F_num_SO_Not Disc	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where sexual orientation is not disclosed	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the sexual orientation of the patient is not disclosed	Yes	Numeric	9
Readmission_IP F_den_SO_Not Disc	Readmission in an IPF denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_SO_Not Disc	Readmission in an IPF rate where sexual orientation is not disclosed	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose sexual orientation is not disclosed	Yes	Decimal	3,1
Readmission_IP F_num_GI_F	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where gender identity is female	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is female	Yes	Numeric	9
Readmission_IP F_den_GI_F	Readmission in an IPF denominator where gender	The total number of patients whose gender identity is female and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	identity is female				
Readmission_IPF_rate_GI_F	Readmission in an IPF rate where gender identity is female	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is female	Yes	Decimal	3,1
Readmission_IPF_num_GI_F2M	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
Readmission_IPF_den_GI_F2M	Readmission in an IPF denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_GI_F2M	Readmission in an IPF rate where gender identity is female-to-male (FTM)/transgend	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	er male/trans man				
Readmission_IP F_num_GI_M	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where gender identity is male	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is male	Yes	Numeric	9
Readmission_IP F_den_GI_M	Readmission in an IPF denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_GI_M	Readmission in an IPF rate where gender identity is male	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is male	Yes	Decimal	3,1
Readmission_IP F_num_GI_M2F	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
Readmission_IP F_den_GI_M2F	Readmission in an IPF denominator	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is male-to-female (MTF)/transgender female/trans woman	and who were admitted to an IPF and were 18 years or older at time of admission			
Readmission_IPF_rate_GI_M2F	Readmission in an IPF rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
Readmission_IPF_num_GI_Nonconf	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where gender identity is identifies as non-conforming gender	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
Readmission_IPF_den_GI_Nonconf	Readmission in an IPF denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Readmission_IP F_rate_GI_Non conf	Readmission in an IPF rate where gender identity is identifies as non- conforming gender	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
Readmission_IP F_num_GI_Oth	Readmission in an Inpatient Psychiatric Facility (IPF) numerator where gender identity is additional gender category or other	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
Readmission_IP F_den_GI_Oth	Readmission in an IPF denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IP F_rate_GI_Oth	Readmission in an IPF rate where gender identity is additional gender category or other	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is additional gender category or other	Yes	Decimal	3,1
Readmission_IP F_num_GI_Not Disc	Readmission in an Inpatient Psychiatric Facility (IPF)	The number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and where the gender identity of the patient is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where gender identity is not disclosed				
Readmission_IPF_den_GI_NotDisc	Readmission in an IPF denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to an IPF and were 18 years or older at time of admission	Yes	Numeric	9
Readmission_IPF_rate_GI_NotDisc	Readmission in an IPF rate where gender identity is not disclosed	The percent (rate per 100) of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients 18 years and older in an inpatient psychiatric facility whose gender identity is not disclosed	Yes	Decimal	3,1
MHD_Readmission_num	Mental Health Disorders readmission numerator	The total number of all-cause 30-day unplanned readmissions for mental health disorders	Yes	Numeric	9
MHD_Readmission_den	Mental Health Disorders readmission denominator	The total number of patients who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1
MHD_Readmission_num_Race_AIAN	Mental Health Disorders readmission numerator where race and/or ethnicity is	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Indian or Alaskan Native				
MHD_Readmission_den_Race_AIAN	Mental Health Disorders readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_AIAN	Mental Health Disorders readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
MHD_Readmission_num_Race_Asian	Mental Health Disorders readmission numerator where race and/or ethnicity is Asian	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
MHD_Readmission_den_Race_Asian	Mental Health Disorders readmission denominator where race	The total number of patients whose race and/or ethnicity is Asian and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Asian				
MHD_Readmission_rate_Race_Asian	Mental Health Disorders readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Asian	Yes	Decimal	3,1
MHD_Readmission_num_Race_Black	Mental Health Disorders readmission numerator where race and/or ethnicity is Black or African American	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
MHD_Readmission_den_Race_Black	Mental Health Disorders readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Black	Mental Health Disorders readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Race_Hisp	Mental Health Disorders readmission numerator where race and/or ethnicity is Hispanic or Latino	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
MHD_Readmission_den_Race_Hisp	Mental Health Disorders readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Hisp	Mental Health Disorders readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
MHD_Readmission_num_Race_MENA	Mental Health Disorders readmission numerator where race and/or ethnicity is Middle Eastern or North African	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Race_MENA	Mental Health Disorders readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_MENA	Mental Health Disorders readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
MHD_Readmission_num_Race_NHPI	Mental Health Disorders readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
MHD_Readmission_den_Race_NHPI	Mental Health Disorders readmission denominator where race and/or ethnicity is Native Hawaiian or	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Other Pacific Islander				
MHD_Readmission_rate_Race_NHPI	Mental Health Disorders readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
MHD_Readmission_num_Race_Multi	Mental Health Disorders readmission numerator where race and/or ethnicity is Multi-racial	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
MHD_Readmission_den_Race_Multi	Mental Health Disorders readmission denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Multi	Mental Health Disorders readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Race_Wht	Mental Health Disorders readmission numerator where race and/or ethnicity is White	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the race and/or ethnicity of the patient is White	Yes	Numeric	9
MHD_Readmission_den_Race_Wht	Mental Health Disorders readmission denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Race_Wht	Mental Health Disorders readmission rate where race and/or ethnicity is White	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is White	Yes	Decimal	3,1
MHD_Readmission_num_Age_18_34	Mental Health Disorders readmission numerator where age is 18 to 34 years old	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 18 to 34 years old	Yes	Numeric	9
MHD_Readmission_den_Age_18_34	Mental Health Disorders readmission denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Age_18_34	Mental Health Disorders readmission rate where age is 18 to 34 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 18 to 34 years old	Yes	Decimal	3,1
MHD_Readmission_num_Age_35_49	Mental Health Disorders readmission numerator where age is 35 to 49 years old	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 35 to 49 years old	Yes	Numeric	9
MHD_Readmission_den_Age_35_49	Mental Health Disorders readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Age_35_49	Mental Health Disorders readmission rate where age is 35 to 49 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 35 to 49 years old	Yes	Decimal	3,1
MHD_Readmission_num_Age_50_64	Mental Health Disorders readmission numerator where age is 50 to 64 years old	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 50 to 64 years old	Yes	Numeric	9
MHD_Readmission_den_Age_50_64	Mental Health Disorders readmission denominator	The total number of patients whose age is 50 to 64 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 50 to 64 years old				
MHD_Readmission_rate_Age_50_64	Mental Health Disorders readmission rate where age is 50 to 64 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 50 to 64 years old	Yes	Decimal	3,1
MHD_Readmission_num_Age_>65	Mental Health Disorders readmission numerator where age is 65 years or older	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the age of the patient is 65 years or older	Yes	Numeric	9
MHD_Readmission_den_Age_>65	Mental Health Disorders readmission denominator where age is 65 years or older	The total number of patients whose age is 65 years or older and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Age_>65	Mental Health Disorders readmission rate where age is 65 years or older	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 65 years or older	Yes	Decimal	3,1
MHD_Readmission_num_Sex_F	Mental Health Disorders readmission numerator where sex assigned at birth is Female	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sex assigned at birth of the patient is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Sex_F	Mental Health Disorders readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Sex_F	Mental Health Disorders readmission rate where sex assigned at birth is Female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Female	Yes	Decimal	3,1
MHD_Readmission_num_Sex_M	Mental Health Disorders readmission numerator where sex assigned at birth is Male	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sex assigned at birth of the patient is Male	Yes	Numeric	9
MHD_Readmission_den_Sex_M	Mental Health Disorders readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Sex_M	Mental Health Disorders readmission rate where sex assigned at birth is Male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Male	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Sex_Unknown	Mental Health Disorders readmission numerator where sex assigned at birth is Unknown	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
MHD_Readmission_den_Sex_Unknown	Mental Health Disorders readmission denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Sex_Unknown	Mental Health Disorders readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Unknown	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Medicare	Mental Health Disorders readmission numerator where payer type is Medicare	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Medicare	Yes	Numeric	9
MHD_Readmission_den_Payer_Medicare	Mental Health Disorders readmission denominator where payer type is Medicare	The total number of patients whose payer type is Medicare and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_Payer_Medicare	Mental Health Disorders readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicare	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Medicaid	Mental Health Disorders readmission numerator where payer type is Medicaid	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Medicaid	Yes	Numeric	9
MHD_Readmission_den_Payer_Medicaid	Mental Health Disorders readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Medicaid	Mental Health Disorders readmission rate where payer type is Medicaid	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicaid	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Private	Mental Health Disorders readmission numerator where payer type is Private	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Private	Yes	Numeric	9
MHD_Readmission_den_Payer_Private	Mental Health Disorders readmission denominator	The total number of patients whose payer type is Private and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private				
MHD_Readmission_rate_Payer_Private	Mental Health Disorders readmission rate where payer type is Private	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Private	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Self	Mental Health Disorders readmission numerator where payer type is Self Pay/Uninsured	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
MHD_Readmission_den_Payer_Self	Mental Health Disorders readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Self	Mental Health Disorders readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
MHD_Readmission_num_Payer_Oth	Mental Health Disorders readmission numerator where payer type is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the payer type for the patient is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Payer_Oth	Mental Health Disorders readmission denominator where payer type is Other/Unknown	The total number of patients whose payer type is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Payer_Oth	Mental Health Disorders readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Other/Unknown	Yes	Decimal	3,1
MHD_Readmission_num_Lang_ASL	Mental Health Disorders readmission numerator where preferred language is American Sign Language	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is American Sign Language	Yes	Numeric	9
MHD_Readmission_den_Lang_ASL	Mental Health Disorders readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_ASL	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where preferred language is American Sign Language	of hospital discharge for patients aged 18 and older whose preferred language is American Sign Language			
MHD_Readmission_num_Lang_Eng	Mental Health Disorders readmission numerator where preferred language is English	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is English	Yes	Numeric	9
MHD_Readmission_den_Lang_Eng	Mental Health Disorders readmission denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_Eng	Mental Health Disorders readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is English	Yes	Decimal	3,1
MHD_Readmission_num_Lang_API	Mental Health Disorders readmission numerator where preferred language is an Asian/Pacific	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Islander language				
MHD_Readmission_den_Lang_API	Mental Health Disorders readmission denominator where preferred language is an Asian/Pacific Islander language	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_API	Mental Health Disorders readmission rate where preferred language is an Asian/Pacific Islander language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
MHD_Readmission_num_Lang_ME	Mental Health Disorders readmission numerator where preferred language is Middle Eastern languages	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
MHD_Readmission_den_Lang_ME	Mental Health Disorders readmission denominator where preferred	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Middle Eastern languages				
MHD_Readmission_rate_Lang_ME	Mental Health Disorders readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
MHD_Readmission_num_Lang_Span	Mental Health Disorders readmission numerator where preferred language is Spanish	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is Spanish	Yes	Numeric	9
MHD_Readmission_den_Lang_Span	Mental Health Disorders readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_Span	Mental Health Disorders readmission rate where preferred language is Spanish	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Spanish	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Lang_Oth	Mental Health Disorders readmission numerator where preferred language is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
MHD_Readmission_den_Lang_Oth	Mental Health Disorders readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Lang_Oth	Mental Health Disorders readmission rate where preferred language is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Other/Unknown	Yes	Decimal	3,1
MHD_Readmission_num_Disability_none	Mental Health Disorders readmission numerator where disability status is: does not have a disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: does not have a disability	Yes	Numeric	9
MHD_Readmission_den_Disability_none	Mental Health Disorders readmission denominator where disability	The total number of patients whose disability status is: does not have a disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	status is: does not have a disability				
MHD_Readmission_rate_Disability_none	Mental Health Disorders readmission rate where disability status is: does not have a disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: does not have a disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Mobile	Mental Health Disorders readmission numerator where disability status is: has a mobility disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Mobile	Mental Health Disorders readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Mobile	Mental Health Disorders readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a mobility disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_Disability_Cog	Mental Health Disorders readmission numerator where disability status is: has a cognition disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Cog	Mental Health Disorders readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Cog	Mental Health Disorders readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a cognition disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Hear	Mental Health Disorders readmission numerator where disability status is: has a hearing disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a hearing disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_den_Disability_Hear	Mental Health Disorders readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Hear	Mental Health Disorders readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a hearing disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Vis	Mental Health Disorders readmission numerator where disability status is: has a vision disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a vision disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Vis	Mental Health Disorders readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Vis	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where disability status is: has a vision disability	of hospital discharge for patients aged 18 and older whose disability status is: has a vision disability			
MHD_Readmission_num_Disability_Self	Mental Health Disorders readmission numerator where disability status is: has a self-care disability	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
MHD_Readmission_den_Disability_Self	Mental Health Disorders readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Self	Mental Health Disorders readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a self-care disability	Yes	Decimal	3,1
MHD_Readmission_num_Disability_Ind	Mental Health Disorders readmission numerator where disability status is: has an	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the disability status of the patient is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	independent living disability				
MHD_Readmission_den_Disability_Ind	Mental Health Disorders readmission denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_Disability_Ind	Mental Health Disorders readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has an independent living disability	Yes	Decimal	3,1
MHD_Readmission_num_SO_SameSex	Mental Health Disorders readmission numerator where sexual orientation is lesbian, gay or homosexual	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
MHD_Readmission_den_SO_SameSex	Mental Health Disorders readmission denominator where sexual orientation is	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	lesbian, gay or homosexual				
MHD_Readmission_rate_SO_SameSex	Mental Health Disorders readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
MHD_Readmission_num_SO_Hetero	Mental Health Disorders readmission numerator where sexual orientation is straight or heterosexual	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9
MHD_Readmission_den_SO_Hetero	Mental Health Disorders readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_Hetero	Mental Health Disorders readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_SO_Bi	Mental Health Disorders readmission numerator where sexual orientation is bisexual	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is bisexual	Yes	Numeric	9
MHD_Readmission_den_SO_Bi	Mental Health Disorders readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_Bi	Mental Health Disorders readmission rate where sexual orientation is bisexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is bisexual	Yes	Decimal	3,1
MHD_Readmission_num_SO_Else	Mental Health Disorders readmission numerator where sexual orientation is something else	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is something else	Yes	Numeric	9
MHD_Readmission_den_SO_Else	Mental Health Disorders readmission denominator where sexual	The total number of patients whose sexual orientation is something else and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is something else				
MHD_Readmission_rate_SO_Else	Mental Health Disorders readmission rate where sexual orientation is something else	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is something else	Yes	Decimal	3,1
MHD_Readmission_num_SO_DK	Mental Health Disorders readmission numerator where sexual orientation is don't know	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is don't know	Yes	Numeric	9
MHD_Readmission_den_SO_DK	Mental Health Disorders readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_DK	Mental Health Disorders readmission rate where sexual orientation is don't know	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is don't know	Yes	Decimal	3,1
MHD_Readmission_num_SO_NotDisc	Mental Health Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the sexual orientation of the patient is not disclosed	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sexual orientation is not disclosed				
MHD_Readmission_den_SO_NotDisc	Mental Health Disorders readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_SO_NotDisc	Mental Health Disorders readmission rate where sexual orientation is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is not disclosed	Yes	Decimal	3,1
MHD_Readmission_num_GI_F	Mental Health Disorders readmission numerator where gender identity is female	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is female	Yes	Numeric	9
MHD_Readmission_den_GI_F	Mental Health Disorders readmission denominator where gender identity is female	The total number of patients whose gender identity is female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_F	Mental Health Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female	of hospital discharge for patients aged 18 and older whose gender identity is female			
MHD_Readmission_num_GI_F2M	Mental Health Disorders readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
MHD_Readmission_den_GI_F2M	Mental Health Disorders readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_F2M	Mental Health Disorders readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_GI_M	Mental Health Disorders readmission numerator where gender identity is male	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is male	Yes	Numeric	9
MHD_Readmission_den_GI_M	Mental Health Disorders readmission denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_M	Mental Health Disorders readmission rate where gender identity is male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male	Yes	Decimal	3,1
MHD_Readmission_num_GI_M2F	Mental Health Disorders readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
MHD_Readmission_den_GI_M2F	Mental Health Disorders readmission denominator where gender identity is male-	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	to-female (MTF)/transgender female/trans woman				
MHD_Readmission_rate_GI_M2F	Mental Health Disorders readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
MHD_Readmission_num_GI_Nonconf	Mental Health Disorders readmission numerator where gender identity is identifies as non-conforming gender	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
MHD_Readmission_den_GI_Nonconf	Mental Health Disorders readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_rate_GI_Nonconf	Mental Health Disorders readmission rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
MHD_Readmission_num_GI_Other	Mental Health Disorders readmission numerator where gender identity is additional gender category or other	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
MHD_Readmission_den_GI_Other	Mental Health Disorders readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_Other	Mental Health Disorders readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is additional gender category or other	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
MHD_Readmission_num_GI_NotDisc	Mental Health Disorders readmission numerator where gender identity is not disclosed	The total number of all-cause 30-day unplanned readmissions for mental health disorders where the gender identity of the patient is not disclosed	Yes	Numeric	9
MHD_Readmission_den_GI_NotDisc	Mental Health Disorders readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
MHD_Readmission_rate_GI_NotDisc	Mental Health Disorders readmission rate where gender identity is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for mental health disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is not disclosed	Yes	Decimal	3,1
SUD_Readmission_num	Substance Use Disorders readmission numerator	The total number of all-cause 30-day unplanned readmissions for substance use disorders	Yes	Numeric	9
SUD_Readmission_den	Substance Use Disorders readmission denominator	The total number of patients who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate	Substance Use Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Race_AIAN	Substance Use Disorders readmission numerator where race and/or ethnicity is American Indian or Alaskan Native	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9
SUD_Readmission_den_Race_AIAN	Substance Use Disorders readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_AIAN	Substance Use Disorders readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
SUD_Readmission_num_Race_Asian	Substance Use Disorders readmission numerator where race and/or ethnicity is Asian	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_Race_Asian	Substance Use Disorders readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Asian	Substance Use Disorders readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Asian	Yes	Decimal	3,1
SUD_Readmission_num_Race_Black	Substance Use Disorders readmission numerator where race and/or ethnicity is Black or African American	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
SUD_Readmission_den_Race_Black	Substance Use Disorders readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Black	Substance Use Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where race and/or ethnicity is Black or African American	of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Black or African American			
SUD_Readmission_num_Race_Hisp	Substance Use Disorders readmission numerator where race and/or ethnicity is Hispanic or Latino	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
SUD_Readmission_den_Race_Hisp	Substance Use Disorders readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Hisp	Substance Use Disorders readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1
SUD_Readmission_num_Race_MENA	Substance Use Disorders readmission numerator where race and/or	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Middle Eastern or North African				
SUD_Readmission_den_Race_MENA	Substance Use Disorders readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_MENA	Substance Use Disorders readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
SUD_Readmission_num_Race_NHPI	Substance Use Disorders readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
SUD_Readmission_den_Race_NHPI	Substance Use Disorders readmission denominator where race	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Native Hawaiian or Other Pacific Islander				
SUD_Readmission_rate_Race_NHPI	Substance Use Disorders readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
SUD_Readmission_num_Race_Multi	Substance Use Disorders readmission numerator where race and/or ethnicity is Multi-racial	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
SUD_Readmission_den_Race_Multi	Substance Use Disorders readmission denominator where race and/or ethnicity is Multi-racial	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Multi	Substance Use Disorders readmission rate where race	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial	of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Multi-racial			
SUD_Readmission_num_Race_Whit	Substance Use Disorders readmission numerator where race and/or ethnicity is White	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the race and/or ethnicity of the patient is White	Yes	Numeric	9
SUD_Readmission_den_Race_Whit	Substance Use Disorders readmission denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Race_Whit	Substance Use Disorders readmission rate where race and/or ethnicity is White	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is White	Yes	Decimal	3,1
SUD_Readmission_num_Age_18_34	Substance Use Disorders readmission numerator where age is 18 to 34 years old	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 18 to 34 years old	Yes	Numeric	9
SUD_Readmission_den_Age_18_34	Substance Use Disorders readmission denominator	The total number of patients whose age is 18 to 34 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 18 to 34 years old				
SUD_Readmission_rate_Age_18_34	Substance Use Disorders readmission rate where age is 18 to 34 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 18 to 34 years old	Yes	Decimal	3,1
SUD_Readmission_num_Age_35_49	Substance Use Disorders readmission numerator where age is 35 to 49 years old	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 35 to 49 years old	Yes	Numeric	9
SUD_Readmission_den_Age_35_49	Substance Use Disorders readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_35_49	Substance Use Disorders readmission rate where age is 35 to 49 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 35 to 49 years old	Yes	Decimal	3,1
SUD_Readmission_num_Age_50_64	Substance Use Disorders readmission numerator where age is 50 to 64 years old	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 50 to 64 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_Age_50_64	Substance Use Disorders readmission denominator where age is 50 to 64 years old	The total number of patients whose age is 50 to 64 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_50_64	Substance Use Disorders readmission rate where age is 50 to 64 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 50 to 64 years old	Yes	Decimal	3,1
SUD_Readmission_num_Age_>65	Substance Use Disorders readmission numerator where age is 65 years or older	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the age of the patient is 65 years or older	Yes	Numeric	9
SUD_Readmission_den_Age_>65	Substance Use Disorders readmission denominator where age is 65 years or older	The total number of patients whose age is 65 years or older and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Age_>65	Substance Use Disorders readmission rate where age is 65 years or older	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 65 years or older	Yes	Decimal	3,1
SUD_Readmission_num_Sex_F	Substance Use Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sex assigned at birth of the patient is Female	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sex assigned at birth is Female				
SUD_Readmission_den_Sex_F	Substance Use Disorders readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Sex_F	Substance Use Disorders readmission rate where sex assigned at birth is Female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Female	Yes	Decimal	3,1
SUD_Readmission_num_Sex_M	Substance Use Disorders readmission numerator where sex assigned at birth is Male	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sex assigned at birth of the patient is Male	Yes	Numeric	9
SUD_Readmission_den_Sex_M	Substance Use Disorders readmission denominator where sex assigned at birth is Male	The total number of patients whose sex assigned at birth is Male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Sex_M	Substance Use Disorders readmission rate where sex	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Male	of hospital discharge for patients aged 18 and older whose sex assigned at birth is Male			
SUD_Readmission_num_Sex_Unknown	Substance Use Disorders readmission numerator where sex assigned at birth is Unknown	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
SUD_Readmission_den_Sex_Unknown	Substance Use Disorders readmission denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Sex_Unknown	Substance Use Disorders readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Unknown	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Medicare	Substance Use Disorders readmission numerator where payer type is Medicare	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Medicare	Yes	Numeric	9
SUD_Readmission_den_Payer_Medicare	Substance Use Disorders readmission denominator	The total number of patients whose payer type is Medicare and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Medicare				
SUD_Readmission_rate_Payer_Medicare	Substance Use Disorders readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicare	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Medicaid	Substance Use Disorders readmission numerator where payer type is Medicaid	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Medicaid	Yes	Numeric	9
SUD_Readmission_den_Payer_Medicaid	Substance Use Disorders readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Medicaid	Substance Use Disorders readmission rate where payer type is Medicaid	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicaid	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Private	Substance Use Disorders readmission numerator where payer type is Private	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Private	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_Payer_Private	Substance Use Disorders readmission denominator where payer type is Private	The total number of patients whose payer type is Private and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Private	Substance Use Disorders readmission rate where payer type is Private	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Private	Yes	Decimal	3,1
SUD_Readmission_num_Payer_Self	Substance Use Disorders readmission numerator where payer type is Self Pay/Uninsured	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
SUD_Readmission_den_Payer_Self	Substance Use Disorders readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Self	Substance Use Disorders readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Payer_Oth	Substance Use Disorders readmission numerator where payer type is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the payer type for the patient is Other/Unknown	Yes	Numeric	9
SUD_Readmission_den_Payer_Oth	Substance Use Disorders readmission denominator where payer type is Other/Unknown	The total number of patients whose payer type is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Payer_Oth	Substance Use Disorders readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Other/Unknown	Yes	Decimal	3,1
SUD_Readmission_num_Lang_ASL	Substance Use Disorders readmission numerator where preferred language is American Sign Language	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is American Sign Language	Yes	Numeric	9
SUD_Readmission_den_Lang_ASL	Substance Use Disorders readmission denominator where preferred	The total number of patients whose preferred language is American Sign Language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is American Sign Language				
SUdmission_ng_ASL	Substance Use Disorders readmission rate where preferred language is American Sign Language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is American Sign Language	Yes	Decimal	3,1
SUdmission_ang_Eng	Substance Use Disorders readmission numerator where preferred language is English	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is English	Yes	Numeric	9
SUdmission_ng_Eng	Substance Use Disorders readmission denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUdmission_ng_Eng	Substance Use Disorders readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is English	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUdmission_ang_API	Substance Use Disorders readmission numerator where preferred language is an Asian/Pacific Islander language	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
SUdmission_ang_API	Substance Use Disorders readmission denominator where preferred language is an Asian/Pacific Islander language	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUdmission_ang_API	Substance Use Disorders readmission rate where preferred language is an Asian/Pacific Islander language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1
SUdmission_ang_ME	Substance Use Disorders readmission numerator where preferred language is	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern languages				
SUD_Readmission_den_Lang_ME	Substance Use Disorders readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Lang_ME	Substance Use Disorders readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
SUD_Readmission_num_Lang_Span	Substance Use Disorders readmission numerator where preferred language is Spanish	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is Spanish	Yes	Numeric	9
SUD_Readmission_den_Lang_Span	Substance Use Disorders readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUdmissionng_Span	Substance Use Disorders readmission rate where preferred language is Spanish	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Spanish	Yes	Decimal	3,1
SUdmissionng_Oth	Substance Use Disorders readmission numerator where preferred language is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
SUdmissionng_Oth	Substance Use Disorders readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUdmissionng_Oth	Substance Use Disorders readmission rate where preferred language is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Other/Unknown	Yes	Decimal	3,1
SUdmissionng_sability_non	Substance Use Disorders readmission numerator where disability status	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: does not have a disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: does not have a disability				
SUD_Readmission_den_Disability_none	Substance Use Disorders readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_none	Substance Use Disorders readmission rate where disability status is: does not have a disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: does not have a disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Mobile	Substance Use Disorders readmission numerator where disability status is: has a mobility disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Mobile	Substance Use Disorders readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_rate_Disability_Mobile	Substance Use Disorders readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a mobility disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Cog	Substance Use Disorders readmission numerator where disability status is: has a cognition disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Cog	Substance Use Disorders readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Cog	Substance Use Disorders readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a cognition disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Disability_Hear	Substance Use Disorders readmission numerator where disability status is: has a hearing disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Hear	Substance Use Disorders readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Hear	Substance Use Disorders readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a hearing disability	Yes	Decimal	3,1
SUD_Readmission_num_Disability_Vis	Substance Use Disorders readmission numerator where disability status is: has a vision disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a vision disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Vis	Substance Use Disorders readmission	The total number of patients whose disability status is: has a vision disability and who were admitted to the	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where disability status is: has a vision disability	hospital and were 18 years or older at time of admission			
SUdmission_Vi	Substance Use Disorders readmission rate where disability status is: has a vision disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a vision disability	Yes	Decimal	3,1
SUdmission_Sf	Substance Use Disorders readmission numerator where disability status is: has a self-care disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
SUdmission_Sel	Substance Use Disorders readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUdmission_Sel	Substance Use Disorders readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a self-care disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_num_Disability_Ind	Substance Use Disorders readmission numerator where disability status is: has an independent living disability	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
SUD_Readmission_den_Disability_Ind	Substance Use Disorders readmission denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_Disability_Ind	Substance Use Disorders readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has an independent living disability	Yes	Decimal	3,1
SUD_Readmission_num_SO_SameSex	Substance Use Disorders readmission numerator where sexual orientation is lesbian, gay or homosexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_SO_SameSex	Substance Use Disorders readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_SameSex	Substance Use Disorders readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
SUD_Readmission_num_SO_Hetero	Substance Use Disorders readmission numerator where sexual orientation is straight or heterosexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9
SUD_Readmission_den_SO_Hetero	Substance Use Disorders readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_rate_SO_Hetero	Substance Use Disorders readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
SUD_Readmission_num_SO_Bi	Substance Use Disorders readmission numerator where sexual orientation is bisexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is bisexual	Yes	Numeric	9
SUD_Readmission_den_SO_Bi	Substance Use Disorders readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_Bi	Substance Use Disorders readmission rate where sexual orientation is bisexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is bisexual	Yes	Decimal	3,1
SUD_Readmission_num_SO_Else	Substance Use Disorders readmission numerator where sexual	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is something else	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is something else				
SUD_Readmission_den_SO_Else	Substance Use Disorders readmission denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_Else	Substance Use Disorders readmission rate where sexual orientation is something else	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is something else	Yes	Decimal	3,1
SUD_Readmission_num_SO_DK	Substance Use Disorders readmission numerator where sexual orientation is don't know	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is don't know	Yes	Numeric	9
SUD_Readmission_den_SO_DK	Substance Use Disorders readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_DK	Substance Use Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is don't know	of hospital discharge for patients aged 18 and older whose sexual orientation is don't know			
SUD_Readmission_num_SO_NotDisc	Substance Use Disorders readmission numerator where sexual orientation is not disclosed	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the sexual orientation of the patient is not disclosed	Yes	Numeric	9
SUD_Readmission_den_SO_NoDisc	Substance Use Disorders readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_SO_NoDisc	Substance Use Disorders readmission rate where sexual orientation is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is not disclosed	Yes	Decimal	3,1
SUD_Readmission_num_GI_F	Substance Use Disorders readmission numerator where gender identity is female	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is female	Yes	Numeric	9
SUD_Readmission_den_GI_F	Substance Use Disorders readmission	The total number of patients whose gender identity is female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where gender identity is female				
SUD_Readmission_rate_GI_F	Substance Use Disorders readmission rate where gender identity is female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female	Yes	Decimal	3,1
SUD_Readmission_num_GI_F2M	Substance Use Disorders readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
SUD_Readmission_den_GI_F2M	Substance Use Disorders readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_F2M	Substance Use Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female-to-male (FTM)/transgender male/trans man	of hospital discharge for patients aged 18 and older whose gender identity is female-to-male (FTM)/transgender male/trans man			
SUD_Readmission_num_GI_M	Substance Use Disorders readmission numerator where gender identity is male	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is male	Yes	Numeric	9
SUD_Readmission_den_GI_M	Substance Use Disorders readmission denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_M	Substance Use Disorders readmission rate where gender identity is male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male	Yes	Decimal	3,1
SUD_Readmission_num_GI_M2F	Substance Use Disorders readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUD_Readmission_den_GI_M2F	Substance Use Disorders readmission denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_M2F	Substance Use Disorders readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1
SUD_Readmission_num_GI_Nonconf	Substance Use Disorders readmission numerator where gender identity is identifies as non-conforming gender	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
SUD_Readmission_den_GI_Nonconf	Substance Use Disorders readmission denominator where gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	identity is identifies as non-conforming gender				
SUD_Readmission_rate_GI_Nonconf	Substance Use Disorders readmission rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
SUD_Readmission_num_GI_Other	Substance Use Disorders readmission numerator where gender identity is additional gender category or other	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
SUD_Readmission_den_GI_Other	Substance Use Disorders readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_Other	Substance Use Disorders readmission rate where gender identity is	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	additional gender category or other	whose gender identity is additional gender category or other			
SUD_Readmission_num_GI_Not Disc	Substance Use Disorders readmission numerator where gender identity is not disclosed	The total number of all-cause 30-day unplanned readmissions for substance use disorders where the gender identity of the patient is not disclosed	Yes	Numeric	9
SUD_Readmission_den_GI_Not Disc	Substance Use Disorders readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
SUD_Readmission_rate_GI_Not Disc	Substance Use Disorders readmission rate where gender identity is not disclosed	The percent (rate per 100) of the hospital-level, unplanned, readmissions for substance use disorder after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is not disclosed	Yes	Decimal	3,1
CO_Readmission_num	Co-occurring Disorders readmission numerator	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders	Yes	Numeric	9
CO_Readmission_den	Co-occurring Disorders readmission denominator	The total number of patients who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older			
CO_Readmission_num_Race_AIAN	Co-occurring Disorders readmission numerator where race and/or ethnicity is American Indian or Alaskan Native	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9
CO_Readmission_den_Race_AIAN	Co-occurring Disorders readmission denominator where race and/or ethnicity is American Indian or Alaskan Native	The total number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_AIAN	Co-occurring Disorders readmission rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is American Indian or Alaskan Native	Yes	Decimal	3,1
CO_Readmission_num_Race_Asian	Co-occurring Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	race and/or ethnicity is Asian				
CO_Readmission_den_Race_Asian	Co-occurring Disorders readmission denominator where race and/or ethnicity is Asian	The total number of patients whose race and/or ethnicity is Asian and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_Asian	Co-occurring Disorders readmission rate where race and/or ethnicity is Asian	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Asian	Yes	Decimal	3,1
CO_Readmission_num_Race_Black	Co-occurring Disorders readmission numerator where race and/or ethnicity is Black or African American	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
CO_Readmission_den_Race_Black	Co-occurring Disorders readmission denominator where race and/or ethnicity is Black or African American	The total number of patients whose race and/or ethnicity is Black or African American and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Race_Black	Co-occurring Disorders readmission rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Black or African American	Yes	Decimal	3,1
CO_Readmission_num_Race_Hisp	Co-occurring Disorders readmission numerator where race and/or ethnicity is Hispanic or Latino	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9
CO_Readmission_den_Race_Hisp	Co-occurring Disorders readmission denominator where race and/or ethnicity is Hispanic or Latino	The total number of patients whose race and/or ethnicity is Hispanic or Latino and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_Hisp	Co-occurring Disorders readmission rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Hispanic or Latino	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Race_MENA	Co-occurring Disorders readmission numerator where race and/or ethnicity is Middle Eastern or North African	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
CO_Readmission_den_Race_MENA	Co-occurring Disorders readmission denominator where race and/or ethnicity is Middle Eastern or North African	The total number of patients whose race and/or ethnicity is Middle Eastern or North African and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_MENA	Co-occurring Disorders readmission rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Middle Eastern or North African	Yes	Decimal	3,1
CO_Readmission_num_Race_NHPI	Co-occurring Disorders readmission numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Remission_de_N HPI	Co-occurring Disorders readmission denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The total number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Remission_rate_Race_N HPI	Co-occurring Disorders readmission rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Yes	Decimal	3,1
CO_Remission_n_n ulti	Co-occurring Disorders readmission numerator where race and/or ethnicity is Multi-racial	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
CO_Remission_de_M ulti	Co-occurring Disorders readmission denominator where race	The total number of patients whose race and/or ethnicity is Multi-racial and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial				
CO_Readmission_rate_Race_Multi	Co-occurring Disorders readmission rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is Multi-racial	Yes	Decimal	3,1
CO_Readmission_num_Race_Whit	Co-occurring Disorders readmission numerator where race and/or ethnicity is White	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the race and/or ethnicity of the patient is White	Yes	Numeric	9
CO_Readmission_den_Race_Whit	Co-occurring Disorders readmission denominator where race and/or ethnicity is White	The total number of patients whose race and/or ethnicity is White and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Race_Whit	Co-occurring Disorders readmission rate where race and/or ethnicity is White	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose race and/or ethnicity is White	Yes	Decimal	3,1
CO_Readmission_num_Age_18_34	Co-occurring Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 18 to 34 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is 18 to 34 years old				
CO_Readmission_den_Age_18_34	Co-occurring Disorders readmission denominator where age is 18 to 34 years old	The total number of patients whose age is 18 to 34 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_18_34	Co-occurring Disorders readmission rate where age is 18 to 34 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 18 to 34 years old	Yes	Decimal	3,1
CO_Readmission_num_Age_35_49	Co-occurring Disorders readmission numerator where age is 35 to 49 years old	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 35 to 49 years old	Yes	Numeric	9
CO_Readmission_den_Age_35_49	Co-occurring Disorders readmission denominator where age is 35 to 49 years old	The total number of patients whose age is 35 to 49 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_35_49	Co-occurring Disorders readmission rate where age is 35 to 49 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 35 to 49 years old	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Age_50_64	Co-occurring Disorders readmission numerator where age is 50 to 64 years old	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 50 to 64 years old	Yes	Numeric	9
CO_Readmission_den_Age_50_64	Co-occurring Disorders readmission denominator where age is 50 to 64 years old	The total number of patients whose age is 50 to 64 years old and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_50_64	Co-occurring Disorders readmission rate where age is 50 to 64 years old	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose age is 50 to 64 years old	Yes	Decimal	3,1
CO_Readmission_num_Age_>65	Co-occurring Disorders readmission numerator where age is 65 years or older	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the age of the patient is 65 years or older	Yes	Numeric	9
CO_Readmission_den_Age_>65	Co-occurring Disorders readmission denominator where age is 65 years or older	The total number of patients whose age is 65 years or older and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Age_>65	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where age is 65 years or older	of hospital discharge for patients aged 18 and older whose age is 65 years or older			
CO_Readmission_num_Sex_F	Co-occurring Disorders readmission numerator where sex assigned at birth is Female	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sex assigned at birth of the patient is Female	Yes	Numeric	9
CO_Readmission_den_Sex_F	Co-occurring Disorders readmission denominator where sex assigned at birth is Female	The total number of patients whose sex assigned at birth is Female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Sex_F	Co-occurring Disorders readmission rate where sex assigned at birth is Female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Female	Yes	Decimal	3,1
CO_Readmission_num_Sex_M	Co-occurring Disorders readmission numerator where sex assigned at birth is Male	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sex assigned at birth of the patient is Male	Yes	Numeric	9
CO_Readmission_den_Sex_M	Co-occurring Disorders readmission denominator where sex	The total number of patients whose sex assigned at birth is Male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Male				
CO_Readmission_rate_Sex_M	Co-occurring Disorders readmission rate where sex assigned at birth is Male	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Male	Yes	Decimal	3,1
CO_Readmission_num_Sex_Unknown	Co-occurring Disorders readmission numerator where sex assigned at birth is Unknown	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
CO_Readmission_den_Sex_Unknown	Co-occurring Disorders readmission denominator where sex assigned at birth is Unknown	The total number of patients whose sex assigned at birth is Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Sex_Unknown	Co-occurring Disorders readmission rate where sex assigned at birth is Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sex assigned at birth is Unknown	Yes	Decimal	3,1
CO_Readmission_num_Payer_Medicare	Co-occurring Disorders readmission numerator where	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Medicare	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Medicare				
CO_Readmission_den_Payer_Medicare	Co-occurring Disorders readmission denominator where payer type is Medicare	The total number of patients whose payer type is Medicare and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Medicare	Co-occurring Disorders readmission rate where payer type is Medicare	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicare	Yes	Decimal	3,1
CO_Readmission_num_Payer_Medicaid	Co-occurring Disorders readmission numerator where payer type is Medicaid	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Medicaid	Yes	Numeric	9
CO_Readmission_den_Payer_Medicaid	Co-occurring Disorders readmission denominator where payer type is Medicaid	The total number of patients whose payer type is Medicaid and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Medicaid	Co-occurring Disorders readmission rate where payer type is Medicaid	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Medicaid	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Payer_Private	Co-occurring Disorders readmission numerator where payer type is Private	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Private	Yes	Numeric	9
CO_Readmission_den_Payer_Private	Co-occurring Disorders readmission denominator where payer type is Private	The total number of patients whose payer type is Private and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Private	Co-occurring Disorders readmission rate where payer type is Private	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Private	Yes	Decimal	3,1
CO_Readmission_num_Payer_Self	Co-occurring Disorders readmission numerator where payer type is Self Pay/Uninsured	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9
CO_Readmission_den_Payer_Self	Co-occurring Disorders readmission denominator where payer type is Self Pay/Uninsured	The total number of patients whose payer type is Self Pay/Uninsured and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Payer_Self	Co-occurring Disorders readmission rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Self Pay/Uninsured	Yes	Decimal	3,1
CO_Readmission_num_Payer_Oth	Co-occurring Disorders readmission numerator where payer type is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the payer type for the patient is Other/Unknown	Yes	Numeric	9
CO_Readmission_den_Payer_Oth	Co-occurring Disorders readmission denominator where payer type is Other/Unknown	The total number of patients whose payer type is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Payer_Oth	Co-occurring Disorders readmission rate where payer type is Other/Unknown	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose payer type is Other/Unknown	Yes	Decimal	3,1
CO_Readmission_num_Lang_ASL	Co-occurring Disorders readmission numerator where preferred language is	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is American Sign Language	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Sign Language				
CO_Readmission_den_Lang_ASL	Co-occurring Disorders readmission denominator where preferred language is American Sign Language	The total number of patients whose preferred language is American Sign Language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_ASL	Co-occurring Disorders readmission rate where preferred language is American Sign Language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is American Sign Language	Yes	Decimal	3,1
CO_Readmission_num_Lang_Eng	Co-occurring Disorders readmission numerator where preferred language is English	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is English	Yes	Numeric	9
CO_Readmission_den_Lang_Eng	Co-occurring Disorders readmission denominator where preferred language is English	The total number of patients whose preferred language is English and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Lang_Eng	Co-occurring Disorders readmission rate where preferred language is English	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is English	Yes	Decimal	3,1
CO_Readmission_num_Lang_API	Co-occurring Disorders readmission numerator where preferred language is an Asian/Pacific Islander language	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
CO_Readmission_den_Lang_API	Co-occurring Disorders readmission denominator where preferred language is an Asian/Pacific Islander language	The total number of patients whose preferred language is an Asian/Pacific Islander language and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_API	Co-occurring Disorders readmission rate where preferred language is an Asian/Pacific Islander language	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is an Asian/Pacific Islander language	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_Lang_ME	Co-occurring Disorders readmission numerator where preferred language is Middle Eastern languages	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
CO_Readmission_den_Lang_ME	Co-occurring Disorders readmission denominator where preferred language is Middle Eastern languages	The total number of patients whose preferred language is Middle Eastern languages and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_ME	Co-occurring Disorders readmission rate where preferred language is Middle Eastern languages	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Middle Eastern languages	Yes	Decimal	3,1
CO_Readmission_num_Lang_Span	Co-occurring Disorders readmission numerator where preferred language is Spanish	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is Spanish	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_den_Lang_Span	Co-occurring Disorders readmission denominator where preferred language is Spanish	The total number of patients whose preferred language is Spanish and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_Span	Co-occurring Disorders readmission rate where preferred language is Spanish	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Spanish	Yes	Decimal	3,1
CO_Readmission_num_Lang_Oth	Co-occurring Disorders readmission numerator where preferred language is Other/Unknown	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the preferred language of the patient is Other/Unknown	Yes	Numeric	9
CO_Readmission_den_Lang_Oth	Co-occurring Disorders readmission denominator where preferred language is Other/Unknown	The total number of patients whose preferred language is Other/Unknown and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Lang_Oth	Co-occurring Disorders readmission rate where preferred	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose preferred language is Other/Unknown	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	language is Other/Unknown				
CO_Readmission_num_Disability_none	Co-occurring Disorders readmission numerator where disability status is: does not have a disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: does not have a disability	Yes	Numeric	9
CO_Readmission_den_Disability_none	Co-occurring Disorders readmission denominator where disability status is: does not have a disability	The total number of patients whose disability status is: does not have a disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_none	Co-occurring Disorders readmission rate where disability status is: does not have a disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: does not have a disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Mobile	Co-occurring Disorders readmission numerator where disability status is: has a mobility disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a mobility disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_den_Disability_Mobile	Co-occurring Disorders readmission denominator where disability status is: has a mobility disability	The total number of patients whose disability status is: has a mobility disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Mobile	Co-occurring Disorders readmission rate where disability status is: has a mobility disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a mobility disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Cog	Co-occurring Disorders readmission numerator where disability status is: has a cognition disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a cognition disability	Yes	Numeric	9
CO_Readmission_den_Disability_Cog	Co-occurring Disorders readmission denominator where disability status is: has a cognition disability	The total number of patients whose disability status is: has a cognition disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Remission_rate_Disability_Co	Co-occurring Disorders readmission rate where disability status is: has a cognition disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a cognition disability	Yes	Decimal	3,1
CO_Remission_numerator_Disability_He	Co-occurring Disorders readmission numerator where disability status is: has a hearing disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
CO_Remission_denominator_Disability_H	Co-occurring Disorders readmission denominator where disability status is: has a hearing disability	The total number of patients whose disability status is: has a hearing disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Remission_rate_Disability_He	Co-occurring Disorders readmission rate where disability status is: has a hearing disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a hearing disability	Yes	Decimal	3,1
CO_Remission_numerator_Disability_V	Co-occurring Disorders readmission	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a vision disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where disability status is: has a vision disability				
CO_Readmission_den_Disability_Vis	Co-occurring Disorders readmission denominator where disability status is: has a vision disability	The total number of patients whose disability status is: has a vision disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Vis	Co-occurring Disorders readmission rate where disability status is: has a vision disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a vision disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Self	Co-occurring Disorders readmission numerator where disability status is: has a self-care disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
CO_Readmission_den_Disability_Self	Co-occurring Disorders readmission denominator where disability status is: has a self-care disability	The total number of patients whose disability status is: has a self-care disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_rate_Disability_Self	Co-occurring Disorders readmission rate where disability status is: has a self-care disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has a self-care disability	Yes	Decimal	3,1
CO_Readmission_num_Disability_Ind	Co-occurring Disorders readmission numerator where disability status is: has an independent living disability	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the disability status of the patient is: has an independent living disability	Yes	Numeric	9
CO_Readmission_den_Disability_Ind	Co-occurring Disorders readmission denominator where disability status is: has an independent living disability	The total number of patients whose disability status is: has an independent living disability and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_Disability_Ind	Co-occurring Disorders readmission rate where disability status is: has an independent living disability	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose disability status is: has an independent living disability	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_SO_SameSex	Co-occurring Disorders readmission numerator where sexual orientation is lesbian, gay or homosexual	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
CO_Readmission_den_SO_SameSex	Co-occurring Disorders readmission denominator where sexual orientation is lesbian, gay or homosexual	The total number of patients whose sexual orientation is lesbian, gay or homosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_SameSex	Co-occurring Disorders readmission rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is lesbian, gay or homosexual	Yes	Decimal	3,1
CO_Readmission_num_SO_Hetero	Co-occurring Disorders readmission numerator where sexual orientation is straight or heterosexual	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_den_SO_Hetero	Co-occurring Disorders readmission denominator where sexual orientation is straight or heterosexual	The total number of patients whose sexual orientation is straight or heterosexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Hetero	Co-occurring Disorders readmission rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is straight or heterosexual	Yes	Decimal	3,1
CO_Readmission_num_SO_Bi	Co-occurring Disorders readmission numerator where sexual orientation is bisexual	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is bisexual	Yes	Numeric	9
CO_Readmission_den_SO_Bi	Co-occurring Disorders readmission denominator where sexual orientation is bisexual	The total number of patients whose sexual orientation is bisexual and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Bi	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where sexual orientation is bisexual	of hospital discharge for patients aged 18 and older whose sexual orientation is bisexual			
CO_Readmission_num_SO_Else	Co-occurring Disorders readmission numerator where sexual orientation is something else	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is something else	Yes	Numeric	9
CO_Readmission_den_SO_Else	Co-occurring Disorders readmission denominator where sexual orientation is something else	The total number of patients whose sexual orientation is something else and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Else	Co-occurring Disorders readmission rate where sexual orientation is something else	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is something else	Yes	Decimal	3,1
CO_Readmission_num_SO_DK	Co-occurring Disorders readmission numerator where sexual orientation is don't know	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is don't know	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_den_SO_DK	Co-occurring Disorders readmission denominator where sexual orientation is don't know	The total number of patients whose sexual orientation is don't know and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_DK	Co-occurring Disorders readmission rate where sexual orientation is don't know	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is don't know	Yes	Decimal	3,1
CO_Readmission_num_SO_Not Disc	Co-occurring Disorders readmission numerator where sexual orientation is not disclosed	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the sexual orientation of the patient is not disclosed	Yes	Numeric	9
CO_Readmission_den_SO_Not Disc	Co-occurring Disorders readmission denominator where sexual orientation is not disclosed	The total number of patients whose sexual orientation is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_SO_Not Disc	Co-occurring Disorders readmission rate where sexual	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose sexual orientation is not disclosed	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is not disclosed				
CO_Readmission_num_GI_F	Co-occurring Disorders readmission numerator where gender identity is female	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is female	Yes	Numeric	9
CO_Readmission_den_GI_F	Co-occurring Disorders readmission denominator where gender identity is female	The total number of patients whose gender identity is female and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_F	Co-occurring Disorders readmission rate where gender identity is female	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female	Yes	Decimal	3,1
CO_Readmission_num_GI_F2M	Co-occurring Disorders readmission numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
CO_Readmission_den_GI_F2M	Co-occurring Disorders	The total number of patients whose gender identity is female-to-male (FTM)/transgender male/trans	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	readmission denominator where gender identity is female-to-male (FTM)/transgender male/trans man	man and who were admitted to the hospital and were 18 years or older at time of admission			
CO_Remission_rate_GI_F2M	Co-occurring Disorders readmission rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is female-to-male (FTM)/transgender male/trans man	Yes	Decimal	3,1
CO_Remission_n_n_M	Co-occurring Disorders readmission numerator where gender identity is male	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is male	Yes	Numeric	9
CO_Remission_n_dGI_M	Co-occurring Disorders readmission denominator where gender identity is male	The total number of patients whose gender identity is male and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Remission_rate_GI_M	Co-occurring Disorders readmission rate	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is male	of hospital discharge for patients aged 18 and older whose gender identity is male			
CO_Readmission_num_GI_M2F	Co-occurring Disorders readmission numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9
CO_Readmission_den_GI_M2F	Co-occurring Disorders readmission denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The total number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_M2F	Co-occurring Disorders readmission rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is male-to-female (MTF)/transgender female/trans woman	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_num_GI_Nonconf	Co-occurring Disorders readmission numerator where gender identity is identifies as non-conforming gender	The total number of all-cause 30-day unplanned readmissions for co-occurring disorderss where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
CO_Readmission_den_GI_Nonconf	Co-occurring Disorders readmission denominator where gender identity is identifies as non-conforming gender	The total number of patients whose gender identity is identifies as non-conforming gender and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_Nonconf	Co-occurring Disorders readmission rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is identifies as non-conforming gender	Yes	Decimal	3,1
CO_Readmission_num_GI_Oth	Co-occurring Disorders readmission numerator where gender identity is additional gender category or other	The total number of all-cause 30-day unplanned readmissions for co-occurring disorderss where the gender identity of the patient is additional gender category or other	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
CO_Readmission_den_GI_Oth	Co-occurring Disorders readmission denominator where gender identity is additional gender category or other	The total number of patients whose gender identity is additional gender category or other and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_Oth	Co-occurring Disorders readmission rate where gender identity is additional gender category or other	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older whose gender identity is additional gender category or other	Yes	Decimal	3,1
CO_Readmission_num_GI_NotDisc	Co-occurring Disorders readmission numerator where gender identity is not disclosed	The total number of all-cause 30-day unplanned readmissions for co-occurring disorders where the gender identity of the patient is not disclosed	Yes	Numeric	9
CO_Readmission_den_GI_NotDisc	Co-occurring Disorders readmission denominator where gender identity is not disclosed	The total number of patients whose gender identity is not disclosed and who were admitted to the hospital and were 18 years or older at time of admission	Yes	Numeric	9
CO_Readmission_rate_GI_NotDisc	Co-occurring Disorders readmission rate where gender	The percent (rate per 100) of the hospital-level, unplanned, readmissions for co-occurring disorders after admission for any eligible condition within 30 days	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	identity is not disclosed	of hospital discharge for patients aged 18 and older whose gender identity is not disclosed			
Screen_metabolic_disorder_numerator	Screening for metabolic disorders numerator	The number of patients who received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator	Screening for metabolic disorders denominator	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications	Yes	Numeric	9
Screen_metabolic_disorder_rate	Screening for metabolic disorders rate	Percent (rate per 100) of patients who were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Race_AIAN	Screening for metabolic disorders numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of patients whose race and/or ethnicity is American Indian or Alaskan Native and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Race_AIAN	Screening for metabolic disorders denominator where race and/or ethnicity is American Indian or Alaskan Native	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is American Indian or Alaskan Native	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Indian or Alaskan Native				
Screen_metabolic_disorder_rate_Race_AIAN	Screening for metabolic disorders rate where race and/or ethnicity is American Indian or Alaskan Native	Percent (rate per 100) of patients whose race and/or ethnicity is American Indian or Alaskan Native and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_num_Race_Asian	Screening for metabolic disorders numerator where race and/or ethnicity is Asian	The number of patients whose race and/or ethnicity is Asian and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denom_Race_Asian	Screening for metabolic disorders denominator where race and/or ethnicity is Asian	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is Asian	Yes	Numeric	9
Screen_metabolic_disorder_rate_Race_Asian	Screening for metabolic disorders rate where race and/or ethnicity is Asian	Percent (rate per 100) of patients whose race and/or ethnicity is Asian and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_num_Race_BlK	Screening for metabolic disorders numerator	The number of patients whose race and/or ethnicity is Black or African American and received a metabolic	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ator where race and/or ethnicity is Black or African American	screening in the 12 months prior to discharge, either prior to or during the index IPF stay			
Screen_metabolic_disorder_denominator_Race_Black	Screening for metabolic disorders denominator where race and/or ethnicity is Black or African American	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is Black or African American	Yes	Numeric	9
Screen_metabolic_disorder_rate_Race_Black	Screening for metabolic disorders rate where race and/or ethnicity is Black or African American	Percent (rate per 100) of patients whose race and/or ethnicity is Black or African American and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Race_Hispanic	Screening for metabolic disorders numerator where race and/or ethnicity is Hispanic or Latino	The number of patients whose race and/or ethnicity is Hispanic or Latino and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Race_Hispanic	Screening for metabolic disorders denominator where race and/or ethnicity	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is Hispanic or Latino	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Hispanic or Latino				
Screen_metabolic_disorder_rate_Race_Hisp	Screening for metabolic disorders rate where race and/or ethnicity is Hispanic or Latino	Percent (rate per 100) of patients whose race and/or ethnicity is Hispanic or Latino and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_num_Race_MENA	Screening for metabolic disorders numerator where race and/or ethnicity is Middle Eastern or North African	The number of patients whose race and/or ethnicity is Middle Eastern or North African and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denom_Race_MENA	Screening for metabolic disorders denominator where race and/or ethnicity is Middle Eastern or North African	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is Middle Eastern or North African	Yes	Numeric	9
Screen_metabolic_disorder_rate_Race_MENA	Screening for metabolic disorders rate where race and/or ethnicity is Middle Eastern or North African	Percent (rate per 100) of patients whose race and/or ethnicity is Middle Eastern or North African and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_numerator_Race_NHPI	Screening for metabolic disorders numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Race_NHPI	Screening for metabolic disorders denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is Native Hawaiian or Other Pacific Islander	Yes	Numeric	9
Screen_metabolic_disorder_rate_Race_NHPI	Screening for metabolic disorders rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	Percent (rate per 100) of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Race_Multi	Screening for metabolic disorders numerator where race	The number of patients whose race and/or ethnicity is Multi-racial and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial				
Screen_metabolic_disorder_denominator_Race_Multi	Screening for metabolic disorders denominator where race and/or ethnicity is Multi-racial	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is Multi-racial	Yes	Numeric	9
Screen_metabolic_disorder_rate_Race_Multi	Screening for metabolic disorders rate where race and/or ethnicity is Multi-racial	Percent (rate per 100) of patients whose race and/or ethnicity is Multi-racial and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Race_Wht	Screening for metabolic disorders numerator where race and/or ethnicity is White	The number of patients whose race and/or ethnicity is White and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Race_Wht	Screening for metabolic disorders denominator where race and/or ethnicity is White	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the race and/or ethnicity of the patient is White	Yes	Numeric	9
Screen_metabolic_disorder_rate_Race_Wht	Screening for metabolic disorders rate where race	Percent (rate per 100) of patients whose race and/or ethnicity is White and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is White	was completed in the 12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_Age_<18	Screening for metabolic disorders numerator where age is younger than 18 years	The number of patients whose age is younger than 18 years and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Age_<18	Screening for metabolic disorders denominator where age is younger than 18 years	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the age of the patient is younger than 18 years	Yes	Numeric	9
Screen_metabolic_disorder_rate_Age_<18	Screening for metabolic disorders rate where age is younger than 18 years	Percent (rate per 100) of patients whose age is younger than 18 years and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Age_18_34	Screening for metabolic disorders numerator where age is 18 to 34 years old	The number of patients whose age is 18 to 34 years old and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Age_18_34	Screening for metabolic disorders denominator where age	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the age of the patient is 18 to 34 years old	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is 18 to 34 years old				
Screen_metabolic_disorder_rate_Age_18_34	Screening for metabolic disorders rate where age is 18 to 34 years old	Percent (rate per 100) of patients whose age is 18 to 34 years old and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_num_Age_35_49	Screening for metabolic disorders numerator where age is 35 to 49 years old	The number of patients whose age is 35 to 49 years old and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denom_Age_35_49	Screening for metabolic disorders denominator where age is 35 to 49 years old	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the age of the patient is 35 to 49 years old	Yes	Numeric	9
Screen_metabolic_disorder_rate_Age_35_49	Screening for metabolic disorders rate where age is 35 to 49 years old	Percent (rate per 100) of patients whose age is 35 to 49 years old and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_num_Age_50_64	Screening for metabolic disorders numerator where age is	The number of patients whose age is 50 to 64 years old and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	50 to 64 years old				
Screen_metabolic_disorder_denominator_Age_50_64	Screening for metabolic disorders denominator where age is 50 to 64 years old	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the age of the patient is 50 to 64 years old	Yes	Numeric	9
Screen_metabolic_disorder_rate_Age_50_64	Screening for metabolic disorders rate where age is 50 to 64 years old	Percent (rate per 100) of patients whose age is 50 to 64 years old and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Age_>65	Screening for metabolic disorders numerator where age is 65 years or older	The number of patients whose age is 65 years or older and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Age_>65	Screening for metabolic disorders denominator where age is 65 years or older	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the age of the patient is 65 years or older	Yes	Numeric	9
Screen_metabolic_disorder_rate_Age_>65	Screening for metabolic disorders rate where age is 65 years or older	Percent (rate per 100) of patients whose age is 65 years or older and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		in the 12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_Sex_F	Screening for metabolic disorders numerator where sex assigned at birth is Female	The number of patients whose sex assigned at birth is Female and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Sex_F	Screening for metabolic disorders denominator where sex assigned at birth is Female	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sex assigned at birth of the patient is Female	Yes	Numeric	9
Screen_metabolic_disorder_rate_Sex_F	Screening for metabolic disorders rate where sex assigned at birth is Female	Percent (rate per 100) of patients whose sex assigned at birth is Female and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Sex_M	Screening for metabolic disorders numerator where sex assigned at birth is Male	The number of patients whose sex assigned at birth is Male and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Sex_M	Screening for metabolic disorders denominator where sex	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sex assigned at birth of the patient is Male	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Male				
Screen_metabolic_disorder_rate_Sex_M	Screening for metabolic disorders rate where sex assigned at birth is Male	Percent (rate per 100) of patients whose sex assigned at birth is Male and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Sex_Unk	Screening for metabolic disorders numerator where sex assigned at birth is Unknown	The number of patients whose sex assigned at birth is Unknown and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Sex_Unk	Screening for metabolic disorders denominator where sex assigned at birth is Unknown	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sex assigned at birth of the patient is Unknown	Yes	Numeric	9
Screen_metabolic_disorder_rate_Sex_Unk	Screening for metabolic disorders rate where sex assigned at birth is Unknown	Percent (rate per 100) of patients whose sex assigned at birth is Unknown and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Payer_Medicare	Screening for metabolic disorders numerator	The number of patients whose payer type is Medicare and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ator where payer type is Medicare				
Screen_metabolic_disorder_denominator_Payer_Medicare	Screening for metabolic disorders denominator where payer type is Medicare	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the payer type for the patient is Medicare	Yes	Numeric	9
Screen_metabolic_disorder_rate_Payer_Medicare	Screening for metabolic disorders rate where payer type is Medicare	Percent (rate per 100) of patients whose payer type is Medicare and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Payer_Medicaid	Screening for metabolic disorders numerator where payer type is Medicaid	The number of patients whose payer type is Medicaid and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Payer_Medicaid	Screening for metabolic disorders denominator where payer type is Medicaid	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the payer type for the patient is Medicaid	Yes	Numeric	9
Screen_metabolic_disorder_rate_Payer_Medicaid	Screening for metabolic disorders rate where payer type is Medicaid	Percent (rate per 100) of patients whose payer type is Medicaid and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		in the 12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_Payer_Private	Screening for metabolic disorders numerator where payer type is Private	The number of patients whose payer type is Private and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Payer_Private	Screening for metabolic disorders denominator where payer type is Private	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the payer type for the patient is Private	Yes	Numeric	9
Screen_metabolic_disorder_rate_Payer_Private	Screening for metabolic disorders rate where payer type is Private	Percent (rate per 100) of patients whose payer type is Private and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Payer_Self	Screening for metabolic disorders numerator where payer type is Self Pay/Uninsured	The number of patients whose payer type is Self Pay/Uninsured and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Payer_Self	Screening for metabolic disorders denominator where payer type is Self Pay/Uninsured	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the payer type for the patient is Self Pay/Uninsured	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_rate_Payer_Self	Screening for metabolic disorders rate where payer type is Self Pay/Uninsured	Percent (rate per 100) of patients whose payer type is Self Pay/Uninsured and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Payer_Oth	Screening for metabolic disorders numerator where payer type is Other/Unknown	The number of patients whose payer type is Other/Unknown and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Payer_Oth	Screening for metabolic disorders denominator where payer type is Other/Unknown	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the payer type for the patient is Other/Unknown	Yes	Numeric	9
Screen_metabolic_disorder_rate_Payer_Oth	Screening for metabolic disorders rate where payer type is Other/Unknown	Percent (rate per 100) of patients whose payer type is Other/Unknown and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Lang_ASL	Screening for metabolic disorders numerator where preferred language is	The number of patients whose preferred language is American Sign Language and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	American Sign Language				
Screen_metabolic_disorder_denominator_Lang_ASL	Screening for metabolic disorders denominator where preferred language is American Sign Language	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the preferred language of the patient is American Sign Language	Yes	Numeric	9
Screen_metabolic_disorder_rate_Lang_ASL	Screening for metabolic disorders rate where preferred language is American Sign Language	Percent (rate per 100) of patients whose preferred language is American Sign Language and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Lang_Eng	Screening for metabolic disorders numerator where preferred language is English	The number of patients whose preferred language is English and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Lang_Eng	Screening for metabolic disorders denominator where preferred language is English	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the preferred language of the patient is English	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_rate_Lang_Eng	Screening for metabolic disorders rate where preferred language is English	Percent (rate per 100) of patients whose preferred language is English and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Lang_API	Screening for metabolic disorders numerator where preferred language is an Asian/Pacific Islander language	The number of patients whose preferred language is an Asian/Pacific Islander language and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Lang_API	Screening for metabolic disorders denominator where preferred language is an Asian/Pacific Islander language	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the preferred language of the patient is an Asian/Pacific Islander language	Yes	Numeric	9
Screen_metabolic_disorder_rate_Lang_API	Screening for metabolic disorders rate where preferred language is an Asian/Pacific	Percent (rate per 100) of patients whose preferred language is an Asian/Pacific Islander language and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Islander language	12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_Lang_ME	Screening for metabolic disorders numerator where preferred language is Middle Eastern languages	The number of patients whose preferred language is Middle Eastern languages and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Lang_ME	Screening for metabolic disorders denominator where preferred language is Middle Eastern languages	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the preferred language of the patient is Middle Eastern languages	Yes	Numeric	9
Screen_metabolic_disorder_rate_Lang_ME	Screening for metabolic disorders rate where preferred language is Middle Eastern languages	Percent (rate per 100) of patients whose preferred language is Middle Eastern languages and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Lang_Span	Screening for metabolic disorders numerator where preferred	The number of patients whose preferred language is Spanish and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is Spanish				
Screen_metabolic_disorder_denominator_Lang_Span	Screening for metabolic disorders denominator where preferred language is Spanish	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the preferred language of the patient is Spanish	Yes	Numeric	9
Screen_metabolic_disorder_rate_Lang_Span	Screening for metabolic disorders rate where preferred language is Spanish	Percent (rate per 100) of patients whose preferred language is Spanish and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Lang_Oth	Screening for metabolic disorders numerator where preferred language is Other/Unknown	The number of patients whose preferred language is Other/Unknown and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Lang_Oth	Screening for metabolic disorders denominator where preferred language is Other/Unknown	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the preferred language of the patient is Other/Unknown	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_rate_Lang_Oth	Screening for metabolic disorders rate where preferred language is Other/Unknown	Percent (rate per 100) of patients whose preferred language is Other/Unknown and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator	Screening for metabolic disorders numerator where disability status is: does not have a disability	The number of patients whose disability status is: does not have a disability and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator	Screening for metabolic disorders denominator where disability status is: does not have a disability	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: does not have a disability	Yes	Numeric	9
Screen_metabolic_disorder_rate_Disability_none	Screening for metabolic disorders rate where disability status is: does not have a disability	Percent (rate per 100) of patients whose disability status is: does not have a disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator	Screening for metabolic disorders numerator	The number of patients whose disability status is: has a mobility disability and received a metabolic screening	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
m_Disability_Mobile	ator where disability status is: has a mobility disability	in the 12 months prior to discharge, either prior to or during the index IPF stay			
Screen_metabolic_disorder_denominator_Disability_Mobile	Screening for metabolic disorders denominator where disability status is: has a mobility disability	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: has a mobility disability	Yes	Numeric	9
Screen_metabolic_disorder_rate_Disability_Mobile	Screening for metabolic disorders rate where disability status is: has a mobility disability	Percent (rate per 100) of patients whose disability status is: has a mobility disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Disability_Cognition	Screening for metabolic disorders numerator where disability status is: has a cognition disability	The number of patients whose disability status is: has a cognition disability and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Disability_Cognition	Screening for metabolic disorders denominator where disability status	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: has a cognition disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has a cognition disability				
Screen_metabolic_disorder_rate_Disability_Cog	Screening for metabolic disorders rate where disability status is: has a cognition disability	Percent (rate per 100) of patients whose disability status is: has a cognition disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Disability_Hear	Screening for metabolic disorders numerator where disability status is: has a hearing disability	The number of patients whose disability status is: has a hearing disability and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Disability_Hear	Screening for metabolic disorders denominator where disability status is: has a hearing disability	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: has a hearing disability	Yes	Numeric	9
Screen_metabolic_disorder_rate_Disability_Hear	Screening for metabolic disorders rate where disability status is: has a hearing disability	Percent (rate per 100) of patients whose disability status is: has a hearing disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		prior to discharge – either prior to or during the index IPF stay			
Screen_tabol ic_diorder_nu m_Diility_Vis	Screening for metabolic disorders numer ator where disability status is: has a vision disability	The number of patients whose disability status is: has a vision disability and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_tabol ic_diorder_den om_Diility_V is	Screening for metabolic disorders denomi nator where disability status is: has a vision disability	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: has a vision disability	Yes	Numeric	9
Screen_tabol ic_diorder_rate _DVis	Screening for metabolic disorders rate where disability status is: has a vision disability	Percent (rate per 100) of patients whose disability status is: has a vision disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_tabol ic_diorder_nu m_Diility_Se lf	Screening for metabolic disorders numer ator where disability status is: has a self- care disability	The number of patients whose disability status is: has a self-care disability and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_denominator_Disability_Self	Screening for metabolic disorders denominator where disability status is: has a self-care disability	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: has a self-care disability	Yes	Numeric	9
Screen_metabolic_disorder_rate_Disability_Self	Screening for metabolic disorders rate where disability status is: has a self-care disability	Percent (rate per 100) of patients whose disability status is: has a self-care disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_Disability_Independent	Screening for metabolic disorders numerator where disability status is: has an independent living disability	The number of patients whose disability status is: has an independent living disability and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_Disability_Independent	Screening for metabolic disorders denominator where disability status is: has an independent living disability	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the disability status of the patient is: has an independent living disability	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_rate_Disability_Ind	Screening for metabolic disorders rate where disability status is: has an independent living disability	Percent (rate per 100) of patients whose disability status is: has an independent living disability and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_SO_SameSex	Screening for metabolic disorders numerator where sexual orientation is lesbian, gay or homosexual	The number of patients whose sexual orientation is lesbian, gay or homosexual and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_SO_SameSex	Screening for metabolic disorders denominator where sexual orientation is lesbian, gay or homosexual	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sexual orientation of the patient is lesbian, gay or homosexual	Yes	Numeric	9
Screen_metabolic_disorder_rate_SO_SameSex	Screening for metabolic disorders rate where sexual orientation is lesbian, gay or homosexual	Percent (rate per 100) of patients whose sexual orientation is lesbian, gay or homosexual and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_numerator_SO_Hetero	Screening for metabolic disorders numerator where sexual orientation is straight or heterosexual	The number of patients whose sexual orientation is straight or heterosexual and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_SO_Hetero	Screening for metabolic disorders denominator where sexual orientation is straight or heterosexual	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sexual orientation of the patient is straight or heterosexual	Yes	Numeric	9
Screen_metabolic_disorder_rate_SO_Hetero	Screening for metabolic disorders rate where sexual orientation is straight or heterosexual	Percent (rate per 100) of patients whose sexual orientation is straight or heterosexual and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_SO_Bi	Screening for metabolic disorders numerator where sexual orientation is bisexual	The number of patients whose sexual orientation is bisexual and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_denominator_SO_Bi	Screening for metabolic disorders denominator where sexual orientation is bisexual	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sexual orientation of the patient is bisexual	Yes	Numeric	9
Screen_metabolic_disorder_rate_SO_Bi	Screening for metabolic disorders rate where sexual orientation is bisexual	Percent (rate per 100) of patients whose sexual orientation is bisexual and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_SO_Else	Screening for metabolic disorders numerator where sexual orientation is something else	The number of patients whose sexual orientation is something else and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_SO_Else	Screening for metabolic disorders denominator where sexual orientation is something else	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sexual orientation of the patient is something else	Yes	Numeric	9
Screen_metabolic_disorder_rate_SO_Else	Screening for metabolic disorders rate where sexual	Percent (rate per 100) of patients whose sexual orientation is something else and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	orientation is something else	antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_SO_DK	Screening for metabolic disorders numerator where sexual orientation is don't know	The number of patients whose sexual orientation is don't know and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_SO_DK	Screening for metabolic disorders denominator where sexual orientation is don't know	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sexual orientation of the patient is don't know	Yes	Numeric	9
Screen_metabolic_disorder_rate_SO_DK	Screening for metabolic disorders rate where sexual orientation is don't know	Percent (rate per 100) of patients whose sexual orientation is don't know and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_SO_NotDisc	Screening for metabolic disorders numerator where sexual orientation is not disclosed	The number of patients whose sexual orientation is not disclosed and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_denom_SO_NotDisc	Screening for metabolic disorders denominator where sexual orientation is not disclosed	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the sexual orientation of the patient is not disclosed	Yes	Numeric	9
Screen_metabolic_disorder_rate_SO_NotDisc	Screening for metabolic disorders rate where sexual orientation is not disclosed	Percent (rate per 100) of patients whose sexual orientation is not disclosed and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_num_GI_F	Screening for metabolic disorders numerator where gender identity is female	The number of patients whose gender identity is female and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denom_GI_F	Screening for metabolic disorders denominator where gender identity is female	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is female	Yes	Numeric	9
Screen_metabolic_disorder_rate_GI_F	Screening for metabolic disorders rate where gender identity is female	Percent (rate per 100) of patients whose gender identity is female and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
		was completed in the 12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_GI_F2M	Screening for metabolic disorders numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_GI_F2M	Screening for metabolic disorders denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is female-to-male (FTM)/transgender male/trans man	Yes	Numeric	9
Screen_metabolic_disorder_rate_GI_F2M	Screening for metabolic disorders rate where gender identity is female-to-male (FTM)/transgender male/trans man	Percent (rate per 100) of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_GI_M	Screening for metabolic disorders numerator	The number of patients whose gender identity is male and received a metabolic screening in the 12 months	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ator where gender identity is male	prior to discharge, either prior to or during the index IPF stay			
Screen_metabolic_disorder_denominator_GI_M	Screening for metabolic disorders denominator where gender identity is male	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is male	Yes	Numeric	9
Screen_metabolic_disorder_rate_GI_M	Screening for metabolic disorders rate where gender identity is male	Percent (rate per 100) of patients whose gender identity is male and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_GI_M2F	Screening for metabolic disorders numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_GI_M2F	Screening for metabolic disorders denominator where gender identity is male-to-female (MTF)/transgend	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is male-to-female (MTF)/transgender female/trans woman	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	er female/trans woman				
Screen_metabolic_disorder_rate_GI_M2F	Screening for metabolic disorders rate where gender identity is male-to-female (MTF)/transgender female/trans woman	Percent (rate per 100) of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_GI_Nonconf	Screening for metabolic disorders numerator where gender identity is identifies as non-conforming gender	The number of patients whose gender identity is identifies as non-conforming gender and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_GI_Nonconf	Screening for metabolic disorders denominator where gender identity is identifies as non-conforming gender	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is identifies as non-conforming gender	Yes	Numeric	9
Screen_metabolic_disorder_rate_GI_Nonconf	Screening for metabolic disorders rate where gender identity is	Percent (rate per 100) of patients whose gender identity is identifies as non-conforming gender and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	identifies as non-conforming gender	structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay			
Screen_metabolic_disorder_numerator_GI_Oth	Screening for metabolic disorders numerator where gender identity is additional gender category or other	The number of patients whose gender identity is additional gender category or other and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9
Screen_metabolic_disorder_denominator_GI_Oth	Screening for metabolic disorders denominator where gender identity is additional gender category or other	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is additional gender category or other	Yes	Numeric	9
Screen_metabolic_disorder_rate_GI_Oth	Screening for metabolic disorders rate where gender identity is additional gender category or other	Percent (rate per 100) of patients whose gender identity is additional gender category or other and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
Screen_metabolic_disorder_numerator_GI_NotDisc	Screening for metabolic disorders numerator where gender identity is not disclosed	The number of patients whose gender identity is not disclosed and received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
Screen_metabolic_disorder_denom_GI_NotDisc	Screening for metabolic disorders denominator where gender identity is not disclosed	The number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications where the gender identity of the patient is not disclosed	Yes	Numeric	9
Screen_metabolic_disorder_rate_GI_NotDisc	Screening for metabolic disorders rate where gender identity is not disclosed	Percent (rate per 100) of patients whose gender identity is not disclosed and were discharged from an Inpatient Psychiatric Facility (IPF) with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge – either prior to or during the index IPF stay	Yes	Decimal	3,1
SUB3_Treatment_Offered_num	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator	The number of patients who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator	The number of hospitalized inpatients 18 years of age and older identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate	SUB-3: Alcohol and Other Drug Use Disorder	The percent (rate per 100) of patients identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Treatment Provided or Offered at Discharge rate	medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.			
SUatme nt_Ofed_num _RN	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of patients whose race and/or ethnicity is American Indian or Alaskan Native and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUatme nt_Ofed_den _RN	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where race and/or ethnicity is American Indian or Alaskan Native	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is American Indian or Alaskan Native and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUatme nt_Ofed_rate _RN	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of patients whose race and/or ethnicity is American Indian or Alaskan Native who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUatme nt_Ofed_num _R	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is Asian	The number of patients whose race and/or ethnicity is Asian and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUatme nt_Ofed_den _R	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where race	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Asian and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Asian				
SUB3_Treatment_Offered_rate_Race_Asian	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is Asian	The percent (rate per 100) of patients whose race and/or ethnicity is Asian who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Race_Black	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is Black or African American	The number of patients whose race and/or ethnicity is Black or African American and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Race_Black	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Black or African American and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where race and/or ethnicity is Black or African American				
SUB3_Treatment_Offered_rate_Race_Black	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of patients whose race and/or ethnicity is Black or African American who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Race_Hisp	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is Hispanic or Latino	The number of patients whose race and/or ethnicity is Hispanic or Latino and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Race_Hisp	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Hispanic or Latino and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Offered at Discharge denominator where race and/or ethnicity is Hispanic or Latino				
SUB3_Treatment_Offered_rate_Race_Hisp	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of patients whose race and/or ethnicity is Hispanic or Latino who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Race_MENA	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is Middle Eastern or North African	The number of patients whose race and/or ethnicity is Middle Eastern or North African and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_den_Race_MENA	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where race and/or ethnicity is Middle Eastern or North African	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Middle Eastern or North African and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Race_MENA	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is Middle Eastern or North African	The percent (rate per 100) of patients whose race and/or ethnicity is Middle Eastern or North African who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Race_NHPI	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or	The number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	ethnicity is Native Hawaiian or Other Pacific Islander				
SUB3_Treatment_Offered_den_Race_NHPI	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Race_NHPI	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The percent (rate per 100) of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_num_Race_Multi	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is Multi-racial	The number of patients whose race and/or ethnicity is Multi-racial and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Race_Multi	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where race and/or ethnicity is Multi-racial	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Multi-racial and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Race_Multi	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is Multi-racial	The percent (rate per 100) of patients whose race and/or ethnicity is Multi-racial who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_num_Race_Wht	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where race and/or ethnicity is White	The number of patients whose race and/or ethnicity is White and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Race_Wht	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where race and/or ethnicity is White	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is White and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Race_Wht	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where race and/or ethnicity is White	The percent (rate per 100) of patients whose race and/or ethnicity is White who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_num_Age_18_34	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where age is 18 to 34 years old	The number of patients whose age is 18 to 34 years old and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Age_18_34	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where age is 18 to 34 years old	The number of hospitalized inpatients 18 years of age and older, whose age is 18 to 34 years old and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Age_18_34	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where age is 18 to 34 years old	The percent (rate per 100) of patients whose age is 18 to 34 years old who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Age_35_49	SUB-3: Alcohol and Other Drug Use Disorder	The number of patients whose age is 35 to 49 years old and who received or refused at discharge a	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatment Provided or Offered at Discharge numerator where age is 35 to 49 years old	prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment			
SUB3_Treatment_Offered_den_Age_35_49	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where age is 35 to 49 years old	The number of hospitalized inpatients 18 years of age and older, whose age is 35 to 49 years old and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Age_35_49	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where age is 35 to 49 years old	The percent (rate per 100) of patients whose age is 35 to 49 years old who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Age_50_64	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at	The number of patients whose age is 50 to 64 years old and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Discharge numerator where age is 50 to 64 years old				
SUB3_Treatment_Offered_den_Age_50_64	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where age is 50 to 64 years old	The number of hospitalized inpatients 18 years of age and older, whose age is 50 to 64 years old and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Age_50_64	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where age is 50 to 64 years old	The percent (rate per 100) of patients whose age is 50 to 64 years old who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Age_>65	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where	The number of patients whose age is 65 years or older and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	age is 65 years or older				
SUB3_Treatment_Offered_den_Age_>65	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where age is 65 years or older	The number of hospitalized inpatients 18 years of age and older, whose age is 65 years or older and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Age_>65	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where age is 65 years or older	The percent (rate per 100) of patients whose age is 65 years or older who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Sex_F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sex assigned at birth is Female	The number of patients whose sex assigned at birth is Female and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_den_Sex_F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where sex assigned at birth is Female	The number of hospitalized inpatients 18 years of age and older, whose sex assigned at birth is Female and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Sex_F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sex assigned at birth is Female	The percent (rate per 100) of patients whose sex assigned at birth is Female who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Sex_M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sex assigned at birth is Male	The number of patients whose sex assigned at birth is Male and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_den_Sex_M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where sex assigned at birth is Male	The number of hospitalized inpatients 18 years of age and older, whose sex assigned at birth is Male and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Sex_M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sex assigned at birth is Male	The percent (rate per 100) of patients whose sex assigned at birth is Male who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Sex_Unk	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sex assigned at birth is Unknown	The number of patients whose sex assigned at birth is Unknown and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_den_Sex_Unk	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where sex assigned at birth is Unknown	The number of hospitalized inpatients 18 years of age and older, whose sex assigned at birth is Unknown and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Sex_Unk	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sex assigned at birth is Unknown	The percent (rate per 100) of patients whose sex assigned at birth is Unknown who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Payer_Medicare	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where payer type is Medicare	The number of patients whose payer type is Medicare and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_den_Payer_Medicare	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where payer type is Medicare	The number of hospitalized inpatients 18 years of age and older, whose payer type is Medicare and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Payer_Medicare	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where payer type is Medicare	The percent (rate per 100) of patients whose payer type is Medicare who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Payer_Medicaid	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where payer type is Medicaid	The number of patients whose payer type is Medicaid and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den	SUB-3: Alcohol and Other Drug Use Disorder	The number of hospitalized inpatients 18 years of age and older, whose payer type is Medicaid and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
_Payer_Medicaid	Treatment Provided or Offered at Discharge denominator where payer type is Medicaid				
SUB3_Treatment_Offered_rate_Payer_Medicaid	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where payer type is Medicaid	The percent (rate per 100) of patients whose payer type is Medicaid who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Payer_Private	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where payer type is Private	The number of patients whose payer type is Private and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Payer_Private	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at	The number of hospitalized inpatients 18 years of age and older, whose payer type is Private and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Discharge denominator where payer type is Private				
SUB3_Treatment_Offered_rate_Payer_Private	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where payer type is Private	The percent (rate per 100) of patients whose payer type is Private who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Payer_Self	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where payer type is Self Pay/Uninsured	The number of patients whose payer type is Self Pay/Uninsured and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Payer_Self	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where payer type	The number of hospitalized inpatients 18 years of age and older, whose payer type is Self Pay/Uninsured and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Self Pay/Uninsured				
SUatme nt_Ofed_rate _Plf	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where payer type is Self Pay/Uninsured	The percent (rate per 100) of patients whose payer type is Self Pay/Uninsured who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUatme nt_Ofed_num _Ph	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where payer type is Other/Unknown	The number of patients whose payer type is Other/Unknown and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUatme nt_Ofed_den _Ph	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where payer type	The number of hospitalized inpatients 18 years of age and older, whose payer type is Other/Unknown and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Other/Unknown				
SUB3_Treatment_Offered_rate_Payer_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where payer type is Other/Unknown	The percent (rate per 100) of patients whose payer type is Other/Unknown who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Lang_ASL	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where preferred language is American Sign Language	The number of patients whose preferred language is American Sign Language and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Lang_ASL	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator	The number of hospitalized inpatients 18 years of age and older, whose preferred language is American Sign Language and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where preferred language is American Sign Language				
SUB3_Treatment_Offered_rate_Lang_ASL	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where preferred language is American Sign Language	The percent (rate per 100) of patients whose preferred language is American Sign Language who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Lang_Eng	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where preferred language is English	The number of patients whose preferred language is English and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Lang_Eng	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at	The number of hospitalized inpatients 18 years of age and older, whose preferred language is English and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Discharge denominator where preferred language is English				
SUB3_Treatment_Offered_rate_Lang_Eng	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where preferred language is English	The percent (rate per 100) of patients whose preferred language is English who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Lang_API	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where preferred language is an Asian/Pacific Islander language	The number of patients whose preferred language is an Asian/Pacific Islander language and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Lang_API	SUB-3: Alcohol and Other Drug Use Disorder Treatment	The number of hospitalized inpatients 18 years of age and older, whose preferred language is an Asian/Pacific Islander language and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Provided or Offered at Discharge denominator where preferred language is an Asian/Pacific Islander language				
SUB3_Treatment_Offered_rate_Lang_API	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where preferred language is an Asian/Pacific Islander language	The percent (rate per 100) of patients whose preferred language is an Asian/Pacific Islander language who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Lang_ME	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where preferred language is	The number of patients whose preferred language is Middle Eastern languages and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Middle Eastern languages				
SUB3_Treatment_Offered_den_Lang_ME	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where preferred language is Middle Eastern languages	The number of hospitalized inpatients 18 years of age and older, whose preferred language is Middle Eastern languages and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Lang_ME	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where preferred language is Middle Eastern languages	The percent (rate per 100) of patients whose preferred language is Middle Eastern languages who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Lang_Span	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of patients whose preferred language is Spanish and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where preferred language is Spanish				
SUB3_Treatment_Offered_den_Lang_Span	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where preferred language is Spanish	The number of hospitalized inpatients 18 years of age and older, whose preferred language is Spanish and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Lang_Span	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where preferred language is Spanish	The percent (rate per 100) of patients whose preferred language is Spanish who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Lang_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of patients whose preferred language is Other/Unknown and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where preferred language is Other/Unknown				
SUB3_Treatment_Offered_den_Lang_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where preferred language is Other/Unknown	The number of hospitalized inpatients 18 years of age and older, whose preferred language is Other/Unknown and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Lang_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where preferred language is Other/Unknown	The percent (rate per 100) of patients whose preferred language is Other/Unknown who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Disability_none	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of patients whose disability status is: does not have a disability and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where disability status is: does not have a disability				
SUB3_Treatment_Offered_den_Disability_none	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: does not have a disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: does not have a disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_none	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where disability status is: does not have a disability	The percent (rate per 100) of patients whose disability status is: does not have a disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Disability_Mobile	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or	The number of patients whose disability status is: has a mobility disability and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Offered at Discharge numerator where disability status is: has a mobility disability				
SUB3_Treatment_Offered_den_Disability_Mobile	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: has a mobility disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a mobility disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_Mobile	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where disability status is: has a mobility disability	The percent (rate per 100) of patients whose disability status is: has a mobility disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_Disability_Cog	SUB-3: Alcohol and Other Drug Use Disorder	The number of patients whose disability status is: has a cognition disability and who received or refused at discharge a prescription for medication for treatment of	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatment Provided or Offered at Discharge numerator where disability status is: has a cognition disability	alcohol or drug use disorder or a referral for addictions treatment			
SUB3_Treatment_Offered_den_Disability_Cog	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: has a cognition disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a cognition disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_Cog	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where disability status is: has a cognition disability	The percent (rate per 100) of patients whose disability status is: has a cognition disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_num_Disability_Hear	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where disability status is: has a hearing disability	The number of patients whose disability status is: has a hearing disability and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Disability_Hear	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: has a hearing disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a hearing disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_Hear	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where disability status is: has a	The percent (rate per 100) of patients whose disability status is: has a hearing disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	hearing disability				
SUB3_Treatment_Offered_num_Disability_Vis	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where disability status is: has a vision disability	The number of patients whose disability status is: has a vision disability and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Disability_Vis	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: has a vision disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a vision disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_Vis	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where disability	The percent (rate per 100) of patients whose disability status is: has a vision disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	status is: has a vision disability				
SUB3_Treatment_Offered_num_Disability_Self	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where disability status is: has a self-care disability	The number of patients whose disability status is: has a self-care disability and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Disability_Self	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: has a self-care disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a self-care disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_Self	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate	The percent (rate per 100) of patients whose disability status is: has a self-care disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where disability status is: has a self-care disability				
SUB3_Treatment_Offered_num_Disability_Ind	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where disability status is: has an independent living disability	The number of patients whose disability status is: has an independent living disability and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_Disability_Ind	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where disability status is: has an independent living disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has an independent living disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_Disability_Ind	SUB-3: Alcohol and Other Drug Use Disorder Treatment	The percent (rate per 100) of patients whose disability status is: has an independent living disability who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Provided or Offered at Discharge rate where disability status is: has an independent living disability	FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.			
SUB3_Treatment_Offered_num_SO_SameSex	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sexual orientation is lesbian, gay or homosexual	The number of patients whose sexual orientation is lesbian, gay or homosexual and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_SO_SameSex	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where sexual orientation is lesbian, gay or homosexual	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is lesbian, gay or homosexual and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_rate_SO_SameSex	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of patients whose sexual orientation is lesbian, gay or homosexual who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_SO_Hetero	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sexual orientation is straight or heterosexual	The number of patients whose sexual orientation is straight or heterosexual and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_SO_Hetero	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where sexual	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is straight or heterosexual and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	orientation is straight or heterosexual				
SUB3_Treatment_Offered_rate_SO_Hetero	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sexual orientation is straight or heterosexual	The percent (rate per 100) of patients whose sexual orientation is straight or heterosexual who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_SO_Bi	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sexual orientation is bisexual	The number of patients whose sexual orientation is bisexual and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_SO_Bi	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is bisexual and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sexual orientation is bisexual				
SUB3_Treatment_Offered_rate_SO_Bi	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sexual orientation is bisexual	The percent (rate per 100) of patients whose sexual orientation is bisexual who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_SO_Else	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sexual orientation is something else	The number of patients whose sexual orientation is something else and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_SO_Else	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is something else and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sexual orientation is something else				
SUB3_Treatment_Offered_rate_SO_Else	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sexual orientation is something else	The percent (rate per 100) of patients whose sexual orientation is something else who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_SO_DK	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sexual orientation is don't know	The number of patients whose sexual orientation is don't know and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_SO_DK	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is don't know and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sexual orientation is don't know				
SUB3_Treatment_Offered_rate_SO_DK	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sexual orientation is don't know	The percent (rate per 100) of patients whose sexual orientation is don't know who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_SO_NotDisc	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where sexual orientation is not disclosed	The number of patients whose sexual orientation is not disclosed and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_SO_NotDisc	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is not disclosed and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	denominator where sexual orientation is not disclosed				
SUB3_Treatment_Offered_rate_SO_NotDisc	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where sexual orientation is not disclosed	The percent (rate per 100) of patients whose sexual orientation is not disclosed who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_GI_F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where gender identity is female	The number of patients whose gender identity is female and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_GI_F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator	The number of hospitalized inpatients 18 years of age and older, whose gender identity is female and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is female				
SUB3_Treatment_Offered_rate_GI_F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender identity is female	The percent (rate per 100) of patients whose gender identity is female who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_GI_F2M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_GI_F2M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at	The number of hospitalized inpatients 18 years of age and older, whose gender identity is female-to-male (FTM)/transgender male/trans man and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Discharge denominator where gender identity is female-to-male (FTM)/transgender male/trans man				
SUB3_Treatment_Offered_rate_GI_F2M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of patients whose gender identity is female-to-male (FTM)/transgender male/trans man who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_GI_M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where gender identity is male	The number of patients whose gender identity is male and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_den_GI_M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where gender identity is male	The number of hospitalized inpatients 18 years of age and older, whose gender identity is male and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_GI_M	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender identity is male	The percent (rate per 100) of patients whose gender identity is male who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_GI_M2F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_denom_GI_M2F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of hospitalized inpatients 18 years of age and older, whose gender identity is male-to-female (MTF)/transgender female/trans woman and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_GI_M2F	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender identity is male-to-female (MTF)/transgender female/trans woman	The percent (rate per 100) of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1
SUB3_Treatment_Offered_num_GI_Nonconf	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or	The number of patients whose gender identity is identifies as non-conforming gender and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Offered at Discharge numerator where gender identity is identifies as non-conforming gender				
SUB3_Treatment_Offered_denom_GI_Nonconf	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where gender identity is identifies as non-conforming gender	The number of hospitalized inpatients 18 years of age and older, whose gender identity is identifies as non-conforming gender and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_GI_Nonconf	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender identity is identifies as non-conforming gender	The percent (rate per 100) of patients whose gender identity is identifies as non-conforming gender who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3_Treatment_Offered_num_GI_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where gender identity is additional gender category or other	The number of patients whose gender identity is additional gender category or other and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_GI_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where gender identity is additional gender category or other	The number of hospitalized inpatients 18 years of age and older, whose gender identity is additional gender category or other and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_GI_Oth	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender identity is	The percent (rate per 100) of patients whose gender identity is additional gender category or other who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	additional gender category or other				
SUB3_Treatment_Offered_num_GI_NotDisc	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge numerator where gender identity is not disclosed	The number of patients whose gender identity is not disclosed and who received or refused at discharge a prescription for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3_Treatment_Offered_den_GI_NotDisc	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge denominator where gender identity is not disclosed	The number of hospitalized inpatients 18 years of age and older, whose gender identity is not disclosed and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3_Treatment_Offered_rate_GI_NotDisc	SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge rate where gender	The percent (rate per 100) of patients whose gender identity is not disclosed who are identified with alcohol or drug use disorder and who received or refused at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, or who receive or refuse a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	identity is not disclosed				
SUB3a_Treatment_Accepted_number	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator	The number of patients received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator	The number of hospitalized inpatients 18 years of age and older identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate	The percent (rate per 100) of patients were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Race_AIAN	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is American Indian or Alaskan Native	The number of patients whose race and/or ethnicity is American Indian or Alaskan Native and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_den_Race_AIAN	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity is American Indian or Alaskan Native	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is American Indian or Alaskan Native and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Race_AIAN	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where race and/or ethnicity is American Indian or Alaskan Native	The percent (rate per 100) of patients whose race and/or ethnicity is American Indian or Alaskan Native and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Race_Asian	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is Asian	The number of patients whose race and/or ethnicity is Asian and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_d	SUB-3a: Alcohol and Other Drug Use Disorder	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Asian and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
en_Race_Asian	Treatment at Discharge denominator where race and/or ethnicity is Asian				
SUB3a_Treatment_Accepted_rate_Race_Asian	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where race and/or ethnicity is Asian	The percent (rate per 100) of patients whose race and/or ethnicity is Asian and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Race_Black	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is Black or African American	The number of patients whose race and/or ethnicity is Black or African American and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Race_Black	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Black or African American and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is Black or African American				
SUB3a_Treatment_Accepted_rate_Race_Black	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where race and/or ethnicity is Black or African American	The percent (rate per 100) of patients whose race and/or ethnicity is Black or African American and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Race_Hispanic	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is Hispanic or Latino	The number of patients whose race and/or ethnicity is Hispanic or Latino and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Race_Hispanic	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity is Hispanic or Latino	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Hispanic or Latino and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_rate_Race_Hisp	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where race and/or ethnicity is Hispanic or Latino	The percent (rate per 100) of patients whose race and/or ethnicity is Hispanic or Latino and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Race_MENA	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is Middle Eastern or North African	The number of patients whose race and/or ethnicity is Middle Eastern or North African and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Race_MENA	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity is Middle Eastern or North African	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Middle Eastern or North African and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_r	SUB-3a: Alcohol and Other Drug Use Disorder	The percent (rate per 100) of patients whose race and/or ethnicity is Middle Eastern or North African and were identified with alcohol or drug use disorder and	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
ate_Race_MEN A	Treatment at Discharge rate where race and/or ethnicity is Middle Eastern or North African	received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.			
SUB3a_Treatment_Accepted_number_Race_NHPI	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Race_NHPI	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Race_NHPI	SUB-3a: Alcohol and Other Drug Use Disorder	The percent (rate per 100) of patients whose race and/or ethnicity is Native Hawaiian or Other Pacific Islander and were identified with alcohol or drug use	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Treatment at Discharge rate where race and/or ethnicity is Native Hawaiian or Other Pacific Islander	disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.			
SUB3a_Treatment_Accepted_num_Race_Multi	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is Multi-racial	The number of patients whose race and/or ethnicity is Multi-racial and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Race_Multi	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity is Multi-racial	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is Multi-racial and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Race_Multi	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where race	The percent (rate per 100) of patients whose race and/or ethnicity is Multi-racial and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	and/or ethnicity is Multi-racial				
SUB3a_Treatment_Accepted_number_Race_Whit	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where race and/or ethnicity is White	The number of patients whose race and/or ethnicity is White and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Race_Whit	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where race and/or ethnicity is White	The number of hospitalized inpatients 18 years of age and older, whose race and/or ethnicity is White and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Race_Whit	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where race and/or ethnicity is White	The percent (rate per 100) of patients whose race and/or ethnicity is White and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Age_18_34	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge	The number of patients whose age is 18 to 34 years old and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where age is 18 to 34 years old				
SUB3a_Treatment_Accepted_den_Age_18_34	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where age is 18 to 34 years old	The number of hospitalized inpatients 18 years of age and older, whose age is 18 to 34 years old and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Age_18_34	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where age is 18 to 34 years old	The percent (rate per 100) of patients whose age is 18 to 34 years old and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Age_35_49	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where age is 35 to 49 years old	The number of patients whose age is 35 to 49 years old and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Age_35_49	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator	The number of hospitalized inpatients 18 years of age and older, whose age is 35 to 49 years old and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where age is 35 to 49 years old				
SUB3a_Treatment_Accepted_rate_Age_35_49	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where age is 35 to 49 years old	The percent (rate per 100) of patients whose age is 35 to 49 years old and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Age_50_64	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where age is 50 to 64 years old	The number of patients whose age is 50 to 64 years old and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Age_50_64	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where age is 50 to 64 years old	The number of hospitalized inpatients 18 years of age and older, whose age is 50 to 64 years old and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Age_50_64	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where age is 50 to 64 years old	The percent (rate per 100) of patients whose age is 50 to 64 years old and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_number_Age_>65	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where age is 65 years or older	The number of patients whose age is 65 years or older and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Age_>65	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where age is 65 years or older	The number of hospitalized inpatients 18 years of age and older, whose age is 65 years or older and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Age_>65	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where age is 65 years or older	The percent (rate per 100) of patients whose age is 65 years or older and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Sex_F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sex assigned at birth is Female	The number of patients whose sex assigned at birth is Female and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_den_Sex_F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sex assigned at birth is Female	The number of hospitalized inpatients 18 years of age and older, whose sex assigned at birth is Female and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Sex_F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sex assigned at birth is Female	The percent (rate per 100) of patients whose sex assigned at birth is Female and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Sex_M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sex assigned at birth is Male	The number of patients whose sex assigned at birth is Male and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Sex_M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sex	The number of hospitalized inpatients 18 years of age and older, whose sex assigned at birth is Male and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	assigned at birth is Male				
SUB3a_Treatment_Accepted_rate_Sex_M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sex assigned at birth is Male	The percent (rate per 100) of patients whose sex assigned at birth is Male and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Sex_Unk	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sex assigned at birth is Unknown	The number of patients whose sex assigned at birth is Unknown and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Sex_Unk	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sex assigned at birth is Unknown	The number of hospitalized inpatients 18 years of age and older, whose sex assigned at birth is Unknown and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Sex_Unk	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate	The percent (rate per 100) of patients whose sex assigned at birth is Unknown and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where sex assigned at birth is Unknown	or drug use disorder or a referral for addictions treatment.			
SUB3a_Treatment_Accepted_number_Payer_Medicare	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where payer type is Medicare	The number of patients whose payer type is Medicare and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Payer_Medicare	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where payer type is Medicare	The number of hospitalized inpatients 18 years of age and older, whose payer type is Medicare and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Payer_Medicare	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where payer type is Medicare	The percent (rate per 100) of patients whose payer type is Medicare and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Payer_Medicaid	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where	The number of patients whose payer type is Medicaid and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	payer type is Medicaid				
SUB3a_Treatment_Accepted_den_Payer_Medicaid	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where payer type is Medicaid	The number of hospitalized inpatients 18 years of age and older, whose payer type is Medicaid and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Payer_Medicaid	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where payer type is Medicaid	The percent (rate per 100) of patients whose payer type is Medicaid and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Payer_Private	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where payer type is Private	The number of patients whose payer type is Private and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Payer_Private	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator	The number of hospitalized inpatients 18 years of age and older, whose payer type is Private and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	where payer type is Private				
SUB3a_Treatment_Accepted_rate_Payer_Private	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where payer type is Private	The percent (rate per 100) of patients whose payer type is Private and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Payer_Self	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where payer type is Self Pay/Uninsured	The number of patients whose payer type is Self Pay/Uninsured and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Payer_Self	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where payer type is Self Pay/Uninsured	The number of hospitalized inpatients 18 years of age and older, whose payer type is Self Pay/Uninsured and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Payer_Self	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where payer type	The percent (rate per 100) of patients whose payer type is Self Pay/Uninsured and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	is Self Pay/Uninsured				
SUB3a_Treatment_Accepted_number_Payer_Other	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where payer type is Other/Unknown	The number of patients whose payer type is Other/Unknown and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Payer_Other	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where payer type is Other/Unknown	The number of hospitalized inpatients 18 years of age and older, whose payer type is Other/Unknown and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Payer_Other	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where payer type is Other/Unknown	The percent (rate per 100) of patients whose payer type is Other/Unknown and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Lang_ASL	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge	The number of patients whose preferred language is American Sign Language and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	numerator where preferred language is American Sign Language				
SUB3a_Treatment_Accepted_den_Lang_ASL	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where preferred language is American Sign Language	The number of hospitalized inpatients 18 years of age and older, whose preferred language is American Sign Language and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Lang_ASL	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where preferred language is American Sign Language	The percent (rate per 100) of patients whose preferred language is American Sign Language and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Lang_Eng	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where preferred	The number of patients whose preferred language is English and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	language is English				
SUB3a_Treatment_Accepted_den_Lang_Eng	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where preferred language is English	The number of hospitalized inpatients 18 years of age and older, whose preferred language is English and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Lang_Eng	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where preferred language is English	The percent (rate per 100) of patients whose preferred language is English and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Lang_API	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where preferred language is an Asian/Pacific Islander language	The number of patients whose preferred language is an Asian/Pacific Islander language and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_den_Lang_API	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where preferred language is an Asian/Pacific Islander language	The number of hospitalized inpatients 18 years of age and older, whose preferred language is an Asian/Pacific Islander language and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Lang_API	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where preferred language is an Asian/Pacific Islander language	The percent (rate per 100) of patients whose preferred language is an Asian/Pacific Islander language and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Lang_ME	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where preferred language is Middle Eastern languages	The number of patients whose preferred language is Middle Eastern languages and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_den_Lang_ME	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where preferred language is Middle Eastern languages	The number of hospitalized inpatients 18 years of age and older, whose preferred language is Middle Eastern languages and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Lang_ME	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where preferred language is Middle Eastern languages	The percent (rate per 100) of patients whose preferred language is Middle Eastern languages and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Lang_Span	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where preferred language is Spanish	The number of patients whose preferred language is Spanish and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Lang_Span	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at	The number of hospitalized inpatients 18 years of age and older, whose preferred language is Spanish and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Discharge denominator where preferred language is Spanish				
SUB3a_Treatment_Accepted_rate_Lang_Span	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where preferred language is Spanish	The percent (rate per 100) of patients whose preferred language is Spanish and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Lang_Oth	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where preferred language is Other/Unknown	The number of patients whose preferred language is Other/Unknown and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Lang_Oth	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where preferred language is Other/Unknown	The number of hospitalized inpatients 18 years of age and older, whose preferred language is Other/Unknown and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_rate_Lang_Oth	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where preferred language is Other/Unknown	The percent (rate per 100) of patients whose preferred language is Other/Unknown and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Disability_none	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where disability status is: does not have a disability	The number of patients whose disability status is: does not have a disability and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Disability_none	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where disability status is: does not have a disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: does not have a disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Disability_none	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate	The percent (rate per 100) of patients whose disability status is: does not have a disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where disability status is: does not have a disability	or drug use disorder or a referral for addictions treatment.			
SUB3a_Treatment_Accepted_number_Disability_Mobile	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where disability status is: has a mobility disability	The number of patients whose disability status is: has a mobility disability and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Disability_Mobile	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where disability status is: has a mobility disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a mobility disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Disability_Mobile	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where disability status is: has a mobility disability	The percent (rate per 100) of patients whose disability status is: has a mobility disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_numerator_Disability_Cog	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where disability status is: has a cognition disability	The number of patients whose disability status is: has a cognition disability and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Disability_Cog	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where disability status is: has a cognition disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a cognition disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Disability_Cog	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where disability status is: has a cognition disability	The percent (rate per 100) of patients whose disability status is: has a cognition disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_numerator_Disability_Hearing	SUB-3a: Alcohol and Other Drug Use Disorder	The number of patients whose disability status is: has a hearing disability and received a prescription at	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
um_Disability_Hear	Treatment at Discharge numerator where disability status is: has a hearing disability	discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment			
SUB3a_Treatment_Accepted_den_Disability_Hear	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where disability status is: has a hearing disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a hearing disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Disability_Hear	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where disability status is: has a hearing disability	The percent (rate per 100) of patients whose disability status is: has a hearing disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Disability_Vis	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where disability status	The number of patients whose disability status is: has a vision disability and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	is: has a vision disability				
SUB3a_Treatment_Accepted_den_Disability_Vis	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where disability status is: has a vision disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a vision disability and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_Disability_Vis	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where disability status is: has a vision disability	The percent (rate per 100) of patients whose disability status is: has a vision disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_Disability_Self	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where disability status is: has a self-care disability	The number of patients whose disability status is: has a self-care disability and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_Disability_Self	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has a self-care disability and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Discharge denominator where disability status is: has a self-care disability				
SUB3a_Treatment_Accepted_rate_Disability_Self	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where disability status is: has a self-care disability	The percent (rate per 100) of patients whose disability status is: has a self-care disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_Disability_Independent	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where disability status is: has an independent living disability	The number of patients whose disability status is: has an independent living disability and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_Disability_Independent	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where disability	The number of hospitalized inpatients 18 years of age and older, whose disability status is: has an independent living disability and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	status is: has an independent living disability				
SUB3a_Treatment_Accepted_rate_Disability_Ind	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where disability status is: has an independent living disability	The percent (rate per 100) of patients whose disability status is: has an independent living disability and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_SO_SameSex	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sexual orientation is lesbian, gay or homosexual	The number of patients whose sexual orientation is lesbian, gay or homosexual and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_SO_SameSex	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sexual orientation is lesbian, gay or homosexual	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is lesbian, gay or homosexual and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_rate_SO_SameSex	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sexual orientation is lesbian, gay or homosexual	The percent (rate per 100) of patients whose sexual orientation is lesbian, gay or homosexual and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_SO_Hetero	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sexual orientation is straight or heterosexual	The number of patients whose sexual orientation is straight or heterosexual and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_SO_Hetero	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sexual orientation is straight or heterosexual	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is straight or heterosexual and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_SO_Hetero	SUB-3a: Alcohol and Other Drug Use Disorder	The percent (rate per 100) of patients whose sexual orientation is straight or heterosexual and were identified with alcohol or drug use disorder and	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	Treatment at Discharge rate where sexual orientation is straight or heterosexual	received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.			
SUB3a_Treatment_Accepted_number_SO_Bi	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sexual orientation is bisexual	The number of patients whose sexual orientation is bisexual and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_SO_Bi	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sexual orientation is bisexual	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is bisexual and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_SO_Bi	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sexual orientation is bisexual	The percent (rate per 100) of patients whose sexual orientation is bisexual and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_num_SO_Else	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sexual orientation is something else	The number of patients whose sexual orientation is something else and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_SO_Else	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sexual orientation is something else	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is something else and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_SO_Else	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sexual orientation is something else	The percent (rate per 100) of patients whose sexual orientation is something else and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_SO_DK	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where	The number of patients whose sexual orientation is don't know and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	sexual orientation is don't know				
SUB3a_Treatment_Accepted_den_SO_DK	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where sexual orientation is don't know	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is don't know and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_SO_DK	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sexual orientation is don't know	The percent (rate per 100) of patients whose sexual orientation is don't know and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_SO_NotDisc	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where sexual orientation is not disclosed	The number of patients whose sexual orientation is not disclosed and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_SO_NotDisc	SUB-3a: Alcohol and Other Drug Use Disorder	The number of hospitalized inpatients 18 years of age and older, whose sexual orientation is not disclosed and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
	Treatment at Discharge denominator where sexual orientation is not disclosed				
SUB3a_Treatment_Accepted_rate_SO_NotDisc	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where sexual orientation is not disclosed	The percent (rate per 100) of patients whose sexual orientation is not disclosed and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_GI_F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is female	The number of patients whose gender identity is female and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_GI_F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is female	The number of hospitalized inpatients 18 years of age and older, whose gender identity is female and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_rate_GI_F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where gender identity is female	The percent (rate per 100) of patients whose gender identity is female and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_num_GI_F2M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_GI_F2M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is female-to-male (FTM)/transgender male/trans man	The number of hospitalized inpatients 18 years of age and older, whose gender identity is female-to-male (FTM)/transgender male/trans man and identified with an alcohol or drug use disorder	Yes	Numeric	9

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_rate_GI_F2M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where gender identity is female-to-male (FTM)/transgender male/trans man	The percent (rate per 100) of patients whose gender identity is female-to-male (FTM)/transgender male/trans man and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
SUB3a_Treatment_Accepted_number_GI_M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is male	The number of patients whose gender identity is male and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_GI_M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is male	The number of hospitalized inpatients 18 years of age and older, whose gender identity is male and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_GI_M	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate	The percent (rate per 100) of patients whose gender identity is male and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	where gender identity is male				
SUB3a_Treatment_Accepted_number_GI_M2F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_GI_M2F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is male-to-female (MTF)/transgender female/trans woman	The number of hospitalized inpatients 18 years of age and older, whose gender identity is male-to-female (MTF)/transgender female/trans woman and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_GI_M2F	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where gender identity is male-	The percent (rate per 100) of patients whose gender identity is male-to-female (MTF)/transgender female/trans woman and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	to-female (MTF)/transgender female/trans woman				
SUeatment_Aed_number_Glonconf	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is identifies as non-conforming gender	The number of patients whose gender identity is identifies as non-conforming gender and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUeatment_Aed_den__Nonconf	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is identifies as non-conforming gender	The number of hospitalized inpatients 18 years of age and older, whose gender identity is identifies as non-conforming gender and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUeatment_Aed_rate_Glonconf	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where gender identity is	The percent (rate per 100) of patients whose gender identity is identifies as non-conforming gender and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
	identifies as non-conforming gender				
SUB3a_Treatment_Accepted_number_GI_Oth	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is additional gender category or other	The number of patients whose gender identity is additional gender category or other and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_denominator_GI_Oth	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is additional gender category or other	The number of hospitalized inpatients 18 years of age and older, whose gender identity is additional gender category or other and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_GI_Oth	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where gender identity is additional gender category or other	The percent (rate per 100) of patients whose gender identity is additional gender category or other and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1

Label	Data Element	Data Description	Required	Format	Size
SUB3a_Treatment_Accepted_number_GI_NotDisc	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge numerator where gender identity is not disclosed	The number of patients whose gender identity is not disclosed and received a prescription at discharge for medication for treatment of alcohol or drug use disorder or a referral for addictions treatment	Yes	Numeric	9
SUB3a_Treatment_Accepted_den_GI_NotDisc	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge denominator where gender identity is not disclosed	The number of hospitalized inpatients 18 years of age and older, whose gender identity is not disclosed and identified with an alcohol or drug use disorder	Yes	Numeric	9
SUB3a_Treatment_Accepted_rate_GI_NotDisc	SUB-3a: Alcohol and Other Drug Use Disorder Treatment at Discharge rate where gender identity is not disclosed	The percent (rate per 100) of patients whose gender identity is not disclosed and were identified with alcohol or drug use disorder and received a prescription for FDA-approved medications for alcohol or drug use disorder or a referral for addictions treatment.	Yes	Decimal	3,1
Top_10_Disparities	The top ten disparities identified in the data	The top ten disparities identified in the data by the relative difference between a stratification group and the reference group for each measure, consistent with the requirements included in the Measures Submission Guide	Yes	Character	5000

Label	Data Element	Data Description	Required	Format	Size
Equity_Plan	Plan to address disparities identified in the data	A plan to address the disparities identified in the data including population impact, measurable objectives, and specific timeframe	Yes	Character	5000
Performance_Priority_Person_Center	Performance in the priority area of person-centered care	Description of performance in the priority area of person-centered care	Yes	Character	5000
Performance_Priority_Patient_Safety	Performance in the priority area of patient safety	Description of performance in the priority area of patient safety	Yes	Character	5000
Performance_Priority_SDOH	Performance in the priority area of addressing patient social determinants of health	Description of performance in the priority area of addressing patient social determinants of health	Yes	Character	5000
Performance_Priority_Treatment	Performance in the priority area of effective treatment	Description of performance in the priority area of effective treatment	Yes	Character	5000
Performance_Priority_Care_Coordinate	Performance in the priority area of care coordination	Description of performance in the priority area of care coordination	Yes	Character	5000
Performance_Priority_Care_Access	Performance in the priority area of access to care	Description of performance in the priority area of access to care	Yes	Character	5000
Methodology_Guidelines	Did the hospital follow the methodology in the Measures	Whether hospital used the methodology as outlined in the Measures Submission Guide	Yes	Character	1

Label	Data Element	Data Description	Required	Format	Size
	Submission guide? (Y/N)				
Methodology_Explanation	Explanation of the methodology used	Explanation of the methodology used if the hospital did not follow the methodology in the Measures Submission guide	Yes	Character	5000