

PROJECT DESCRIPTION

- REPLACEMENT OF THE EXISTING FLORESCENT LAMPS WITH LED LAMPS WILL NOT REDUCE EXISTING EGRESS LIGHTING LEVELS AND THE ELECTRICAL LOAD WILL NOT BE INCREASED
- WORK DOES NOT IMPACT EXISTING FIRE SEPARATION WALLS, EXITING OR EXISTING FIRE SPRINKLERS.




1. CONTRACTOR SHALL COORDINATE ALL WORK REQUIRED BY THE VENDOR PROVIDED SHOP DRAWINGS AND INSTALLATION MANUALS. IF ANY DISPARITY OR CONFLICT IS FOUND BETWEEN THE HC&I APPROVED DRAWINGS, THE ENGINEER SHOULD BE NOTIFIED IN ADVANCE OF ANY CONSTRUCTION.
2. BEFORE ANY WORK IS COMMENCED, CONTRACTOR TO VERIFY EXTENT OF WORK AND ISOLATE AREA.
3. THE CONTRACTOR AND SUB-CONTRACTORS SHALL FIELD INSPECT ALL EXISTING CONDITIONS AND IDENTIFY ANY DAMAGE CONDITIONS PRIOR TO STARTING WORK.
4. ALL EXISTING, TO REMAIN, FINISHES TO BE PROTECTED AS NECESSARY DURING CONSTRUCTION.
5. ACCESS TO EXISTING EXIT WAYS TO REMAIN OPEN AND UNENCUMBERED AT ALL TIMES DURING CONSTRUCTION.

① REFER TO FIXTURE SUBMITTAL FOR SCOPE OF WORK IN EACH ROOM BASE ON ROOM NUMBER

Architectural symbols for smoke and fire barriers:

- EXISTING CONSTRUCTION:** A symbol showing a curved line (representing a wall or partition) and a rectangular block (representing a base or foundation).
- NEW PARTITION:** A solid black rectangular block.
- PARTITION TAG:** A symbol consisting of a horizontal line connected to a square box containing the letters "XX".
- KEYNOTE:** A symbol consisting of a horizontal line connected to a square box containing the letters "XX", with a small dot to the right of the box.
- (E) SMOKE BARRIER:** A symbol consisting of a horizontal line with the text "(E) SMOKE BARRIER" to its right.
- (E) 1-HR FIRE BARRIER:** A symbol consisting of a horizontal line with the text "(E) 1-HR FIRE BARRIER" to its right.
- (E) SMOKE RESISTIVE:** A symbol consisting of a horizontal line with the text "(E) SMOKE RESISTIVE" to its right.

11/11/2016



1 FIRST FLOOR LEVEL OVERALL FLOOR PLAN
SCALE: 1/16" = 1'-0"

GENERAL NOTES

1. CONTRACTOR SHALL COORDINATE ALL WORK REQUIRED BY THE VENDOR PROVIDED SHOP DRAWINGS AND INSTALLATION MANUALS. IF ANY DISPARITY OR CONFLICT IS FOUND BETWEEN THE HCAI-APPROVED DRAWINGS, THE ENGINEER SHOULD BE NOTIFIED IN ADVANCE OF ANY CONSTRUCTION.
2. BEFORE ANY WORK IS COMMENCED, CONTRACTOR TO VERIFY EXTENT OF WORK AND ISOLATE AREA.
3. THE CONTRACTOR AND SUB-CONTRACTORS SHALL FIELD INSPECT ALL EXISTING CONDITIONS AND IDENTIFY ANY DAMAGE CONDITIONS PRIOR TO STARTING WORK.
4. ALL EXISTING, TO REMAIN, FINISHES TO BE PROTECTED AS NECESSARY DURING CONSTRUCTION.
5. ACCESS TO EXISTING EXIT WAYS TO REMAIN OPEN AND UNENCUMBERED AT ALL TIMES DURING CONSTRUCTION.


SHEET NOTES

- 1 REFER TO FIXTURE SUBMITTAL FOR SCOPE OF WORK IN EACH ROOM BASE ON ROOM NUMBER

LEGEND

- EXISTING CONSTRUCTION
- NEW PARTITION
- PARTITION TAG
- KEYNOTE
- (E) SMOKE BARRIER
- (E) 1-HR FIRE BARRIER
- (E) SMOKE RESISTIVE

REVISION:



1. CONTRACTOR SHALL COORDINATE ALL WORK REQUIRED BY THE VENDOR PROVIDED SHOP DRAWINGS AND INSTALLATION MANUALS. IF ANY DISPARITY OR CONFLICT IS FOUND BETWEEN THE HCAI APPROVED DRAWINGS, THE ENGINEER SHOULD BE NOTIFIED IN ADVANCE OF ANY CONSTRUCTION.
2. BEFORE ANY WORK IS COMMENCED, CONTRACTOR TO VERIFY EXTENT OF WORK AND ISOLATE AREA.
3. THE CONTRACTOR AND SUB-CONTRACTORS SHALL FIELD INSPECT ALL EXISTING CONDITIONS AND IDENTIFY ANY DAMAGE CONDITIONS PRIOR TO STARTING WORK.
4. ALL EXISTING, TO REMAIN, FINISHES TO BE PROTECTED AS NECESSARY DURING CONSTRUCTION.
5. ACCESS TO EXISTING EXIT WAYS TO REMAIN OPEN AND UNENCUMBERED AT ALL TIMES DURING CONSTRUCTION.

① REFER TO FIXTURE SUBMITTAL FOR SCOPE OF WORK IN EACH ROOM BASE ON ROOM NUMBER

The legend defines symbols for smoke barriers and keynotes. It includes:

- EXISTING CONSTRUCTION:** A cross-section diagram showing a vertical wall and a horizontal base, with a curved line indicating a transition or joint.
- NEW PARTITION:** A solid black horizontal bar.
- PARTITION TAG:** A rectangular box containing the text "XX", with a horizontal line extending to the left.
- KEYNOTE:** A rectangular box containing the text "XX", with a horizontal line extending to the left and a small circle at the end of the line.
- (E) SMOKE BARRIER:** A horizontal line with the text "1S" at each end.
- (E) 1-HR FIRE BARRIER:** A horizontal line.
- (E) SMOKE RESISTIVE:** A horizontal line.


GENERAL NOTES

1. CONTRACTOR SHALL COORDINATE ALL WORK REQUIRED BY THE VENDOR PROVIDED SHOP DRAWINGS AND INSTALLATION MANUALS. IF ANY DISPARITY OR CONFLICT IS FOUND BETWEEN THE HCA APPROVED DRAWINGS, THE ENGINEER SHOULD BE NOTIFIED IN ADVANCE OF ANY CONSTRUCTION.
2. BEFORE ANY WORK IS COMMENCED, CONTRACTOR TO VERIFY EXTENT OF WORK AND ISOLATE AREA.
3. THE CONTRACTOR AND SUB-CONTRACTORS SHALL FIELD INSPECT ALL EXISTING CONDITIONS AND IDENTIFY ANY DAMAGE CONDITIONS PRIOR TO STARTING WORK.
4. ALL EXISTING, TO REMAIN, FINISHES TO BE PROTECTED AS NECESSARY DURING CONSTRUCTION.
5. ACCESS TO EXISTING EXIT WAYS TO REMAIN OPEN AND UNENCUMBERED AT ALL TIMES DURING CONSTRUCTION.


SHEET NOTES

- 1 REFER TO FIXTURE SUBMITTAL FOR SCOPE OF WORK IN EACH ROOM BASE ON ROOM NUMBER

LEGEND



REVISION:



1 THIRD FLOOR LEVEL OVERALL FLOOR PLAN
SCALE: 1/16" = 1'-0"



1. CONTRACTOR SHALL COORDINATE ALL WORK REQUIRED BY THE VENDOR PROVIDED SHOP DRAWINGS AND INSTALLATION MANUALS. IF ANY DISPARITY OR CONFLICT IS FOUND BETWEEN THE HCA APPROVED DRAWINGS, THE ENGINEER SHOULD BE NOTIFIED IN ADVANCE OF ANY CONSTRUCTION.
2. BEFORE ANY WORK IS COMMENCED, CONTRACTOR TO VERIFY EXTENT OF WORK AND ISOLATE AREA.
3. THE CONTRACTOR AND SUB-CONTRACTORS SHALL FIELD INSPECT ALL EXISTING CONDITIONS AND IDENTIFY ANY DAMAGE CONDITIONS PRIOR TO STARTING WORK.
4. ALL EXISTING, TO REMAIN, FINISHES TO BE PROTECTED AS NECESSARY DURING CONSTRUCTION.
5. ACCESS TO EXISTING EXIT WAYS TO REMAIN OPEN AND UNENCUMBERED AT ALL TIMES DURING CONSTRUCTION.

① REFER TO FIXTURE SUBMITTAL FOR SCOPE OF WORK IN EACH ROOM BASE ON ROOM NUMBER

EXISTING CONSTRUCTION

NEW PARTITION

XX

PARTITION TAG

XX


KEYNOTE

1S 1S 1S

(E) SMOKE BARRIER

(E) 1-HR FIRE BARRIER

(E) SMOKE RESISTIVE



1 FOURTH FLOOR LEVEL OVERALL FLOOR PLAN
SCALE: 1/16" = 1'-0"

