

LED REPLACEMENT - ROOM BY ROOM SOW HCAI

1/13/25

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fixture	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
1	HALLWAY + RECEPTION	TBAR (STD)	2X4	T8 - 4'	2	32	23	1,472 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	575.0 W	-897.0 W
2	4,047	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
3	4,046	TBAR (STD)	2X4	T8 - 4'	2	32	6	384 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	150.0 W	-234.0 W
4	4,045	TBAR (STD)	2X4	T8 - 4'	3	32	6	576 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	150.0 W	-426.0 W
5	aa	TBAR (STD)	2X2	T8 - 2'	2	17	2	68 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	40.0 W	-28.0 W
6	HALLWAY	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	72	4,608 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	1,728.0 W	-2,880.0 W
7	4001+4003	TBAR (STD)	2X2	T8 - 2'	2	17	3	102 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	60.0 W	-42.0 W
8	4001+4003	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
9	4001+4003	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
10	4001+4003 Restrooms	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	50	2	100 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-80.0 W
11	4005+4007	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
12	4005+4007	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (PAR 30)	1	75	1	75 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-65.0 W
13	4005+4007	INSIDE WALL	WALL SCONCE	BULB (2-PIN)	1	13	2	26 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-5.6 W
14	4005+4007	HARD LID	6" DOWN CAN (ROUND)	BULB (2-PIN)	2	13	2	52 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-32.0 W
15	4005+4007	HARD LID	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
16	4005+4007	INSIDE WALL	WALL SCONCE	BULB (2-PIN)	1	17	2	34 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-13.6 W
17	4011+4009	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
18	4011+4009	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	2	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
19	4011+4009	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	2	64 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-44.0 W
20	4,013	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
21								0 W	-		
22	4,013	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
23								0 W	-		
24	4,015	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
25	4,015	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
26	4017 Ante	HARD LID	2X2	T8 (U LAMP - W)	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
27	4019 Patient	HARD LID	2X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
28	4019 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
29	4019 Patient	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
30	4021 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
31	4021 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
32	4020 Ante	HARD LID	2X2	T8 (U LAMP - W)	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
33	4018 Patient	HARD LID	2X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
34	4018 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
35	4016 Patient	HARD LID	2X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
36	4016 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
37	4,014	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
38	4,014	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
39	4,014	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	1	32 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-22.0 W
40	4028C Shower	HARD LID	2X2	T8 (U LAMP - W)	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
41	4012 Multi Room	TBAR (STD)	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
42	4028D Restroom	INSIDE WALL	3' LINEAR	T8 - 3'	1	25	1	25 W	11W 3' T8 TUBE TYPE AB 30K + 35K + 40K + 50K - TYPE B	11.0 W	-14.0 W
43	4010/4008 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
44	4010/4008 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	2	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
45	4010/4008 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	2	64 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-44.0 W
46	4006/4004 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
47	4006/4004 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	2	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
48	4006/4004 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	2	64 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-44.0 W
49	4002 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
50								0 W	-		
51	4002 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
52								0 W	-		
53	4036B Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
54	4041 Office	HARD LID	1X4	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
55	4026E Bath	HARD LID	1X4	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
56	4038 Soiled Utility	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
57	4026C EVS	HARD LID	4' LINEAR	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
58	4037 Clean Utility	HARD LID	4' LINEAR	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
59	4,034	HARD LID	4' LINEAR	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
60	4,034	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
61	Reception	HARD LID	1X4	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
62	4029 Nurse Storage	HARD LID	STAND ALONE BULB	BULB (A-LAMP)	1	90	2	180 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-159.6 W
63	4024 Office	HARD LID	1X4	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
64	4022C (By Reception)	HARD LID	1X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
65	4025 Storage	HARD LID	1X4	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
66								0 W	-		
67	4023 Lockers + 4023A	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fixture	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
68	4023 Lockers + 4023A	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	1	75 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-65.0 W
69	HALLWAY(CONT.)	HARD LID	1X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
70	Reception Hallway	TBAR (STD)	2X4	T8 - 4'	2	32	23	1,472 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	575.0 W	-897.0 W
71	3,054	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
72	3053 Office	TBAR (STD)	2X4	T8 - 4'	4	32	6	768 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	150.0 W	-618.0 W
73	3,050	TBAR (STD)	2X4	T8 - 4'	3	32	6	576 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	150.0 W	-426.0 W
74	Hallway	TBAR (STD)	2X2	T8 - 2'	2	17	10	340 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	200.0 W	-140.0 W
75	Hallway	INSIDE WALL	UPLIGHT/COVE LIGHT	T8 - 4'	2	32	51	3,264 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	1,224.0 W	-2,040.0 W
76								0 W	-		
77	3030 Patient Restroom	INSIDE WALL	2' LINEAR	T5 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
78	3036B Restroom	HARD LID	2X2	T8 (U LAMP - N	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
79	3048 Office	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
80	3027D	HARD LID	1X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
81	3047 Soiled Utility	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
82	3027B EVS/Janitor	HARD LID	4' LINEAR	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
83	3,045	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
84	3,041	HARD LID	4' LINEAR	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
85	3,041	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
86	Reception	HARD LID	1X4	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
87	3032 Nursing Storage	HARD LID	STAND ALONE BULB	BULB (A-LAMP	1	90	2	180 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-159.6 W
88	3028D	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
89	3031 Bath	HARD LID	2X2	T8 (U LAMP - N	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
90	3033 Mens Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
91	3028B Womans Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
92	3035A Equipment	HARD LID	1X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
93	3036A Pantry	HARD LID	2X2	T8 - 2'	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
94	3046 Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
95	3001+3003	TBAR (STD)	2X2	T8 - 2'	2	17	3	102 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	60.0 W	-42.0 W
96	3001+3003	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
97	3001+3003	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
98	3001+3003 Restrooms	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	50	2	100 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-80.0 W
99	3005+3007 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
100	3005+3007 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
101	3005+3007 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
102	3009+3011 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
103	3009+3011 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
104	3009+3011 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
105	3013+3015 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
106	3013+3015 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
107	3013+3015 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
108	3017+3019 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
109	3017+3019 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	2	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
110	3017+3019 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	32	2	64 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-44.0 W
111	3021 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
112	3021 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
113	3021 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	1	75 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-65.0 W
114	3023 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
115	3023 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
116	3025 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
117	3025 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
118	3024 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
119	3024 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
120	3022 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
121	3022 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
122	3022 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	1	75 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-65.0 W
123	3020/3018 Patient	TBAR (STD)	2X2	T8 - 2'	2	17	3	102 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	60.0 W	-42.0 W
124	3020/3018 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
125	3020/3018 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
126	3016/3014 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
127	3016/3014 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
128	3016/3014 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
129	3012/3010 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
130	3012/3010 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
131	3012/3010 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
132	3008/3006 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
133	3008/3006 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
134	3008/3006 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
135	3004/3002 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fix	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
136	3004/3002 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	4	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
137	3004/3002 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	75	2	150 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-130.0 W
138	Reception + Hallway	TBAR (STD)	2X4	T8 - 4'	2	32	19	1,216 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	475.0 W	-741.0 W
139	Reception + Hallway	TBAR (STD)	2X2	T8 - 2'	2	17	2	68 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	40.0 W	-28.0 W
140	Reception + Hallway	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	61	3,904 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	1,464.0 W	-2,440.0 W
141	2,000	TBAR (STD)	2X2	T8 (U LAMP - W	2	32	6	384 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	120.0 W	-264.0 W
142	2,000	INSIDE WALL	4' BED LIGHTS	T8 - 4'	1	32	2	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
143	2000 Restroom	INSIDE WALL	3' LINEAR	T8 - 3'	2	25	1	50 W	11W 3' T8 TUBE TYPE AB 30K + 35K + 40K + 50K - TYPE B	22.0 W	-28.0 W
144	2000 Restroom	INSIDE WALL	4" DOWN CAN (ROUND)	BULB (4-PIN)	1	32	1	32 W	7W + 10W + 13W 4" DOWNLIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	7.0 W	-25.0 W
145	2001 Patient Room	TBAR (STD)	2X2	T8 - 2'	2	17	3	102 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	60.0 W	-42.0 W
146	2001 Patient Room	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
147	2001 Patient Room	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
148								0 W	-		
149	2003 Patient Room	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
150	2003 Patient Room	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (PAR 30)	1	75	1	75 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-65.0 W
151	2003 Patient Room	INSIDE WALL	WALL SCONCE	CIRCLE	1	32	2	64 W	23W ENGINE 7" ROUND 40K 120-277V - TYPE B	46.0 W	-18.0 W
152	2003 Patient Room	HARD LID	6" DOWN CAN (ROUND)	BULB (2-PIN)	2	13	2	52 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-32.0 W
153	2003 Patient Room	HARD LID	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
154	2003 Patient Room	INSIDE WALL	WALL SCONCE	NOT SURE SEE	1	50	2	100 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-79.6 W
155	2007 Patient Room	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
156	2007 Patient Room	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
157	2009 Patient Room	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
158								0 W	-		
159	2009 Patient Room	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
160								0 W	-		
161	2011 Office	HARD LID	1X4	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
162	2013 Office	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
163	2015 Ante	HARD LID	2X2	T8 (U LAMP - W	2	32	1	64 W	18W + 25W + 36W 2" MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
164	2015 Patient	HARD LID	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
165	2015 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
166	2015 Patient	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
167	2023 OR	HARD LID	2X4	T8 - 4'	2	32	3	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-117.0 W
168	2023 OR	HARD LID	6" DOWN CAN (ROUND)	NOT SURE SEE	1	26	3	78 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	30.0 W	-48.0 W
169	2017 Equipment	HARD LID	1X4	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
170	2018 Delivery Room	HARD LID	1X4	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
171	2039 Nursing Storgae	HARD LID	STAND ALONE BULB	BULB (A-LAMP)	1	90	2	180 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-159.6 W
172	Crash Cart Alcove	HARD LID	1X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
173	2025 Break Room	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
174	2026A Restroom	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	1	32 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-22.0 W
175	2026 Soiled Utility	HARD LID	1X4	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
176	2016 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	3	32	2	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
177	2016 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
178								0 W	-		
179	2014 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
180	2014 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
181	2014 Patient	HARD LID	4" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	1	32 W	7W + 10W + 13W 4" DOWNLIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	7.0 W	-25.0 W
182	2012 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
183	2012 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
184	2012 Patient	HARD LID	4" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	1	32 W	7W + 10W + 13W 4" DOWNLIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	7.0 W	-25.0 W
185	2010 Patient	HARD LID	1X4	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
186	2010 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
187	2010 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
188								0 W	-		
189	2022B Shower	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	40	1	40 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-30.0 W
190	2022A EVS	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
191	2020/21/20A+B	TBAR (STD)	4' LINEAR	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
192	2020/21/20A+B	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
193								0 W	-		
194	2020/21/20A+B	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	1	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
195	2008 Patient	TBAR (STD)	2X2	T8 - 2'	2	17	4	136 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	80.0 W	-56.0 W
196	2008 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
197	2008 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
198	2008 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	50	1	50 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-40.0 W
199								0 W	-		
200	2006 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
201	2006 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
202								0 W	-		
203	2004 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W

SUTTER SOLANO LED REPLACEMENT - ROOM BY ROOM SOW
HCAI #S250019-48-00

1/13/25

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fixture	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
204	2004 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
205								0 W	-		
206	2002 Patient	TBAR (STD)	2X2	T8 - 2'	2	17	4	136 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	80.0 W	-56.0 W
207	2002 Patient	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
208	2002 Patient	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
209	2002 Patient	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	1	32 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	10.0 W	-22.0 W
210	2042 Pulmonary Function L	TBAR (STD)	2X2	T8 - 2'	2	17	3	102 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	60.0 W	-42.0 W
211	2040 Restroom	INSIDE WALL	2' LINEAR	T8 - 2'	2	17	2	68 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-32.0 W
212	2038C Restroom	HARD LID	2X2	T8 (U LAMP - W)	2	32	1	64 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	36.0 W	-28.0 W
213	2037 Soiled Utility	TBAR (STD)	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
214	2025/2033 Med Room	TBAR (STD)	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
215	2025/2033 Med Room	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	2	34 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-16.0 W
216	Reception	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
217	2035A Pantry	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
218	Basement Hallway + Includ	TBAR (STD)	2X4	T8 - 4'	2	32	36	2,304 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	900.0 W	-1,404.0 W
219	B022A Mens Restroom	HARD LID	1X1	BULB (A-LAMP)	2	26	1	52 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-31.6 W
220	B022A Mens Restroom	TBAR (STD)	2X4	T8 - 4'	3	32	2	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-142.0 W
221	B022B Womens Restroom	HARD LID	1X1	BULB (A-LAMP)	2	26	1	52 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-31.6 W
222	B022B Womens Restroom	TBAR (STD)	2X4	T8 - 4'	3	32	2	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-142.0 W
223	B030, B028A, B030B, B03	TBAR (STD)	2X4	T8 - 4'	3	32	8	768 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	200.0 W	-568.0 W
224	B035 Office	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
225	B033A Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
226	B033B Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
227	B041 IT	TBAR (STD)	2X4	T8 - 4'	4	32	18	2,304 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	450.0 W	-1,854.0 W
228	B044 Storage	TBAR (STD)	2X4	T8 - 4'	4	32	2	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-206.0 W
229	B046 Office	TBAR (STD)	2X4	T8 - 4'	4	32	4	512 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-412.0 W
230	B043 Office	TBAR (STD)	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
231	B042 Office	TBAR (STD)	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
232	B040 Office	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
233	B040A Office	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
234	B050 Clean Linen	TBAR (STD)	2X4	T8 - 4'	2	32	6	384 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	150.0 W	-234.0 W
235	B053 Nuclear Medicine	HARD LID	2X4	T8 - 4'	3	32	1	96 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-71.0 W
236	B053 Nuclear Medicine	HARD LID	6" DOWN CAN (ROUND)	BULB (2-PIN)	2	13	4	104 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	40.0 W	-64.0 W
237	B053 Nuclear Medicine	HARD LID	2X2	T8 (U LAMP - W)	2	32	2	128 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	72.0 W	-56.0 W
238	B055 Restroom	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
239	B056 Office	HARD LID	2X2	T8 (U LAMP - W)	2	32	2	128 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	72.0 W	-56.0 W
240	B057 Office	HARD LID	2X4	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
241	B059 Radioactive	TBAR (STD)	2X4	T8 - 4'	3	32	3	288 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-213.0 W
242	B059B X-Ray	HARD LID	2X2	T8 - 2'	2	17	10	340 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	360.0 W	20.0 W
243								0 W	-		
244	B062F	TBAR (STD)	2X4	T8 - 4'	4	32	26	3,328 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	650.0 W	-2,678.0 W
245	B062E	TBAR (STD)	2X4	T8 - 4'	4	32	4	512 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-412.0 W
246	B062D	TBAR (STD)	2X4	T8 - 4'	4	32	2	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-206.0 W
247	B062C	TBAR (STD)	2X4	T8 - 4'	4	32	3	384 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-309.0 W
248	East Stairs (Door #4050)	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	8	512 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	192.0 W	-320.0 W
249	B064 Mechincal	HARD LID	4' LINEAR	T8 - 4'	2	32	18	1,152 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	432.0 W	-720.0 W
250	B064 Mechincal	HARD LID	4' LINEAR	T8 - 4'	2	32	10	640 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	240.0 W	-400.0 W
251	High Voltage Main/B064A	HARD LID	4' LINEAR	T8 - 4'	2	32	8	512 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	192.0 W	-320.0 W
252	B064B	HARD LID	4' LINEAR	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
253	B060 Elevator Equipment R	HARD LID	4' LINEAR	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
254	B033C	HARD LID	4' LINEAR	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
255	B036 Office	TBAR (STD)	2X4	T8 - 4'	4	32	4	512 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-412.0 W
256	B036 Office	HARD LID	2X4	T8 - 4'	4	32	2	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
257	B032 Phone Telecom	HARD LID	4' LINEAR	T8 - 4'	2	32	7	448 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	168.0 W	-280.0 W
258	B010A Central Service Dec	HARD LID	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
259	B010 Central	HARD LID	1X4	T8 - 4'	2	32	15	960 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	360.0 W	-600.0 W
260	B010 Central	TBAR (STD)	2X4	T8 - 4'	4	32	15	1,920 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	375.0 W	-1,545.0 W
261	B007	HARD LID	4' LINEAR	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
262	B026 Class #1,2,3	TBAR (STD)	2X4	T8 - 4'	2	32	24	1,536 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	600.0 W	-936.0 W
263	B027 Classroom	TBAR (STD)	2X4	T8 - 4'	2	32	9	576 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	225.0 W	-351.0 W
264	B015 Mech	HARD LID	STAND ALONE BULB	BULB (A-LAMP)	1	90	5	450 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	51.0 W	-399.0 W
265								0 W	-		
266	B015 Mech	HARD LID	4' LINEAR	T5 - 4'	4	54	1	216 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-168.0 W
267	B021 Fan Room	HARD LID	STAND ALONE BULB	BULB (A-LAMP)	1	90	2	180 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-159.6 W
268	B021 Fan Room	INSIDE WALL	STAND ALONE BULB	BULB (A-LAMP)	1	90	2	180 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-159.6 W
269	B018 Electrical	TBAR (STD)	STAND ALONE BULB	BULB (A-LAMP)	1	90	3	270 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	30.6 W	-239.4 W
270	B014 Pump Room	HARD LID	4' LINEAR	T5 - 4'	4	54	4	864 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	192.0 W	-672.0 W
271	B020 ATS Room	HARD LID	STAND ALONE BULB	BULB (A-LAMP)	1	90	2	180 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	20.4 W	-159.6 W

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fixture	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
272	B019 Equipment	HARD LID	STAND ALONE BULB	BULB (A-LAMP	1	90	3	270 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	30.6 W	-239.4 W
273	Outside Walkway (After*)	OUTSIDE WALL	STAND ALONE BULB	BULB (A-LAMP	2	90	2	360 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	40.8 W	-319.2 W
274	Equipment Room	HARD LID	4' LINEAR	T8 - 4'	2	32	12	768 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	288.0 W	-480.0 W
275	B016 Office	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
276	B012 Machine	HARD LID	4' LINEAR	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
277	West Stairswell	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	13	416 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	156.0 W	-260.0 W
278	West Stairswell	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
279	Center Stairs	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
280	Center Stairs	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	11	352 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	132.0 W	-220.0 W
281	LOBBY	HARD LID	2X4	T8 - 4'	3	32	7	672 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	252.0 W	-420.0 W
282	LOBBY	TBAR (STD)	2X4	T8 - 4'	3	32	11	1,056 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	275.0 W	-781.0 W
283	RECEPTION	TBAR (STD)	2X4	T8 - 4'	3	32	5	480 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	125.0 W	-355.0 W
284	RECEPTION	TBAR (STD)	6" DOWN CAN (SQUARE)	BULB (A-LAMP	1	32	6	192 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	60.0 W	-132.0 W
285	HALLWAY	TBAR (STD)	2X4	T8 - 4'	3	32	6	576 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	150.0 W	-426.0 W
286	1162/1167/1168/1169/117	HARD LID	2X4	T8 - 4'	4	32	10	1,280 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	480.0 W	-800.0 W
287	1,161	TBAR (STD)	2X4	T8 - 4'	3	32	15	1,440 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	375.0 W	-1,065.0 W
288	RESTROOM 1150	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	32	2	64 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-44.0 W
289	RESTROOM 1150	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	2	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
290	XRAY 1159	TBAR (STD)	2X4	T8 - 4'	3	32	3	288 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-213.0 W
291	XRAY 1159	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	32	6	192 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	60.0 W	-132.0 W
292	1,163	HARD LID	2X4	T8 - 4'	4	32	2	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
293	1,163	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
294	1,164	HARD LID	2X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
295	SURGERY	TBAR (STD)	2X4	T8 - 4'	3	32	29	2,784 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	725.0 W	-2,059.0 W
296	EXAM ROOM 6-9	TBAR (STD)	2X4	T8 - 4'	3	32	8	768 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	200.0 W	-568.0 W
297	RESTROOM 1168C	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
298	CENTRAL STATION	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	32	14	448 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	140.0 W	-308.0 W
299	RMS 1-5	HARD LID	2X4	T8 - 4'	4	32	27	3,456 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	1,296.0 W	-2,160.0 W
300	SUPPLY RM	HARD LID	2X4	T8 - 4'	3	32	5	480 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	180.0 W	-300.0 W
301	SUPPLY RM	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	2	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
302	EVS 1177 +1179	HARD LID	2X4	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
303								0 W	-		
304								0 W	-		
305	1204/1205/1207/1208	TBAR (STD)	2X4	T8 - 4'	2	32	7	448 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	175.0 W	-273.0 W
306	N/A	TBAR (STD)	2X2	T8 - 2'	2	17	1	34 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	20.0 W	-14.0 W
307	1203/1202	TBAR (STD)	2X4	T8 - 4'	3	32	4	384 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-284.0 W
308	ICU 1-12	TBAR (STD)	2X4	T8 - 4'	3	32	12	1,152 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	300.0 W	-852.0 W
309	ICU 1-12	INSIDE WALL	2' BED LIGHTS	T8 - 4'	2	32	24	1,536 W	9W 2' T8 TUBE 40K - TYPE B	432.0 W	-1,104.0 W
310	ICU 1-12 BATHROOMS	HARD LID	4" DOWN CAN (ROUND)	BULB (2-PIN)	1	13	12	156 W	7W + 10W + 13W 4" DOWNLIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	84.0 W	-72.0 W
311	ICU CENTRAL	TBAR (STD)	2X4	T8 - 4'	3	32	21	2,016 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	525.0 W	-1,491.0 W
312								0 W	-		
313	ICU CENTRAL	HARD LID	2X4	T8 - 4'	3	32	3	288 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	108.0 W	-180.0 W
314	STAFF RM	TBAR (STD)	2X4	T8 - 4'	2	32	3	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-117.0 W
315	N/A	TBAR (STD)	2X2	T8 - 2'	2	17	2	68 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	40.0 W	-28.0 W
316	STAFF BATHROOM	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
317	ELECTRICAL 1183	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
318	1,186	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP	1	32	3	96 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	30.0 W	-66.0 W
319	WAITING ROOM	TBAR (STD)	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
320	ENDOSCOPE	TBAR (STD)	2X4	T8 - 4'	4	32	10	1,280 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	250.0 W	-1,030.0 W
321	HALLWAY	HARD LID	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
322	1134/1135	OTHER SEE N	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
323	1,140	TBAR (STD)	2X4	T8 - 4'	4	32	1	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-103.0 W
324	RESTROOM MENS/WOME	HARD LID	6" DOWN CAN (ROUND)	BULB (4-PIN)	1	26	12	312 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	120.0 W	-192.0 W
325	N/A	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
326	1,140	TBAR (STD)	2X4	T8 - 4'	4	32	2	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-206.0 W
327	PACU/ASU	TBAR (STD)	2X4	T8 - 4'	2	32	5	320 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	125.0 W	-195.0 W
328	ASU 1135	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
329	N/A	HARD LID	2X4	T8 - 4'	2	32	21	1,344 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	504.0 W	-840.0 W
330	N/A	HARD LID	2X2	T8 - 2'	2	17	4	136 W	18W + 25W + 36W 2' MAGNETIC RETROFIT STRIP KIT 30K + 40K + 50K - DIMMABLE - TYPE C	144.0 W	8.0 W
331	1133/1033	HARD LID	2X4	T8 - 4'	4	32	2	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
332	BIOHAZARD	HARD LID	2X4	T8 - 4'	4	32	2	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
333	EVS	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
334	1,095	TBAR (STD)	2X4	T8 - 4'	2	32	1	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
335	BIOHAZARD	OTHER SEE N	2X4	T8 - 4'	4	32	2	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-206.0 W
336	HALLWAY	TBAR (STD)	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
337	1092 SURGERY BREAK R	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
338	OR HALLWAY	HARD LID	4' LINEAR	T8 - 4'	1	32	38	1,216 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	456.0 W	-760.0 W
339	BIOHAZARD +1085/1087	TBAR (STD)	2X4	T8 - 4'	4	32	8	1,024 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	200.0 W	-824.0 W

SUTTER SOLANO LED REPLACEMENT - ROOM BY ROOM SOW
HCAI #S250019-48-00

1/13/25

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fixture	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
340	EVS	HARD LID	4' LINEAR	T8 - 4'	2	32	7	448 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	168.0 W	-280.0 W
341	1080/1081/1082/1084	HARD LID	2X4	T8 - 4'	3	32	6	576 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	216.0 W	-360.0 W
342	OR ROOMS 1-4 + STORAGE	HARD LID	1X4	T8 - 4'	3	32	60	5,760 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	2,160.0 W	-3,600.0 W
343	OR BATHROOM MENS	TBAR (STD)	2X4	T8 - 4'	2	32	4	256 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-156.0 W
344	N/A	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
345	BATHROOM	HARD LID	1X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
346	OR BREAKROOM	TBAR (STD)	1X4	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
347	N/A	HARD LID	STAND ALONE BULB	BULB (A-LAMP)	1	32	1	32 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	10.2 W	-21.8 W
348	N/A	TBAR (STD)	2X2	T8 - 2'	2	17	1	34 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	20.0 W	-14.0 W
349	1008 EVS	HARD LID	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
350	OFFICES	HARD LID	1X4	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
351	WHITEBOARD	HARD LID	4' LINEAR	T8 - 4'	4	32	1	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
352	CENTRAL KITCHEN	TBAR (STD)	2X4	T8 - 4'	4	32	39	4,992 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	975.0 W	-4,017.0 W
353	STORE RM	HARD LID	4' LINEAR	T8 - 4'	2	32	6	384 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	144.0 W	-240.0 W
354	COLD STORAGE	HARD LID	4' VAPOR	T5 - 4'	2	54	4	432 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-336.0 W
355								0 W	-		
356								0 W	-		
357	CAFETERIA	TBAR (STD)	2X4	T8 - 4'	4	32	3	384 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-309.0 W
358								0 W	-		
359	1,023	TBAR (STD)	2X2	T8 - 2'	2	17	6	204 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	120.0 W	-84.0 W
360	1,034	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
361	1,037	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
362	1,041	TBAR (STD)	2X4	T8 - 4'	4	32	20	2,560 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	500.0 W	-2,060.0 W
363	N/A	TBAR (STD)	2X2	T8 - 4'	2	32	8	512 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	160.0 W	-352.0 W
364	N/A	TBAR (STD)	2X4	T8 - 4'	2	32	5	320 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	125.0 W	-195.0 W
365								0 W	-		
366	N/A	HARD LID	6" DOWN CAN (SQUARE)	BULB (A-LAMP)	1	32	22	704 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	224.4 W	-479.6 W
367	1,054	TBAR (STD)	2X4	T8 - 4'	3	32	2	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-142.0 W
368	1,052	HARD LID	1X4	T8 - 4'	2	32	7	448 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	168.0 W	-280.0 W
369	HALLWAY	TBAR (STD)	2X4	T8 - 4'	3	32	20	1,920 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	500.0 W	-1,420.0 W
370								0 W	-		
371								0 W	-		
372	N/A	TBAR (STD)	2X2	T8 - 4'	3	32	4	384 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	80.0 W	-304.0 W
373	RESTROOM	HARD LID	4' LINEAR	T8 - 4'	2	32	2	128 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	48.0 W	-80.0 W
374	WALL LIGHTING	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	17	1,088 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	408.0 W	-680.0 W
375	LABRATORY	TBAR (STD)	2X2	T8 - 2'	2	17	4	136 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	80.0 W	-56.0 W
376	N/A	TBAR (STD)	2X2	T8 (U LAMP - N	3	32	2	192 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	40.0 W	-152.0 W
377	PATHOLOGY -1063/1065	HARD LID	2X4	T8 - 4'	2	32	15	960 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	360.0 W	-600.0 W
378	1063 BATHROOM	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
379	1063 BATHROOM	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	1	64 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-39.0 W
380	LAB + OFFICE	TBAR (STD)	2X4	T8 - 4'	3	32	22	2,112 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	792.0 W	-1,320.0 W
381	1063C	TBAR (STD)	4' LINEAR	T8 - 4'	2	32	2	128 W	9W 2' T8 TUBE 40K - TYPE B	36.0 W	-92.0 W
382	N/A	HARD LID	2' LINEAR	T8 - 2'	1	17	1	17 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-5.0 W
383	LAB COUNTER	HARD LID	4' LINEAR	T8 - 4'	2	32	3	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-117.0 W
384	IMAGING 1068	TBAR (STD)	2X4	T8 - 8'	2	17	3	102 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-30.0 W
385	N/A	TBAR (STD)	1X4	T8 - 4'	2	32	5	320 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	100.0 W	-220.0 W
386	1,118	TBAR (STD)	2X2	T8 - 2'	2	17	2	68 W	10W ENGINE 5.5" LINEAR 40K 120-277V - TYPE B	40.8 W	-27.2 W
387	N/A	INSIDE WALL	STAND ALONE BULB	BULB (A-LAMP)	1	32	1	32 W	12W + 20W + 30W 8" RSD DOWN LIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	12.0 W	-20.0 W
388	1116 - DRESSING ROOMS	HARD LID	8" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	4	128 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	80.0 W	-48.0 W
389	1117B	TBAR (STD)	2X2	T8 - 2'	3	17	4	204 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	80.0 W	-124.0 W
390	1118 OFFICE	TBAR (STD)	2X2	T8 - 2'	2	17	2	68 W	10W ENGINE 3" ROUND 40K 120-277V - TYPE B	41.6 W	-26.4 W
391	1118 OFFICE	INSIDE WALL	WALL SCONCE	BULB (A-LAMP)	1	32	1	32 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	12.0 W	-20.0 W
392	1117/1116 HALLWAY	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	16	1,024 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	160.0 W	-864.0 W
393	1117/1116 HALLWAY	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	2	64 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	40.0 W	-24.0 W
394	1117/1116 HALLWAY	HARD LID	2X2	T8 - 4'	3	32	4	384 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	40.0 W	-344.0 W
395	1116 DRESSING ROOM	HARD LID	6" DOWN CAN (ROUND)	BULB (A-LAMP)	1	32	2	64 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	40.0 W	-24.0 W
396	1119/1117B LOCKERS	TBAR (STD)	2X2	T8 - 4'	3	32	3	288 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	108.0 W	-180.0 W
397	1115 MAMMOGRAPHY	HARD LID	1X4	T8 - 4'	2	32	5	320 W	10W ENGINE 3" ROUND 40K 120-277V - TYPE B	104.0 W	-216.0 W
398	1115 MAMMOGRAPHY	HARD LID	CANOPY	BULB (A-LAMP)	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
399	1114 RESTROOM	INSIDE WALL	4' LINEAR	T8 - 4'	1	32	1	32 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	25.0 W	-7.0 W
400	1075 OFFICE XRAY	TBAR (STD)	2X4	T8 - 4'	2	32	1	64 W	9W 2' T8 TUBE 40K - TYPE B	18.0 W	-46.0 W
401	1073 XRAY ROOM #1	HARD LID	2X2	T8 - 2'	3	17	4	204 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	40.0 W	-164.0 W
402	1073 XRAY ROOM #1	HARD LID	6" DOWN CAN (ROUND)	BULB (4-PIN)	2	32	1	64 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	20.0 W	-44.0 W
403	1087 (1073A) READING ROOM	TBAR (STD)	2X2	T8 (U LAMP - N	3	32	4	384 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	40.0 W	-344.0 W
404	1087 READING ROOM	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (4-PIN)	1	32	7	224 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	70.0 W	-154.0 W
405	1072 CT SCAN	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (4-PIN)	1	32	2	64 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	20.0 W	-44.0 W
406	1072 CT SCAN	TBAR (STD)	2X2	2G11 (4-PIN)	2	40	7	560 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	140.0 W	-420.0 W
407								0 W	-		

line item	Room #	ceiling type	fixture type	bulb type	bulbs per fixture	watts per bulb	# of fixtures	(E) watts	LED REPLACEMENTS - WITH UL TYPE	LED Load	Load Reduction
408	1100 STORAGE	HARD LID	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
409	1099 E/D STORAGE	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
410	1117A RESTROOM	INSIDE WALL	2' LINEAR	T8 - 2'	1	17	1	17 W	9W 2' T8 TUBE 40K - TYPE B	9.0 W	-8.0 W
411	MAIN HALLWAY	TBAR (STD)	2X2	T8 - 2'	2	17	6	204 W	20W + 25W + 30W 2X2 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	120.0 W	-84.0 W
412	MAIN HALLWAY	TBAR (STD)	2X4	T8 - 4'	2	32	41	2,624 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	1,025.0 W	-1,599.0 W
413								0 W	-		
414								0 W	-		
415	MAIN HALLWAY (CONTINUOUS)	HARD LID	2X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
416	CAFETERIA HALLWAY	INSIDE WALL	UPLIGHT/COVE LIGHT	T8 - 4'	2	32	15	960 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	360.0 W	-600.0 W
417	1145 SURGERY WAITING	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
418	1143 XRAY EQUIPMENT	TBAR (STD)	2X4	T8 - 4'	2	32	3	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-117.0 W
419	1146A PREOP SURGERY	INSIDE WALL	UPLIGHT/COVE LIGHT	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
420	1145 SURGERY WAITING	TBAR (STD)	2X4	T8 - 4'	2	32	2	128 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	50.0 W	-78.0 W
421	1143 XRAY STORAGE	TBAR (STD)	2X4	T8 - 4'	2	32	3	192 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	75.0 W	-117.0 W
422	1146A PREOP SURGERY	INSIDE WALL	UPLIGHT/COVE LIGHT	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
423	1146A PREOP SURGERY	INSIDE WALL	UPLIGHT/COVE LIGHT	T8 - 4'	1	32	3	96 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	36.0 W	-60.0 W
424	1128 SOILED UTILITY	TBAR (STD)	4' LINEAR	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
425	1127 GAS STORAGE	TBAR (STD)	4' LINEAR	T8 - 4'	2	32	17	1,088 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	408.0 W	-680.0 W
426	1126 CARDIO PULMANARY	TBAR (STD)	2X4	T8 - 4'	2	32	5	320 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	125.0 W	-195.0 W
427	1120B RESTROOM	INSIDE WALL	4' LINEAR	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
428	1122 SURGERY PRE OP	TBAR (STD)	1X4	T8 - 4'	2	32	3	192 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	72.0 W	-120.0 W
429	1122 SURGERY PRE OP	TBAR (STD)	2X4	T8 - 4'	2	32	7	448 W	25W + 30W + 35W 2X4 TROFFER RETROFIT KIT 35K + 40K + 50K - TYPE C	175.0 W	-273.0 W
430	1122 SURGERY PRE OP	TBAR (STD)	1X4	T8 - 4'	2	32	11	704 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	264.0 W	-440.0 W
431	1122 SURGERY PRE OP	INSIDE WALL	4' BED LIGHTS	T8 - 4'	2	32	4	256 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	96.0 W	-160.0 W
432	1122 SURGERY PRE OP	TBAR (STD)	6" DOWN CAN (ROUND)	BULB (4-PIN)	1	32	10	320 W	10W + 15W + 22W 6" RSD DOWN LIGHT 30K + 40K + 50K (DEFINITELY NOT TRIAC) - TYPE C	100.0 W	-220.0 W
433								0 W	-		
434	MAIN EMERGENCY ENTRANCE	HARD LID	8" DOWN CAN (ROUND)	BULB (E39)	1	100	8	800 W	12W + 20W + 30W 8" RSD DOWN LIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	96.0 W	-704.0 W
435	EAST SIDE FACING PARK	OUTSIDE WALL	WALL PACK	BULB (E39)	1	100	2	200 W	40W + 60W + 80W MEDIUM WALLPACK 50K W/PC - TYPE C	122.6 W	-77.4 W
436	EAST SIDE FACING PARK	OUTSIDE WALL	WALL PACK	BULB (E39)	1	100	2	200 W	40W + 60W + 80W MEDIUM WALLPACK 50K W/PC - TYPE C	122.6 W	-77.4 W
437	EAST SIDE PARKING LOT	OUTSIDE POL	SHOEBOX	BULB (E39)	1	250	13	3,250 W	150W SHOEBOX 11TH GEN 50K SF/DM W/PC - TYPE C	1,995.5 W	-1,254.5 W
438	NORTH SIDE ROAD	OUTSIDE POL	SHOEBOX	BULB (E39)	1	250	2	500 W	150W SHOEBOX 11TH GEN 50K SF/DM W/PC - TYPE C	307.0 W	-193.0 W
439								0 W	-		
440	NORTH SIDE WALKWAY	OUTSIDE POL	BOLLARD	BULB (4-PIN)	1	32	6	192 W	17W 50K A21 120V (EURI) - TYPE B	102.0 W	-90.0 W
441	NORTH SIDE ENTRANCE	HARD LID	CANOPY	CIRCLE	1	32	1	32 W	15W + 25W + 40W CANOPY 50K SMT - TYPE C	14.4 W	-17.6 W
442	WEST SIDE SIDE ROAD	OUTSIDE POL	SHOEBOX	BULB (E39)	1	250	1	250 W	150W SHOEBOX 11TH GEN 50K SF/DM W/PC - TYPE C	153.5 W	-96.5 W
443	WEST SIDE - LOT C PARK	OUTSIDE POL	SHOEBOX	BULB (E39)	1	250	4	1,000 W	150W SHOEBOX 11TH GEN 50K SF/DM W/PC - TYPE C	614.0 W	-386.0 W
444	SOUTH SIDE - LOT B PARK	OUTSIDE POL	SHOEBOX	BULB (E39)	1	250	5	1,250 W	150W SHOEBOX 11TH GEN 50K SF/DM W/PC - TYPE C	767.5 W	-482.5 W
445								0 W	-		
446								0 W	-		
447	SOUTH SIDE AMBULANCE	OUTSIDE WALL	WALL PACK	BULB (E39)	1	100	2	200 W	40W + 60W + 80W MEDIUM WALLPACK 50K W/PC - TYPE C	122.6 W	-77.4 W
448	SOUTH SIDE AMBULANCE	HARD LID	12" DOWN CAN (ROUND)	BULB (E39)	1	250	6	1,500 W	20W + 30W + 40W 10" DOWNLIGHT 27K + 30K + 35K + 40K + 50K (TAI) - TYPE C	120.0 W	-1,380.0 W
449	SOUTH SIDE AMBULANCE	HARD LID	2X4	T8 - 4'	2	32	1	64 W	12W 4' T8 TUBE TYPE AB 35K + 40K + 50K - TYPE B	24.0 W	-40.0 W
450								0 W	-		

TOTAL ENERGY SAVED

-97,666.9 W