

<b>APPLICATION FOR OSHPD</b>	APPROVED	For Office Use Only						
LABORATORY (OPL)		А	oplication	n # OPL-0028		0028-15		
Name of Approved Agency/Laboratory		City	Ī	Coun	ty		State	
Twining, Inc.		San Bernardino		San	Bernardino	)	California	
APPLICATION TYPE / FEE								
Application is based on:		New Application (Fees are Nonrefund			(Fe		newal Fee e Nonrefundable)	
☐ DSA-LEA Approved Only		\$250.00			□ \$250		,	
☐ Accreditation Only		\$500.00			□ \$250	0.00		
⊠ Both DSA-LEA Approved and Accreditation	$\boxtimes$	\$500.00			□ \$250	0.00		
APPLICANT INFORMATION								
Applicant Name  Jesse Uranga	Signature	7	-		Position in the C			
Agency/Laboratory Name Twining, Inc.			Application Date 5/5/2015					
Phone Number (909) 383-6660			E-Mail Juranga@twininginc.com					
Address of Facility Location (Each facility location required	s separati	e application.)						
Street 732 East Carnegie Drive, Suite 100	)							
City: San Bernardino		County San Bernardino			State: Californ	nia	Zip Code: <b>92408</b>	
Facility Mailing Address (If different from facility address at	oove.)							
Street								
City:					State:		Zip Code:	
KEY PERSONNEL (Attach addition	onal pa	ages if needed.)						
Engineering Manager (or equivalent) - Name	C	A Regis	tration Num	ber		Expiration Date		
Chad Davis, PE				)8 mbor			12/31/2015	
Title in the Organization  Regional Manager		hone Nu <b>)9) 915</b>						
FAX Number	-Mail	@4!!						
(909) 890-4299	(	aavis	@twinin	ginc.com				
Alternate to Engineering Manager (if any) – Name				CA Registration Number Expiration Date				
Title in the Organization		P	hone Nu	ımber				
FAX Number		E	-mail					

"Access to Safe, Quality Healthcare Environments that Meet California's Diverse and Dynamic Needs"





KEY PERSONNEL (Attach additional pages if needed.)		
( indended in page 11 in out and in page 11 in out and in in		
Laboratory Supervisor – Name	CA Registration Number (if any)	Expiration Date
Jesse Uranga		
Title in the Organization	Phone Number	
Laboratory Manager	(909) 383-6660	
FAX Number	E-Mail	
(909) 890-4299	Juranga@twininginc.c	om
Field Supervisor – Name	CA Registration Number (if any)	Expiration Date
John Lara Jr.		
Title in the Organization	Phone Number	
Field Supervisor	(909) 499-4907	
FAX Number	E-mail	
(909) 890-4299	Jlarajr@twininginc.cor	n

ACCREDITATION						
This laboratory currently holds accreditation by: (Attach a copy of current accreditation details.)						
<ul> <li>✓ AASHTO Accreditation Program (AAP)</li> <li>☐ International Accreditation Service (IAS)</li> <li>☐ Laboratory Accreditation Program (LAB)</li> <li>☐ Construction Materials Engineering Council (CMEC)</li> <li>✓ Other: Caltrans</li> </ul>						
Latest Expiration Date (if any) <u>July7, 2015</u>						
Is this laboratory accepted in the Division of the State Architect Laboratory Evaluation and Acceptance Program, DSA-LEA? $\square$ No $\boxtimes$ Yes Expiration Date: $\underline{10/2/2016}$						
Basis for accreditation:						
<ul> <li>□ ISO/IEC 17025: General requirements for competence of testing and calibration laboratories</li> <li>□ NISTIR 7012: Technical requirements for construction materials testing</li> <li>□ AASHTO R18: Standard Recommended Practice for Establishing and Implementing a Quality System for</li> </ul>						
Construction Materials Testing Laboratories						
ASTM C 1077: Practice for Laboratories Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Laboratory Evaluation						
ASTM D 3666: Specification for Minimum Requirements for Agencies Testing and Inspecting Bituminous Paving Materials						
☐ ASTM D 3740: Practice for Evaluation of Agencies Engaged in Testing and/or Inspections of Soils and Rock as Used Engineering Design and Construction						
☐ ASTM C 1093: Practice for Accreditation of Testing Agencies for Unit Masonry						
<ul> <li>□ ASTM E 1212: Practice for Quality Management Systems for Nondestructive Testing (NDT) Agencies</li> <li>□ ASTM E 543: Specification for Agencies Performing Nondestructive Testing (NDT)</li> </ul>						

/AMM

**OSHPD** 

"Access to Safe, Quality Healthcare Environments that Meet California's Diverse and Dynamic Needs"



ee.

#### OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT FACILITIES DEVELOPMENT DIVISION

STANDARDS										
By checking "yes" in Tables 1 through 6 below, the applicant verifies that the laboratory has the equipment and qualified personnel to perform the indicated testing. <b>ONLY mark tests that are listed in accreditation certificate or DSA-LEA.</b>										
1 SOILS AND FOUNDATIONS										
	Tests									
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure			
	a.	ASTM D 2487	Classification of Soils		b.	ASTM D 422	Particle Size Analysts			
$\boxtimes$	C.	ASTM D 2216	Moisture Content	$\boxtimes$	d.	ASTM D 4318	Liquid / Plastic Limit			
	e.	ASTM D 2850	Unconsolidated, Undrained Triaxial		f.	ASTM D 4767	Triaxial Compression			
	g.	ASTM D 2166	Unconfined Compressive Strength				Triaxial Compressive Strength of Rock Core Specimens			
	i.	ASTM D 5778	Friction Cone and Pizocone Penetration Test		j.	ASTM D 3441	Cone Penetration Test (CPT)			
$\boxtimes$	k.	ASTM D 1140	No. 200 Wash		I.	ASTM D 4829	Expansion Index			
$\boxtimes$	m.	ASTM D 2419	Sand Equivalent Value	$\boxtimes$	n.	ASTM D 1557	Soil Compaction – Modified			
	0.	ASTM D 3080	Direct Shear		p.	ASTM D 6938	Density of Soils – Nuclear Gage			
$\boxtimes$	q.	ASTM D 1556	Density of Soils – Sand Cone		r.	ASTM D 1143	Deep Foundations – Static Compression			
	S.	ASTM D 4945	Deep Foundations – Dynamic Testing		t.	ASTM D 3689	Deep Foundations – Axial Tension			
	u.	ASTM D 3966	Deep Foundations –Lateral Loads							
Tests th	nat are	in the lab's scope	e but are not listed above should be provio	led in the	spac	e(s) below.				
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure			
	aa.				bb.					
	CC.				dd.					

ff.





2	CONCRETE							
	Tests							
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure	
$\boxtimes$	a.	ASTM D 75	Sampling Aggregate	$\boxtimes$	b.	ASTM C 702	Reducing Aggregate Samples	
$\boxtimes$	C.	ASTM C 40	Organic Impurities	$\boxtimes$	d.	ASTM C 29	Unit Weight / Voids	
	e.	ASTM C 88	Sodium Sulfate Soundness	$\boxtimes$	f.	ASTM C 566	Moisture Content	
	g.	ASTM C 142	Clay / Friable Particles	$\boxtimes$	h.	ASTM C 127	Specific Gravity - Coarse	
$\boxtimes$	i.	ASTM C 128	Specific Gravity - Fine	$\boxtimes$	j.	ASTM C 117	No. 200 Wash	
$\boxtimes$	k.	ASTM C 136	Sieve Analysis Course / Fine		Ī.	ASTM C 131	Degradation of Aggregate	
$\boxtimes$	m.	ASTM D 2419	Sand Equivalent Value	$\boxtimes$	n.	ASTM C 31, C 172, CBC 1905A.1.2	Concrete Sampling - Field	
	0.	ASTM C 192	Making / Curing Specimens - Lab	$\boxtimes$	p.	ASTM C 173	Air Content (V)	
	q.	ASTM C 1602	Water		r.	ASTM C1604	Shotcrete Core	
	S.	ACI 355.2	Mechanical Anchors	$\boxtimes$	t.	ASTM C 231	Air Content (P)	
$\boxtimes$	U.	ASTM C 143	Slump	$\boxtimes$	٧.	ASTM C 1064	Temperature	
$\boxtimes$	W.	ASTM C 617	Capping Concrete Specimens	$\boxtimes$	X.	ASTM C 1231	Unbonded Caps	
$\boxtimes$	y.	ASTM C 39	Compressive Strength		Z.	ASTM C 157	Length Change	
$\boxtimes$	aa.	ASTM C 78	Flexural Strength		bb.	ASTM C 496	Splitting Tensile	
$\boxtimes$	CC.	ASTM C 42	Drilled Cores / Beams	$\boxtimes$	dd.	ASTM C 138	Weight / Yield / Air Content	
	ee.	ASTM C 495	Lightweight Concrete		ff.	ASTM C 567	Density of Lightweight Aggregate	
	gg.	ASTM E 488	Strength of Anchors		hh.	ACI 355.4	Adhesive Anchors	
	ii.	ACI 374.1	Moment Frames		jj.	ASTM C 1260	Alkali Reactivity of Aggregate	
	kk.	ASTM C 1293	Length Change due to Alkali-Silica Reaction		II.	ACI ITG-5.1	Post-Tensioned Precast Special Walls	
$\boxtimes$	mm.	ASTM C 42	Concrete Core		nn.	ASTM D 3039	Tensile Strength of FRP	
	00.	ASTM D 4541	Pull of Strength of FRP		pp.	ASTM A 1034	Rebar Mechanical Splices	
							1	
Tests tl	nat are	in the lab's scope b	out are not listed above should be provide	ed in the	space	e(s) below.		
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure	
	aa.				bb.			
	CC.				dd.			
П	ee.				ff.			

44/A/W



3	MASONRY							
	Tests							
Yes	Stand	lard/Code Reference	Test Procedure	Yes	Star	ndard/Code Reference	Test Procedure	
	a.	ASTM C 140	Dimensions	$\boxtimes$	b.	ASTM C 140	Compressive Strength	
	C.	ASTM C 140	Absorption	$\boxtimes$	d.	ASTM C 140	Unit Weight	
$\boxtimes$	e.	ASTM C 140	Moisture Content		f.	ASTM C 426	Linear Drying Shrinkage	
$\boxtimes$	g.	CBC 2105A.2.2.1.4	Mortar Sampling	$\boxtimes$	h.	CBC 2105A.2.2.1.4	Grout Sampling	
	i.	ASTM C 1314	Prism Compressive Strength	$\boxtimes$	j.	ASTM C 1019	Grout Compressive Strength	
$\boxtimes$	k.	ASTM C 780	Mortar Compressive Strength	$\boxtimes$	I.	ASTM C 39	Core Compressive Strength	
	m.	CBC 2105A.4	Core Shear		n.	ASTM C 1314	Prism Sampling	
Tests the	Tests that are in the lab's scope but are not listed above should be provided in the space(s) below.							
Yes	Stand	lard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure	
$\boxtimes$	aa.	ASTM C 42	Drilled Cores Sampling		bb.			
	CC.				dd.			
	ee.				ff.			

4	STEEL							
	Tests							
Yes	Stand	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure	
	a.	ASTM A 370	Tension Test		b.	ASTM A 370	Bend	
	C.	ASTM E 10	Brinell Hardness		d.	ASTM E 18	Rockwell Hardness	
	e.	ASTM E 190	Guided Bend		f.	ASTM E 23	Charpy V - Notch	
	g.	ASTM A 90	Weight of Coating		h.	AISC 341 Section K2	Beam to Column Moment & EBF Connections Cyclic Tests	
	i.	AISC 341 Section K3	BRBF Cyclic Tests		j.	ASTM E 165	Liquid Penetrant	
	k.	ASTM E 1444	Magnetic Particle		I.	ASTM E 94	Radiographic	
	m.	ASTM E 164	Ultrasonic	$\boxtimes$	n.	ASTM E 605	Density of SFRM	
	0.	CBC 2203A.1	Material Identification		Р	ASTM F 606	Bolt Tension Test	
Tests that are in the lab's scope but are not listed above should be provided in the space(s) below.								
Yes	Stand	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure	
	aa.	·			bb.			
	CC.				dd.			
	ee.				ff.			

"Access to Safe, Quality Healthcare Environments that Meet California's Diverse and Dynamic Needs"





5	Wood and Roof Assemblies							
	Tests							
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure	
	a.	ASTM D 3617	Analysis of Built-Up Roof Systems	□ b. ASTM D 4442		ASTM D 4442	Moisture Content of Wood	
	C.	ASTM C 67	Brick and Structural Clay Roof Tiles					
Tests that	Tests that are in the lab's scope but are not listed above should be provided in the space(s) below.							
	aa.				bb.			
	CC.				dd.			
	ee.				ff.			

6	COMPONENT, ASSEMBLY AND PROTOTYPE TESTING						
	Tes	ts					
Yes	Stand	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure
	a.	AAMA 501.4	Static Test for Curtain Wall and Storefront Systems		b.	ICC-ES AC 156	Shake Table Test
	C.	Dynamic Test for Curtain Wall and Storefront Systems   d. FM 1950		FM 1950	Seismic Sway Brace Testing		
_							
Tests th	Tests that are in the lab's scope but are not listed above should be provided in the space(s) below.						
	aa.				bb.		
	CC.				dd.		
	ee.				ff.		





	List of Attachments Supporting the Testing Agency/Laboratory Approval (Submit Each Attachment as Separate PDF)					
Yes	Enclosure Type					
$\boxtimes$	OSHPD Facilities Development Division (FDD) Payment Form (OSH-AD-367): <a href="http://www.oshpd.ca.gov/FDD/Forms/eSPForms/OSH-AD-367%20Facilities%20Development%20Division%20Payment%20Form.pdf">http://www.oshpd.ca.gov/FDD/Forms/eSPForms/OSH-AD-367%20Facilities%20Development%20Division%20Payment%20Form.pdf</a>					
$\boxtimes$	DSA-LEA Laboratory Qualification as posted at DSA website: <a href="https://www.apps.dgs.ca.gov/tracker/ApprovedLabs.aspx">https://www.apps.dgs.ca.gov/tracker/ApprovedLabs.aspx</a>					
$\boxtimes$	Latest Copy of DSA 100: LEA Program Application as Submitted to DSA					
$\boxtimes$	Latest copy of DSA 220: LEA Program On-Site Assessment Report					
$\boxtimes$	Latest copy of DSA acceptance (letter) of the Lab. into the LEA program.					
$\boxtimes$	Current Accreditation Certificate(s) including List of Tests for which Laboratory is Accredited					
	Other (Please Specify):					

OSHPD Ap	proval	(For Office Use Only)
Signature:	A	Approval Date: 05/28/2015
Print Name:	James C. Pan	Approval Expiration Date:10/02/2016
Title:	District Structural Engineer	
Condition of ap	pproval <i>(if applicable)</i> :	

44/A/W

