

<b>APPLICATION FOR OSHPD</b>	APPROVED	For Office Use Only				Only	
LABORATORY (OPL)			Арр	lication	#	OPL-0	041-15
Name of Approved Agency/Laboratory		City	-	County			State
MTGL, Inc.		San Diego		San I	Diego		CA
APPLICATION TYPE / FEE							
Application is based on:		New Application (Fees are Nonrefund			(Fe		wal Fee lonrefundable)
☐ DSA-LEA Approved Only		\$250.00			□ \$250		,
☐ Accreditation Only		\$500.00			□ \$25	0.00	
⊠ Both DSA-LEA Approved and Accreditation	×	\$500.00			□ \$25	0.00	
APPLICANT INFORMATION							
Applicant Name Michael J. Landon	Signatur	re Muchael Land			Position in the President	Organizatio	n
Agency/Laboratory Name MTGL, Inc. – San Diego					Application Date 9/8/15	te	
Phone Number (858) 537-3999			E-Mail mlandon@	@mtglinc.co	om		
Address of Facility Location (Each facility location require	es separate	e application.)					
Street 6295 Ferris Square, Suite C							
City: San Diego		County San Diego			State: Zip Code: 92121		
Facility Mailing Address (If different from facility address a	bove.)						
Street							
City:					State:	Z	ip Code:
KEY PERSONNEL (Attach addit	ional pa	ages if needed.)					
Engineering Manager (or equivalent) – Name Sam Valdez				tion Numbe	er		xpiration Date 2/31/16
Title in the Organization Engineering Manager / Vice President			hone Numb 358) 537-39				
FAX Number (858) 537-3990			-Mail <u>valdez@mt</u>	tglinc.com			
Alternate to Engineering Manager (if any) – Name			CA Registration Number Expiration Date				n Date
Title in the Organization		F	Phone Num	ber			
FAX Number		E	-mail				

"Access to Safe. Quality Healthcare Environments that Meet California's Diverse and Dynamic Needs"





KEY PERSONNEL	(Attach additional pages if needed.)		
Laboratory Supervisor – Name John Hutalla		CA Registration Number (if any)	Expiration Date
Title in the Organization Laboratory Manager		Phone Number (858) 537-3999	
FAX Number (858) 537-3990		E-Mail jhutalla@mtglinc.com	
Field Supervisor – Name Tom Bates		CA Registration Number (if any)	Expiration Date
Title in the Organization Senior Field Inspector		Phone Number (800) 491-2990	
FAX Number (858) 537-3990		E-mail tbates@mtglinc.com	

**OSHPD** 

"Access to Safe. Quality Healthcare Environments that Meet California's Diverse and Dynamic Needs"



S	T/	١N	מו	Α	R	D	S
•			_	$\boldsymbol{-}$		_	v

By checking "yes" in Tables 1 through 6 below, the applicant verifies that the laboratory has the equipment and qualified personnel to perform the indicated testing. **ONLY mark tests that are listed in accreditation certificate or DSA-LEA.** 

1		SOILS AND FOUNDATIONS							
	Tes	sts							
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure		
$\boxtimes$	a.	ASTM D 2487	Classification of Soils	$\boxtimes$	b.	ASTM D 422	Particle Size Analysts		
$\boxtimes$	C.	ASTM D 2216	Moisture Content	$\boxtimes$	d.	ASTM D 4318	Liquid / Plastic Limit		
	e.	ASTM D 2850	Unconsolidated, Undrained Triaxial		f.	ASTM D 4767	Triaxial Compression		
	g.	ASTM D 2166	Unconfined Compressive Strength		h.	ASTM D 7012	Triaxial Compressive Strength of Rock Core Specimens		
	i.	ASTM D 5778	Friction Cone and Pizocone Penetration Test		j.	ASTM D 3441	Cone Penetration Test (CPT)		
$\boxtimes$	k.	ASTM D 1140	No. 200 Wash		I.	ASTM D 4829	Expansion Index		
$\boxtimes$	m.	ASTM D 2419	Sand Equivalent Value	$\boxtimes$	n.	ASTM D 1557	Soil Compaction – Modified		
	0.	ASTM D 3080	Direct Shear	$\boxtimes$	p.	ASTM D 6938	Density of Soils – Nuclear Gage		
	q.	ASTM D 1556	Density of Soils – Sand Cone		r.	ASTM D 1143	Deep Foundations – Static Compression		
	s.	ASTM D 4945	Deep Foundations – Dynamic Testing		t.	ASTM D 3689	Deep Foundations – Axial Tension		
	u.	ASTM D 3966	Deep Foundations –Lateral Loads						
	nat are		but are not listed above should be provid		spac	. ,	Total December		
Yes		Standard	Test Procedure	Yes	L. L.	Standard	Test Procedure		
<u> </u>	aa.				bb.				
<u> Ц</u>	CC.				dd.				
Ш	ee.				ff.				





2			cc	NCR	ETE			
	Tests							
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure	
	a.	ASTM D 75	Sampling Aggregate	$\boxtimes$	b.	ASTM C 702	Reducing Aggregate Samples	
$\boxtimes$	C.	ASTM C 40	Organic Impurities	$\boxtimes$	d.	ASTM C 29	Unit Weight / Voids	
	e.	ASTM C 88	Sodium Sulfate Soundness	$\boxtimes$	f.	ASTM C 566	Moisture Content	
	g.	ASTM C 142	Clay / Friable Particles	$\boxtimes$	h.	ASTM C 127	Specific Gravity - Coarse	
$\boxtimes$	i.	ASTM C 128	Specific Gravity - Fine	$\boxtimes$	j.	ASTM C 117	No. 200 Wash	
$\boxtimes$	k.	ASTM C 136	Sieve Analysis Course / Fine		Ī.	ASTM C 131	Degradation of Aggregate	
$\boxtimes$	m.	ASTM D 2419	Sand Equivalent Value	$\boxtimes$	n.	ASTM C 31, C 172, CBC 1905A.1.2	Concrete Sampling - Field	
	0.	ASTM C 192	Making / Curing Specimens - Lab		p.	ASTM C 173	Air Content (V)	
	q.	ASTM C 1602	Water		r.	ASTM C1604	Shotcrete Core	
	S.	ACI 355.2	Mechanical Anchors	$\boxtimes$	t.	ASTM C 231	Air Content (P)	
$\boxtimes$	u.	ASTM C 143	Slump	$\boxtimes$	٧.	ASTM C 1064	Temperature	
$\boxtimes$	w.	ASTM C 617	Capping Concrete Specimens	$\boxtimes$	X.	ASTM C 1231	Unbonded Caps	
$\boxtimes$	у.	ASTM C 39	Compressive Strength		Z.	ASTM C 157	Length Change	
	aa.	ASTM C 78	Flexural Strength		bb.	ASTM C 496	Splitting Tensile	
	CC.	ASTM C 42	Drilled Cores / Beams		dd.	ASTM C 138	Weight / Yield / Air Content	
	ee.	ASTM C 495	Lightweight Concrete		ff.	ASTM C 567	Density of Lightweight Aggregate	
	gg.	ASTM E 488	Strength of Anchors		hh.	ACI 355.4	Adhesive Anchors	
	ii.	ACI 374.1	Moment Frames		jj.	ASTM C 1260	Alkali Reactivity of Aggregate	
	kk.	ASTM C 1293	Length Change due to Alkali-Silica Reaction		II.	ACI ITG-5.1	Post-Tensioned Precast Special Walls	
	mm.	ASTM C 42	Concrete Core		nn.	ASTM D 3039	Tensile Strength of FRP	
	00.	ASTM D 4541	Pull of Strength of FRP		pp.	ASTM A 1034	Rebar Mechanical Splices	
							·	
Tests th	at are	in the lab's scope bu	ut are not listed above should be provide	ed in the	space	e(s) below.		
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure	
$\boxtimes$	aa.	ASTM C 138	Density of Concrete		bb.			
	CC.				dd.			
	ee.				ff.			

4/////W



3		MASONRY								
	Tes	Tests								
Yes	Standard/Code Reference		Test Procedure	Yes	Standard/Code Reference		Test Procedure			
$\boxtimes$	a.	ASTM C 140	Dimensions		b.	ASTM C 140	Compressive Strength			
$\boxtimes$	C.	ASTM C 140	Absorption		d.	ASTM C 140	Unit Weight			
$\boxtimes$	e.	ASTM C 140	Moisture Content		f.	ASTM C 426	Linear Drying Shrinkage			
	g.	CBC 2105A.2.2.1.4	Mortar Sampling		h.	CBC 2105A.2.2.1.4	Grout Sampling			
	i.	ASTM C 1314	Prism Compressive Strength		j.	ASTM C 1019	Grout Compressive Strength			
	k.	ASTM C 780	Mortar Compressive Strength		I.	ASTM C 39	Core Compressive Strength			
	m.	CBC 2105A.4	Core Shear		n.	ASTM C 1314	Prism Sampling			
Tests the	at are ii	n the lab's scope but are	e not listed above should be provid	led in the	space	(s) below.				
Yes	Stand	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure			
$\boxtimes$	aa.	ASTM C 1552	Capping CMU		bb.					
	CC.	·	·		dd.					
	ee.				ff.					

	1							
4	STEEL							
	Tes	ts						
Yes	Stan	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure	
$\boxtimes$	a.	ASTM A 370	Tension Test	$\boxtimes$	b.	ASTM A 370	Bend	
	C.	ASTM E 10	Brinell Hardness		d.	ASTM E 18	Rockwell Hardness	
	e.	ASTM E 190	Guided Bend		f.	ASTM E 23	Charpy V - Notch	
	g.	ASTM A 90	Weight of Coating		h.	AISC 341 Section K2	Beam to Column Moment & EBF Connections Cyclic Tests	
	i.	AISC 341 Section K3	BRBF Cyclic Tests		j.	ASTM E 165	Liquid Penetrant	
	k.	ASTM E 1444	Magnetic Particle		Ī.	ASTM E 94	Radiographic	
	m.	ASTM E 164	Ultrasonic		n.	ASTM E 605	Density of SFRM	
	0.	CBC 2203A.1	Material Identification		Р	ASTM F606	Bolt Tension Test	
Tests th	at are ii	n the lab's scope but are	not listed above should be provid	ed in the	space	(s) below.		
Yes	Stan	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure	
$\boxtimes$	aa.	ASTM A 996	Mechanical Splices – Rail Steel	$\boxtimes$	bb.	ASTM A 615	Tension Test	
$\boxtimes$	CC.	ASTM A 1034	Mechanical Splices – Low Alloy	$\boxtimes$	dd.	ASTM A 970	Headed Steel Bars - Bend	
$\boxtimes$	ee.	ASTM A 416	Steel Strand		ff.			

"Access to Safe. Quality Healthcare Environments that Meet California's Diverse and Dynamic Needs"





5	Wood and Roof Assemblies						
	Tes	sts					
Yes		Standard	Test Procedure	Yes		Standard	Test Procedure
	a.	ASTM D 3617	Analysis of Built-Up Roof Systems		b.	ASTM D 4442	Moisture Content of Wood
	c.	ASTM C 67	Brick and Structural Clay Roof Tiles				
Tests that	are in	the lab's scope but are	not listed above should be provide	d in the	space	(s) below.	_
	aa.				bb.		
	CC.				dd.		
	ee.				ff.		

6		COMPONENT, ASSEMBLY AND PROTOTYPE TESTING					
	Tes	ts					
Yes	Stand	dard/Code Reference	Test Procedure	Yes	Sta	ndard/Code Reference	Test Procedure
	a.	AAMA 501.4	Static Test for Curtain Wall and Storefront Systems		b.	ICC-ES AC 156	Shake Table Test
	C.	AAMA 501.6	Dynamic Test for Curtain Wall and Storefront Systems		d.	FM 1950	Seismic Sway Brace Testing
Tests tha	nat are in the lab's scope but are not listed above should be provided in the space(s) below.						
	aa.				bb.		
	CC.				dd.		
	ee.				ff.		





	List of Attachments Supporting the Testing Agency/Laboratory Approval (Submit Each Attachment as Separate PDF)						
Yes	Enclosure Type						
$\boxtimes$	OSHPD Facilities Development Division (FDD) Payment Form (OSH-AD-367): http://www.oshpd.ca.gov/FDD/Forms/eSPForms/OSH- AD 367%20Facilities%20Development%20Division%20Payment%20Form.pdf						
	DSA-LEA Laboratory Qualification as posted at DSA website: https://www.apps.dgs.ca.gov/tracker/ApprovedLabs.aspx						
	Latest Copy of DSA 100: LEA Program Application as Submitted to DSA						
	Latest copy of DSA 220: LEA Program On-Site Assessment Report						
$\boxtimes$	Latest copy of DSA acceptance (letter) of the Lab. into the LEA program.						
	Current Accreditation Certificate(s) including List of Tests for which Laboratory is Accredited						
	Other (Please Specify):						

OSHPD App	proval	(For Office Use Only)
Signature:	Jap	Approval Date: 12/18/2015
Print Name:	James C. Pan	Approval Expiration Date: _04/09/2016
Title:	District Structural Engineer	
Condition of ap	pproval <i>(if applicable)</i> :	

44/A/W