

County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
Alameda	Alta Bates Summit Medical Center	0.0% (0;4)				0.0% (0;3)		
	Alta Bates Summit Medical Center – Alta Bates Campus	0.0% (0;1,778)	1.4% (2;112)			0.0% (0;1,492)		
	Eden Medical Center	0.0% (0;689)			0.0% (0;3)	0.0% (0;492)		
	Highland Hospital	0.0% (0;1,071)			0.0% (0;22)	0.0% (0;804)		
	Kaiser Foundation Hospital – Fremont	0.0% (0;4)						
	Kaiser Foundation Hospital – Oakland Medical Center**	0.0% (1;3,504)	1.2% (1;85)	0.4% (1;423) Above Average	0.0% (0;608)	0.1% (3;2,454)		
	Kaiser Foundation Hospital – San Leandro	0.0% (0;2,040)	1.7% (1;49)	0.0% (0;3)	0.0% (0;3)	0.0% (0;1,397)		
	St. Rose Hospital	0.0% (0;144)				0.0% (0;120)		
	Stanford Health Care Tri-Valley	0.0% (0;721)			0.0% (0;3)	0.0% (0;534)		
	UC San Francisco Benioff Children's Hospital Oakland	0.0% (4;6,989)	0.0% (0;72)	0.8% (5;681) Above Average	0.3% (4;1,345)	0.1% (7;4,421)		
	Washington Hospital – Fremont	0.0% (0;1,060)	0.0% (0;3)			0.0% (0;806)		
Amador	Sutter Amador Hospital	0.0% (0;84)				0.0% (0;46)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



Country	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*	
County		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.					
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)	
Butte	Enloe Health**	0.0% (0;1,611)			0.0% (0;9)	0.0% (0;1,164)	
	Oroville Hospital	0.0% (0;432)	0.0% (0;3)	0.0% (0;6)	0.0% (0;20)	0.0% (0;326)	
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;993)				0.0% (0;674)	
	John Muir Medical Center – Walnut Creek Medical Center**	0.0% (0;2,592)	3.6% (1;37)	0.0% (0;41)	0.0% (0;84)	0.2% (2;1,999)	
	Kaiser Foundation Hospital – Antioch	0.0% (0;891)				0.0% (0;574)	
	Kaiser Foundation Hospital – Walnut Creek	0.2% (1;2,032)	0.0% (0;66)	0.0% (0;6)	0.0% (0;17)	0.0% (0;1,436)	
	San Ramon Regional Medical Center	0.0% (0;95)				0.0% (0;62)	
	Sutter Delta Medical Center	0.0% (0;241)				0.0% (0;140)	
Del Norte	Sutter Coast Hospital	0.0% (0;92)				0.0% (0;62)	
El Dorado	Barton Memorial Hospital	0.0% (0;218)			0.0% (0;4)	0.0% (0;121)	
	Marshall Medical Center	0.0% (0;142)				0.0% (0;94)	
Fresno	Adventist Health Reedley	0.0% (0;440)				0.0% (0;232)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



Country	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County		NOTE: In each cell, the firs the third line indicates any	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.					
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
Fresno (continued)	Clovis Community Medical Center	0.0% (0;996)	0.0% (0;28)	0.0% (0;5)	0.0% (0;4)	0.0% (0;709)		
	Community Regional Medical Center – Fresno	0.0% (0;3,049)	2.0% (4;174)	0.0% (0;87)	0.5% (1;165)	0.0% (0;2,257)		
	Kaiser Foundation Hospital – Fresno	0.0% (0;958)				0.0% (0;572)		
	Saint Agnes Medical Center	0.0% (0;1,915)			0.0% (0;3)	0.0% (0;1,078)		
Humboldt	Mad River Community Hospital	0.0% (0;211)			0.0% (0;3)	0.0% (0;102)		
	Providence St. Joseph Hospital – Eureka	0.0% (0;399)			0.0% (0;11)	0.0% (0;270)		
Imperial	El Centro Regional Medical Center	0.0% (0;3)						
	Pioneers Memorial Healthcare District	0.0% (0;584)	0.0% (0;6)			0.0% (0;457)		
Inyo	Northern Inyo Hospital	0.0% (0;127)				0.0% (0;62)		
Kern	Adventist Health Bakersfield	0.0% (0;747)	0.0% (0;31)		0.0% (0;8)	0.0% (0;451)		
	Adventist Health Delano	0.0% (0;213)				0.0% (0;123)		
	Bakersfield Memorial Hospital	0.2% (2;2,627)	2.0% (1;47)		0.0% (0;29)	0.0% (0;1,593)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



	_	•		1 /				
County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI		
County	nospital Name	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
Kern (continued)	Kern Medical Center	0.0% (0;1,490)	3.6% (1;38)	0.0% (0;6)	0.0% (0;60)	0.0% (0;1,204)		
	Mercy Hospital – Bakersfield	0.0% (0;611)	0.0% (0;30)		0.0% (0;3)	0.0% (0;416)		
	Ridgecrest Regional Hospital	0.0% (0;209)				0.0% (0;124)		
Kings	Adventist Health Hanford	0.0% (0;960)				0.0% (0;596)		
Lake	Adventist Health Clearlake	0.0% (0;54)				0.0% (0;25)		
	Sutter Lakeside Hospital	0.0% (0;62)				0.0% (0;28)		
Lassen	Banner Lassen Medical Center	0.0% (0;103)				0.0% (0;49)		
Los Angeles	Adventist Health Glendale	0.0% (0;573)	6.0% (1;22)			0.0% (0;442)		
	Adventist Health White Memorial	0.1% (1;1,597)	8.2% (3;26)	0.0% (0;41)	0.0% (0;80)	0.0% (0;1,098)		
	Adventist Health White Memorial Montebello**	0.0% (0;62)				0.0% (0;41)		
	Antelope Valley Medical Center**	0.0% (0;1,744)	3.0% (2;59)		0.0% (0;52)	0.0% (0;1,113)		
	California Hospital Medical Center – Los Angeles	0.0% (0;1,160)	0.0% (0;19)	0.0% (0;6)	0.0% (0;29)	0.0% (0;915)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*	
County		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.					
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)	
Los Angeles (continued)	Cedars – Sinai Marina Hospital**	0.0% (0;9)					
	Cedars – Sinai Medical Center	0.0% (0;4,235)	8.1% (9;141) Below Average	0.8% (1;125)	2.0% (5;256)	0.3% (5;3,275) Below Average	
	Centinela Hospital Medical Center	0.0% (0;134)	0.0% (0;8)			0.0% (0;111)	
	Children's Hospital of Los Angeles	0.0% (10;15,876)	0.0% (0;128)	5.3% (129;1,844) Below Average	0.9% (28;3,328)	0.1% (31;10,121) Below Average	
	City of Hope Helford Clinical Research Hospital	0.0% (0;134)		0.0% (0;6)	0.0% (0;7)	0.3% (2;122)	
	East Los Angeles Doctors Hospital	0.0% (0;92)				0.0% (0;62)	
	Emanate Health Queen of the Valley Hospital	0.0% (0;1,355)	0.0% (0;56)	0.0% (0;22)	0.0% (0;15)	0.0% (0;987)	
	Garfield Medical Center	0.0% (0;313)	0.0% (0;8)			0.0% (0;251)	
	Glendale Memorial Hospital and Health Center	0.0% (0;351)	0.0% (0;24)			0.0% (0;283)	
	Greater El Monte Community Hospital	0.0% (0;14)				0.0% (0;12)	
	Henry Mayo Newhall Hospital	0.0% (0;812)	0.0% (0;21)	0.0% (0;3)	0.0% (0;12)	0.0% (0;563)	
	Hollywood Presbyterian Medical Center	0.0% (0;1,726)	0.0% (0;47)			0.0% (0;1,459)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



Country		Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County	Hospital Name	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
Los Angeles (continued)	Huntington Hospital	0.0% (0;1,789)	1.2% (1;94)	0.0% (0;72)	0.0% (0;104)	0.0% (0;1,328)		
	Kaiser Foundation Hospital – Baldwin Park	0.0% (0;973)	2.6% (1;36)		0.0% (0;4)	0.0% (0;647)		
	Kaiser Foundation Hospital – Downey	0.1% (1;3,211)	1.4% (2;129)	0.0% (0;51)	0.0% (0;100)	0.0% (0;2,183)		
	Kaiser Foundation Hospital – Los Angeles	0.0% (0;3,094)	3.7% (4;105)	3.2% (3;217)	0.3% (1;401)	0.0% (0;2,046)		
	Kaiser Foundation Hospital – Panorama City	0.0% (0;1,236)	1.3% (1;71)		0.0% (0;7)	0.0% (0;845)		
	Kaiser Foundation Hospital – South Bay	0.6% (1;956)	0.0% (0;7)		0.0% (0;3)	0.0% (0;568)		
	Kaiser Foundation Hospital – West LA	0.0% (0;954)	0.0% (0;35)	0.0% (0;4)	0.0% (0;9)	0.0% (0;570)		
	Kaiser Foundation Hospital – Woodland Hills	0.0% (0;773)	0.0% (0;28)		0.0% (0;3)	0.0% (0;462)		
	Keck Hospital of USC	0.0% (0;9)		0.0% (0;4)	7.0% (1;9)	0.0% (0;7)		
	Los Angeles County Olive View – UCLA Medical Center	0.0% (0;661)	0.0% (0;13)	0.0% (0;12)	0.0% (0;20)	0.0% (0;445)		
	Los Angeles County/Harbor – UCLA Medical Center	0.0% (1;2,011)	4.2% (2;49)	0.0% (0;42)	0.0% (0;200)	0.3% (2;1,268)		
	Los Angeles General Medical Center**	0.0% (1;2,828)	4.6% (5;52)	0.0% (0;85)	2.1% (4;227)	0.1% (1;1,747)		
	Martin Luther King, Jr. Community Hospital	0.0% (0;229)			0.0% (0;4)	0.0% (0;155)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*
County		NOTE: In each cell, the first the third line indicates any		Adjusted Rate, the second lin	e indicates total even	ts; total discharges, and
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)
Los Angeles (continued)	MemorialCare Long Beach Medical Center	0.0% (0;9)		0.0% (0;4)	0.0% (0;7)	0.0% (0;3)
	MemorialCare Miller Children's & Women's Hospital Long Beach	0.0% (1;8,793)	1.4% (3;165)	0.3% (1;248) Above Average	0.4% (3;736)	0.0% (2;5,781)
	Monterey Park Hospital	0.0% (0;3)				
	Northridge Hospital Medical Center	0.0% (0;1,312)	0.0% (0;24)	0.0% (0;48)	0.0% (0;107)	0.0% (0;845)
	PIH Health Good Samaritan Hospital	0.0% (0;517)	6.1% (1;17)			0.0% (0;479)
	PIH Health Whittier Hospital**	0.0% (0;658)	0.0% (0;36)		0.0% (0;3)	0.0% (0;560)
	Palmdale Regional Medical Center	0.0% (0;328)				0.0% (0;205)
	Pomona Valley Hospital Medical Center	0.1% (1;2,258)	7.7% (10;132) Below Average		3.7% (2;44)	0.0% (0;1,819)
	Providence Cedars – Sinai Tarzana Medical Center	0.0% (0;1,661)	0.0% (0;35)	0.0% (0;26)	0.0% (0;51)	0.0% (0;1,162)
	Providence Holy Cross Medical Center	0.0% (0;929)	0.0% (0;39)		0.0% (0;18)	0.0% (0;678)
	Providence Little Company of Mary Medical Center – San Pedro	0.0% (0;10)				0.0% (0;6)
	Providence Little Company of Mary Medical Center – Torrance	0.0% (0;2,044)	2.3% (1;43)	0.0% (0;4)	0.0% (0;21)	0.0% (0;1,367)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*	
County		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.					
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)	
Los Angeles (continued)	Providence Saint John's Health Center	0.0% (0;706)	0.0% (0;25)	0.0% (0;15)	0.0% (0;21)	0.0% (0;573)	
	Providence Saint Joseph Medical Center	0.0% (0;888)	0.0% (0;54)			0.0% (0;708)	
	Ronald Reagan UCLA Medical Center	0.1% (5;2,973)	2.4% (4;132)	2.5% (11;210)	1.4% (14;437) Below Average	0.3% (21;2,372) Below Average	
	San Dimas Community Hospital	0.0% (0;32)				0.0% (0;22)	
	San Gabriel Valley Medical Center	0.0% (0;202)	9.9% (1;11)			0.0% (0;165)	
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	0.0% (0;2,076)	0.0% (0;19)	0.0% (0;74)	1.4% (1;141)	0.0% (0;1,412)	
	St. Francis Medical Center	0.0% (0;818)	0.0% (0;32)		3.3% (1;32)	0.6% (1;710)	
	St. Mary Medical Center – Long Beach	0.0% (0;674)	0.0% (0;8)		0.0% (0;4)	0.0% (0;585)	
	Torrance Memorial Medical Center	0.0% (0;1,639)	14.0% (3;27) Below Average	0.0% (0;9)	0.0% (0;48)	0.0% (0;1,362)	
	UCLA West Valley Medical Center**	0.0% (0;51)		0.0% (0;12)	0.0% (0;30)	0.0% (0;43)	
	USC Arcadia Hospital	0.0% (0;400)	0.0% (0;8)			0.0% (0;335)	
	USC Verdugo Hills Hospital	0.0% (0;231)	0.0% (0;4)			0.0% (0;187)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*			
County		NOTE: In each cell, the firs the third line indicates any	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)			
Los Angeles (continued)	Valley Presbyterian Hospital	0.0% (0;1,535)	0.0% (0;18)	0.0% (0;20)	0.0% (0;51)	0.0% (0;972)			
	Whittier Hospital Medical Center	0.0% (0;221)				0.0% (0;147)			
Madera	Valley Children's Hospital	0.1% (13;8,592) Below Average	3.1% (7;238)	9.6% (56;495) Below Average	0.2% (3;1,017) Above Average	0.1% (10;6,448)			
Marin	Kaiser Foundation Hospital – San Rafael	0.0% (0;9)				0.0% (0;7)			
	MarinHealth Medical Center	0.0% (0;893)	0.0% (0;3)		0.0% (0;5)	0.0% (0;670)			
Mendocino	Adventist Health Howard Memorial	0.0% (0;6)				0.0% (0;3)			
	Adventist Health Ukiah Valley	0.0% (0;296)				0.0% (0;183)			
Merced	Memorial Hospital Los Banos	0.0% (0;175)				0.0% (0;100)			
	Mercy Medical Center – Merced	0.0% (0;890)				0.0% (0;529)			
Mono	Mammoth Hospital	0.0% (0;43)			0.0% (0;8)	0.0% (0;23)			
Monterey	Community Hospital of the Monterey Peninsula	0.0% (0;623)			0.0% (0;11)	0.0% (0;426)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



_	- 0		<b>1</b> /					
Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI			
	NOTE: In each cell, the first the third line indicates any	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)			
George L. Mee Memorial Hospital	0.0% (0;44)				0.0% (0;27)			
Natividad Medical Center	0.1% (1;2,767)	5.5% (1;30)		0.0% (0;39)	0.0% (0;1,703)			
Salinas Valley Health Medical Center	0.0% (0;956)	0.0% (0;10)		0.0% (0;11)	0.0% (0;650)			
Providence Queen of the Valley Medical Center	0.0% (0;383)				0.0% (0;276)			
Sierra Nevada Memorial Hospital	0.0% (0;149)				0.0% (0;83)			
Tahoe Forest Hospital	0.0% (0;328)				0.0% (0;258)			
AHMC Anaheim Regional Medical Center	0.0% (0;259)	0.0% (0;17)			0.0% (0;203)			
Children's Hospital at Mission	0.0% (0;1,463)	0.0% (0;15)	0.0% (0;16)	0.0% (0;64)	0.0% (0;890)			
Children's Hospital of Orange County	0.0% (7;10,605)	1.6% (3;211)	1.1% (8;412) Above Average	0.9% (11;1,030)	0.1% (12;7,674)			
Garden Grove Hospital and Medical Center	0.0% (0;3)				0.0% (0;3)			
HealthBridge Children's Hospital – Orange	0.0% (0;28)				0.0% (0;27)			
Hoag Memorial Hospital Presbyterian	0.0% (0;3,101)	4.1% (3;56)	0.0% (0;5)	0.0% (0;11)	0.0% (0;2,415)			
	George L. Mee Memorial Hospital  Natividad Medical Center  Salinas Valley Health Medical Center  Providence Queen of the Valley Medical Center  Sierra Nevada Memorial Hospital  Tahoe Forest Hospital  AHMC Anaheim Regional Medical Center  Children's Hospital at Mission  Children's Hospital of Orange County  Garden Grove Hospital and Medical Center  HealthBridge Children's Hospital – Orange	Hospital Name  NOTE: In each cell, the first the third line indicates any  STATEWIDE  O% (121;336,331)  George L. Mee Memorial Hospital  O.0% (0;44)  Natividad Medical Center  O.1% (1;2,767)  Salinas Valley Health Medical Center  O.0% (0;956)  Providence Queen of the Valley Medical Center  O.0% (0;383)  Sierra Nevada Memorial Hospital  O.0% (0;149)  Tahoe Forest Hospital  O.0% (0;328)  AHMC Anaheim Regional Medical Center  O.0% (0;259)  Children's Hospital at Mission  O.0% (0;1,463)  Children's Hospital and Medical Center  O.0% (0;1,463)  Children's Hospital and Medical Center  O.0% (0;3)  HealthBridge Children's Hospital – Orange  O.0% (0;28)  Hoag Memorial Hospital Presbyterian	NoTE: In each cell, the first line indicates a Risk of the third line indicates a Risk of the third line indicates and quality rating.    STATEWIDE	Note: the providence Queen of the Valley Medical Center   0.0% (0.383)	NOTE: the each cell, the first line indicates a Risk-Adjusted Rate, the second in ordicates to tolate ever the third line indicates any quality rating.    STATEWIDE			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*	
County		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.					
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)	
Orange (continued)	Hoag Orthopedic Institute				0.0% (0;3)	0.0% (0;3)	
	Kaiser Foundation Hospital – Orange County – Anaheim	0.0% (0;4,634)	0.0% (0;107)	0.0% (0;48)	1.4% (1;110)	0.0% (0;2,829)	
	MemorialCare Orange Coast Medical Center	0.0% (0;610)	0.0% (0;8)			0.0% (0;485)	
	MemorialCare Saddleback Medical Center	0.0% (0;733)	0.0% (0;26)			0.0% (0;606)	
	Orange County Global Medical Center	0.0% (0;523)	0.0% (0;9)		1.9% (1;26)	0.0% (0;400)	
	Providence Mission Hospital	0.0% (0;783)				0.0% (0;431)	
	Providence St. Joseph Hospital	0.0% (0;2,126)				0.0% (0;1,277)	
	Providence St. Jude Medical Center	0.0% (0;890)	0.0% (0;20)			0.0% (0;628)	
	South Coast Global Medical Center	0.0% (0;32)				0.0% (0;14)	
	UC Irvine Health – Fountain Valley**	0.0% (0;1,098)	6.1% (1;15)	0.0% (0;6)	0.0% (0;20)	0.0% (0;840)	
	UC Irvine Health – Los Alamitos**	0.0% (0;4)				0.0% (0;3)	
	UC Irvine Medical Center	0.1% (1;1,445)	0.8% (1;80)	0.0% (0;14)	0.9% (1;91)	0.0% (0;1,100)	
Placer	Kaiser Foundation Hospital – Roseville	0.0% (0;5,292)	2.0% (4;193)	4.8% (2;112)	0.6% (1;223)	0.0% (0;3,728)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



				<u> </u>				
County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI		
County	Πουρικα Ναιίτο	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
Placer (continued)	Sutter Auburn Faith Hospital	0.0% (0;21)			0.0% (0;3)	0.0% (0;13)		
	Sutter Roseville Medical Center	0.0% (0;1,685)	6.7% (1;27)	0.0% (0;3)	0.0% (0;50)	0.0% (0;1,048)		
Plumas	Plumas District Hospital	0.0% (0;4)				0.0% (0;3)		
Riverside	Corona Regional Medical Center – Main	0.0% (0;365)			0.0% (0;3)	0.0% (0;154)		
	Desert Regional Medical Center	0.0% (0;1,587)	2.1% (2;79)		0.0% (0;47)	0.0% (0;984)		
	Doctors Hospital of Riverside	0.0% (0;345)	0.0% (0;10)			0.0% (0;217)		
	Eisenhower Medical Center	0.0% (0;629)			0.0% (0;7)	0.0% (0;385)		
	Hemet Global Medical Center	0.0% (0;153)				0.0% (0;85)		
	John F. Kennedy Memorial Hospital	0.0% (0;969)			0.0% (0;9)	0.0% (0;485)		
	Kaiser Foundation Hospital – Moreno Valley	0.0% (0;476)				0.0% (0;178)		
	Kaiser Foundation Hospital – Riverside	0.0% (0;1,317)	5.4% (2;51)		0.0% (0;7)	0.0% (0;824)		
	Loma Linda University Medical Center – Murrieta	0.0% (0;547)				0.0% (0;364)		
	Riverside Community Hospital	0.0% (0;1,542)	1.2% (1;84)	0.0% (0;3)	0.0% (0;16)	0.0% (0;1,045)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



Country	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County	Hospital Name	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
Riverside (continued)	Riverside University Health System – Medical Center	0.0% (0;2,596)	2.1% (1;39)	0.0% (0;16)	0.0% (0;115)	0.0% (0;1,560)		
	San Gorgonio Memorial Hospital	0.0% (0;47)				0.0% (0;35)		
	Southwest Healthcare Rancho Springs Hospital**	0.0% (0;1,348)			0.0% (0;16)	0.0% (0;699)		
	Temecula Valley Hospital	0.0% (0;3)						
Sacramento	Kaiser Foundation Hospital – Sacramento	0.0% (0;13)		0.0% (0;3)	0.0% (0;5)	0.0% (0;5)		
	Kaiser Foundation Hospital – South Sacramento	0.0% (0;1,826)	0.0% (0;5)		0.0% (0;44)	0.0% (0;1,079)		
	Mercy General Hospital	0.0% (0;229)				0.0% (0;136)		
	Mercy Hospital of Folsom	0.0% (0;216)				0.0% (0;115)		
	Mercy San Juan Medical Center	0.0% (0;1,662)	2.6% (3;72)		0.0% (0;10)	0.0% (0;1,134)		
	Methodist Hospital of Sacramento	0.0% (0;598)				0.0% (0;430)		
	Shriners Hospitals for Children Northern California	0.1% (4;882)		0.6% (1;642) Above Average	1.1% (3;692)	0.3% (1;484)		
	Sutter Medical Center – Sacramento	0.0% (0;5,947)	1.1% (3;232)	3.1% (6;182)	0.0% (0;413)	0.0% (1;4,193)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI
County	Hospital Name	NOTE: In each cell, the first the third line indicates any		djusted Rate, the second lin	e indicates total ever	ts; total discharges, and
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)
Sacramento (continued)	UC Davis Medical Center	0.1% (12;6,289) Below Average	2.4% (5;215)	1.8% (9;309) Above Average	0.7% (8;872)	0.1% (8;4,444)
San Benito	Hazel Hawkins Memorial Hospital	0.0% (0;159)			0.0% (0;3)	0.0% (0;86)
San Bernardino	Arrowhead Regional Medical Center	0.0% (0;1,656)	2.1% (1;38)		5.2% (2;48)	0.4% (1;1,380)
	Barstow Community Hospital	0.0% (0;58)				0.0% (0;14)
	Chino Valley Medical Center	0.0% (0;24)				0.0% (0;16)
	Colorado River Medical Center	0.0% (0;11)				0.0% (0;5)
	Community Hospital of San Bernardino	0.0% (0;1,026)	0.0% (0;6)		0.0% (0;5)	0.0% (0;712)
	Desert Valley Hospital	0.0% (0;166)				0.0% (0;82)
	Hi-Desert Medical Center	0.0% (0;104)				0.0% (0;59)
	Kaiser Foundation Hospital – Fontana	0.0% (0;5,116)	0.8% (1;97)	0.0% (0;112)	0.0% (0;247)	0.0% (0;2,845)
	Loma Linda University Children's Hospital	0.0% (5;13,489)	4.9% (14;268) Below Average	0.8% (5;608) Above Average	0.4% (6;1,507)	0.1% (16;9,054)
	Loma Linda University Medical Center	0.0% (0;31)		0.0% (0;4)	0.0% (0;12)	0.0% (0;8)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hoopital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*			
County	Hospital Name	NOTE: In each cell, the firs the third line indicates any	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)			
San Bernardino (continued)	Montclair Hospital Medical Center	0.0% (0;60)				0.0% (0;37)			
	Mountains Community Hospital	0.0% (0;7)				0.0% (0;5)			
	Providence St. Mary Medical Center**	0.0% (0;507)	3.0% (1;39)		0.0% (0;3)	0.0% (0;402)			
	Redlands Community Hospital	0.0% (0;657)	0.0% (0;18)			0.0% (0;470)			
	San Antonio Regional Hospital	0.0% (0;434)	3.4% (1;38)		0.0% (0;5)	0.0% (0;371)			
	St. Bernardine Medical Center	0.0% (0;380)	4.4% (1;21)		0.0% (0;3)	0.0% (0;322)			
	Victor Valley Global Medical Center	0.0% (0;276)				0.0% (0;116)			
San Diego	Grossmont Hospital	0.0% (0;1,293)	0.0% (0;34)			0.0% (0;947)			
	Kaiser Foundation Hospital – San Diego – Zion	0.0% (0;3,445)	1.1% (1;98)	7.0% (1;56)	1.8% (1;102)	0.0% (0;2,386)			
	Kaiser Foundation Hospital – San Marcos	0.0% (0;309)	0.0% (0;3)			0.0% (0;196)			
	Palomar Medical Center	0.0% (0;2,393)	0.0% (0;31)		0.0% (0;17)	0.0% (0;1,649)			
	Palomar Medical Center Poway	0.0% (0;86)				0.0% (0;54)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Harrie I Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County	Hospital Name	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
San Diego (continued)	Rady Children's Hospital – San Diego	0.0% (9;18,412)	2.2% (4;260)	0.4% (6;1,620) Above Average	0.2% (6;3,016) Above Average	0.0% (7;10,701) Above Average		
	Scripps Green Hospital	0.0% (0;11)		0.0% (0;5)	0.0% (0;6)	0.0% (0;12)		
	Scripps Memorial Hospital – Encinitas	0.0% (0;948)			0.0% (0;3)	0.0% (0;597)		
	Scripps Memorial Hospital – La Jolla	0.0% (0;1,650)			0.0% (0;27)	0.0% (0;996)		
	Scripps Mercy Hospital	0.0% (0;1,472)	0.0% (0;5)		0.0% (0;25)	0.0% (0;822)		
	Sharp Chula Vista Medical Center	0.0% (0;901)				0.0% (0;601)		
	Sharp Mary Birch Hospital for Women and Newborns	0.2% (1;3,692)	4.4% (12;238)			0.2% (2;3,121)		
	Sharp Memorial Hospital	0.0% (0;39)			0.0% (0;23)	0.0% (0;29)		
	Tri-City Medical Center	0.0% (0;120)	0.0% (0;8)			0.0% (0;98)		
	UC San Diego Health Hillcrest – Hillcrest Medical Center	0.0% (0;3,734)	2.7% (4;123)	0.0% (0;43)	2.5% (2;92)	0.0% (0;3,004)		
San Francisco	California Pacific Medical Center – Van Ness Campus	0.1% (2;2,564)	5.3% (4;78)	0.0% (0;51)	0.0% (0;72)	0.0% (0;2,074)		
	Kaiser Foundation Hospital – San Francisco	0.2% (1;1,649)	0.0% (0;53)	0.0% (0;11)	0.0% (0;19)	0.0% (0;1,286)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



Country	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County	nospital Name	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
San Francisco (continued)	Priscilla Chan & Mark Zuckerberg San Francisco General Hospital & Trauma Center	0.0% (0;1,122)	0.0% (0;16)	0.0% (0;5)	3.1% (1;47)	0.0% (0;764)		
	UC San Francisco Health – Saint Francis Hospital	0.0% (0;45)		0.0% (0;9)	0.0% (0;14)	0.0% (0;39)		
	UC San Francisco Medical Center	0.0% (7;6,213)	3.0% (7;231)	0.6% (5;600) Above Average	0.9% (13;1,037)	0.0% (4;4,683) Above Average		
San Joaquin	Adventist Health Lodi Memorial	0.0% (0;549)			0.0% (0;4)	0.0% (0;263)		
	Doctors Hospital of Manteca	0.0% (0;74)				0.0% (0;38)		
	Kaiser Foundation Hospital – Manteca	0.2% (1;2,439)	4.4% (2;41)	0.0% (0;8)	0.0% (0;16)	0.0% (0;1,577)		
	San Joaquin General Hospital	0.0% (0;1,614)	8.4% (1;14)		4.0% (1;28)	0.0% (0;1,087)		
	St. Joseph's Medical Center of Stockton	0.0% (0;1,716)	0.0% (0;34)		0.0% (0;10)	0.0% (0;1,196)		
	Sutter Tracy Community Hospital	0.0% (0;137)				0.0% (0;66)		
San Luis Obispo	Adventist Health Sierra Vista**	0.3% (1;940)	0.0% (0;33)		0.0% (0;8)	0.0% (0;690)		
	Adventist Health Twin Cities**	0.0% (0;178)			0.0% (0;4)	0.0% (0;118)		
	French Hospital Medical Center	0.0% (0;303)				0.0% (0;219)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



	_	•		1 ,				
County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*		
County	nospital Name	NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)		
San Luis Obispo (continued)	Marian Regional Medical Center – Arroyo Grande	0.0% (0;3)						
San Mateo	Kaiser Foundation Hospital – Redwood City	0.0% (0;903)				0.0% (0;645)		
	Kaiser Foundation Hospital – South San Francisco	0.0% (0;5)			0.0% (0;4)			
	Mills-Peninsula Medical Center	0.0% (0;776)				0.0% (0;664)		
	Sequoia Hospital	0.0% (0;612)				0.0% (0;488)		
Santa Barbara	Goleta Valley Cottage Hospital	0.0% (0;7)			0.0% (0;7)			
	Lompoc Valley Medical Center	0.0% (0;218)				0.0% (0;165)		
	Marian Regional Medical Center	0.2% (1;1,923)	3.2% (2;50)		0.0% (0;21)	0.0% (0;1,310)		
	Santa Barbara Cottage Hospital	0.0% (0;1,780)	0.0% (0;29)	0.0% (0;47)	0.0% (0;101)	0.0% (0;1,419)		
Santa Clara	El Camino Health	0.0% (0;1,849)	0.0% (0;51)		0.0% (0;7)	0.0% (0;1,666)		
	Good Samaritan Hospital – San Jose	0.0% (0;1,465)	0.0% (0;42)	0.0% (0;11)	0.0% (0;22)	0.0% (0;1,118)		
	Kaiser Foundation Hospital – San Jose	0.4% (1;1,048)			0.0% (0;4)	0.0% (0;618)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hognital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*			
County	Hospital Name		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.						
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)			
Santa Clara (continued)	Kaiser Foundation Hospital – Santa Clara	0.1% (2;3,199)	6.5% (7;102) Below Average	4.6% (1;63)	0.0% (0;135)	0.0% (0;2,197)			
	Lucile Packard Children's Hospital Stanford	0.1% (20;10,886) Below Average	1.4% (3;223)	12.2% (163;930) Below Average	1.4% (36;1,894) Below Average	0.0% (11;8,353)			
	O'Connor Hospital	0.0% (0;503)	0.0% (0;4)	0.0% (0;3)	0.0% (0;3)	0.0% (0;377)			
	Regional Medical Center of San Jose	0.0% (0;21)			0.0% (0;12)	0.0% (0;16)			
	Santa Clara Valley Medical Center	0.0% (1;3,875)	4.1% (3;61)	0.0% (0;89)	0.5% (1;239)	0.1% (1;2,361)			
	St. Louise Regional Hospital	0.0% (0;125)				0.0% (0;53)			
	Stanford Health Care	0.0% (0;37)		0.0% (0;13)	0.0% (0;27)	0.0% (0;28)			
Santa Cruz	Dominican Hospital	0.0% (0;566)	0.0% (0;6)		0.0% (0;6)	0.0% (0;421)			
	Sutter Maternity and Surgery Center of Santa Cruz	0.0% (0;178)				0.0% (0;142)			
	Watsonville Community Hospital	0.0% (0;529)				0.0% (0;360)			
Shasta	Mercy Medical Center – Redding	0.0% (0;1,121)	0.0% (0;30)		0.0% (0;15)	0.0% (0;742)			
	Shasta Regional Medical Center	0.0% (0;8)							

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



	•		1 /		
Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*
Hospital Name	NOTE: In each cell, the first the third line indicates any	st line indicates a Risk-A / quality rating.	djusted Rate, the second lin	e indicates total even	ts; total discharges, and
STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)
Fairchild Medical Center	0.0% (0;116)				0.0% (0;77)
Mercy Medical Center Mt. Shasta	0.0% (0;71)				0.0% (0;31)
Kaiser Foundation Hospital & Rehab Center – Vallejo	0.0% (0;704)				0.0% (0;471)
Kaiser Foundation Hospital – Vacaville	0.0% (0;806)			0.0% (0;3)	0.0% (0;497)
NorthBay Medical Center**	0.0% (0;530)	0.0% (0;14)		0.0% (0;7)	0.0% (0;382)
Kaiser Foundation Hospital – Santa Rosa	0.0% (0;919)	0.0% (0;3)		0.0% (0;12)	0.0% (0;632)
Petaluma Valley Hospital	0.0% (0;50)				0.0% (0;25)
Providence Santa Rosa Memorial Hospital – Montgomery	0.0% (0;690)	0.0% (0;9)	0.0% (0;3)	0.0% (0;26)	0.0% (0;455)
Sutter Santa Rosa Regional Hospital	0.0% (0;746)	0.0% (0;16)			0.0% (0;551)
Doctors Medical Center	0.0% (0;2,890)	6.7% (7;79) Below Average		0.0% (0;12)	0.2% (1;2,344)
Emanuel Medical Center	0.0% (0;530)			0.0% (0;21)	0.0% (0;293)
Memorial Medical Center – Modesto	0.0% (0;991)	0.0% (0;4)		0.0% (0;19)	0.0% (0;667)
	Fairchild Medical Center  Mercy Medical Center Mt. Shasta  Kaiser Foundation Hospital & Rehab Center – Vallejo  Kaiser Foundation Hospital – Vacaville  NorthBay Medical Center**  Kaiser Foundation Hospital – Santa Rosa  Petaluma Valley Hospital  Providence Santa Rosa Memorial Hospital – Montgomery  Sutter Santa Rosa Regional Hospital  Doctors Medical Center  Emanuel Medical Center	NOTE: In each cell, the first the third line indicates and STATEWIDE   0% (121;336,331)	NoTE: In each cell, the first line indicates a Risk-P the third line indicates a Risk-P the third line indicates and quality rating.    STATEWIDE	Note	North   Hospital Name

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*
County	поэрна маше	NOTE: In each cell, the first the third line indicates any	st line indicates a Risk-A	Adjusted Rate, the second lin	e indicates total even	ts; total discharges, and
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)
Stanislaus (continued)	Oak Valley Hospital District	0.0% (0;6)				0.0% (0;6)
Tehama	St. Elizabeth Community Hospital	0.0% (0;247)				0.0% (0;114)
Tulare	Adventist Health Tulare	0.0% (0;88)				0.0% (0;44)
	Kaweah Health Medical Center	0.0% (0;1,790)	2.3% (1;49)		0.0% (0;13)	0.0% (0;1,169)
	Sierra View Medical Center	0.0% (0;561)				0.0% (0;382)
Tuolumne	Adventist Health Sonora – Greenley	0.0% (0;340)	0.0% (0;6)		0.0% (0;3)	0.0% (0;196)
Ventura	Adventist Health Simi Valley	0.0% (0;140)				0.0% (0;91)
	Community Memorial Hospital – San Buenaventura	0.0% (0;985)	0.0% (0;39)		0.0% (0;12)	0.0% (0;757)
	Los Robles Hospital & Medical Center	0.0% (0;1,027)	0.0% (0;42)	0.0% (0;4)	0.0% (0;13)	0.0% (0;724)
	St. John's Hospital Camarillo	0.0% (0;5)				0.0% (0;4)
	St. John's Regional Medical Center	0.0% (0;568)	0.0% (0;18)	0.0% (0;4)	0.0% (0;4)	0.0% (0;484)
	Ventura County Medical Center	0.1% (1;1,746)	0.0% (0;30)		0.0% (0;139)	0.0% (0;984)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details



County	Hospital Name	Accidental Puncture or Laceration	Neonatal BSI*	Postoperative Respiratory Failure	Postoperative Sepsis	Central Venous Catheter-Related BSI*
		NOTE: In each cell, the first line indicates a Risk-Adjusted Rate, the second line indicates total events; total discharges, and the third line indicates any quality rating.				
	STATEWIDE	0% (121;336,331)	2.4% (180;7,410)	3.7% (414;11,098)	0.7% (164;23,265)	0.1% (152;231,145)
Yolo	Sutter Davis Hospital	0.0% (0;721)				0.0% (0;418)
	Woodland Memorial Hospital	0.0% (0;263)				0.0% (0;127)
Yuba	Adventist Health and Rideout	0.0% (0;780)			0.0% (0;3)	0.0% (0;510)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 2024, and HCAI hospital patient discharge data, 2023. See Technical Note for details about methodology.

Note: Statewide rates are observed, not risk-adjusted rates. Blank cells indicate that fewer than three cases were reported

<sup>\*</sup>BSI standards for Blood Stream Infection.

<sup>\*\*</sup>Hospital name changed from 2022 to 2023, see Technical Note for details