



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

2020 West El Camino Avenue, Suite 800 Sacramento, CA 95833  
 355 South Grand Avenue, Suite 1900 Los Angeles, CA 90071

Phone (916) 440-8300  
 Phone (213) 897-0166

FAX (916) 324-9188  
 FAX (213) 897-0168

**TESTING, INSPECTION AND OBSERVATION PROGRAM – 2007 CALIFORNIA BUILDING STANDARDS CODE - OSHPD 2** Page 1 of 11

This program has been prepared and submitted for an OSHPD 2 project. OSHPD 2 projects are limited to construction and remodel projects for skilled nursing facilities and/or intermediate care facilities of single-story, Type V, wood or light steel-frame construction.

<b>A</b>	Facility Name	Project Number
	Address - Street	Sub Number
	City	Facility ID Number
	Title of Project	

<b>B</b>	TESTS – DOCUMENTATION / CERTIFICATION REQUIRED	CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	STRUCTURAL TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD
		IOR	FDD CONST ACCEPTANCE
	Compact fill CBC 1704.7 Filled material acceptance test		DSE:
	Compact fill CBC 1704.7 & J107.5 Compaction test		DSE:
	Concrete CBC 1704.4.1, ACI-318 3.1.2 & 3.2 Cement		DSE:
	Concrete CBC 1704.1, ACI-318 3.1.2 & 3.3.1 Aggregates		DSE:
	Concrete CBC 1704.4.1, ACI-318 3.1.2 & 3.6 Admixtures		DSE:
	Concrete CBC 1704.4.1, 1905.4 & 1905.2 Mix design		DSE:
	Concrete CBC 1704.4.1 & 1905.6 Strength test		DSE:
	Concrete CBC 1704.4.1 & ACI-318 3.5 Metal reinforcement (incl. welded wire fabric)		DSE:
	Concrete CBC 1704.4.1 & ACI-318 3.5.5 Prestressing tendons		DSE:
	Miscellaneous CBC 1912.2 Post-Installed anchors		DSE:
	ELECTRICAL TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD
		IOR	FDD CONST ACCEPTANCE
	Ground fault protection CEC 230.95(C) & 517.17(D) Performance test		ACO:
	Emergency power CEC 700.4(A) Power failure test NFPA 110-2005 7.13.4.1		FLSO:
	Emergency power CEC 700.4(A) Full load test NFPA 110-2005 7.13.7		FLSO:
	Emergency power CEC 700.4(A) Cycle crank test NFPA 110-2005 7.13.10		FLSO:
	Emergency power CEC 700.4(A) Exit signs, exit lighting & fire alarms NFPA 110-2005 7.13.4.1		FLSO:

TBD To Be Determined-The name of the firm or individual to perform this test or special inspection shall be submitted to and approved by the Office prior to proceeding with the work that requires this test or special inspection.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

Facility Name	Project Number	Sub Number
---------------	----------------	------------

B	TESTS – DOCUMENTATION / CERTIFICATION REQUIRED			CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	ELECTRICAL TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Emergency power CEC 700.4(A) Task lighting, medical gas alarms NFPA 110-2005 7.13.4.1				ACO:
	Emergency power CEC 700.4(A) Receptacle, nurse & staff call NFPA 110-2005 7.13.4.1				ACO:
	Emergency power CEC 700.4(A) Elevators NFPA 110-2005 7.13.4.1				ACO:
	MECHANICAL TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Commercial kitchen hood ventilation CMC 511.2.2 Performance test				ACO:
	Refrigeration equip. CMC 116.3 & 1123.0				ACO:
	Refrigeration detection & alarm system CMC 1121.4 & CFC 606.8 Acceptance testing				FLSO:
	Refrigeration flaring system CMC 1119.3 Safety & effectiveness				ACO:
	Steam & hot water boilers CMC 116.3 & 1023.0				ACO:
	Hydronics CMC 1201.2.8 Pressure test of steam & water piping				ACO:
	Hydronics CMC 1201.3.6 Pressure test of polybutylene piping				ACO:
	Hydronics CMC 1203.2 Pressure test of piping prior to embedding in concrete				ACO:
	Process piping CMC 1406.2 Pressure test				ACO:
	Ventilation system CMC 407.3.1 Table 4-A areas tested and balanced				ACO:
	Airborne Infection Isolation & Protective Environment Rooms CMC 416.4 Alarm system test				ACO:
	Airborne Infection Isolation & Protective Environment Rooms CMC 417.0 Mechanical system tested & balanced				ACO:
	PLUMBING TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Potable water installations CPC 609.9.1 thru 609.9.4 Bacteriological examination/Water purity test				ACO:
	Medical gas and vacuum NFPA 99-2005 Gas and vacuum system performance testing				ACO:
	Medical gas and vacuum NFPA 99-2005 Gas and vacuum system verification testing				ACO:
	Existing sewers & drains CPC 101.4.1.1.2 Tested for conformance with reqmnts. for new work				ACO:
	Water supply system CPC 103.5.1.1 & 609.4 Pressure tested prior to covering or concealment				ACO:

TBD To Be Determined-The name of the firm or individual to perform this test or special inspection shall be submitted to and approved by the Office prior to proceeding with the work that requires this test or special inspection.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

Facility Name	Project Number	Sub Number
---------------	----------------	------------

B	TESTS – DOCUMENTATION / CERTIFICATION REQUIRED			CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	PLUMBING TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Plumbing or drainage systems CPC 103.5.1.3 & 712.0 Water or air tested prior to use, covering or concealment				ACO:
	Building sewer CPC 103.5.1.3 & 723.0 Water or air tested prior to use, covering or concealment				ACO:
	Storm drain piping CPC 1109.0 Water or air tested prior to use, covering or concealment				ACO:
	Fuel piping CPC 1204.3.2 Air, CO <sub>2</sub> or nitrogen tested prior to use, covering or concealment				ACO:
	Private sewer disposal system CPC 103.5.1.3 Tested prior to use, covering or concealment				ACO:
	Protectively coated pipe CPC 103.5.3.4 Tested for voids, damage & imperfections				ACO:
	Joints and connections CPC 103.5.3.5 Pressure tested for gas and water tightness				ACO:
	Defective systems CPC 103.5.5.1 Air test of defective drainage & plumbing systems				ACO:
	Moved structures CPC 103.5.5.2 All parts of plumbing systems tested				ACO:
	Retesting CPC 103.5.6.2 Retest after corrections				ACO:
	Backflow prevention assembly CPC 603.3.3 Assembly tested				ACO:
	FIRE PROTECTION EQUIPMENT TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Fire alarm CFC 907.17, CBC 901.5, NFPA 72-2002 10.4.1 Acceptance and reacceptance testing				FLSO:
	Fire & smoke dampers CFC 907.17, CBC 901.5 Acceptance testing				FLSO:
	Duct detectors CFC 907.17, CBC 901.5, NFPA 72-2002 10.4.1 Differential pressure test				FLSO:
	Smoke control system CFC 907.17, CBC 901.5, CBC 909.18 Acceptance testing				FLSO:
	Fire sprinkler CFC 907.17, NFPA 13-2002 Ch. 16 Acceptance testing – Aboveground piping				FLSO:
	Fire sprinkler CFC 907.17, NFPA 13-2002 Ch. 16 Acceptance testing – Underground piping				FLSO:
	Standpipe system CFC 907.17, NFPA 14-2003 11.1 Acceptance testing – Aboveground piping				FLSO:
	Standpipe system CFC 907.17, NFPA 14-2003 11.1 Acceptance testing – Underground piping				FLSO:
	Private fire mains CFC 907.17, NFPA 24-2000 Ch. 10 Acceptance testing				FLSO:
	Fire pumps CFC 907.17, NFPA 20-2003 Ch. 14 Acceptance testing				FLSO:

TBD To Be Determined-The name of the firm or individual to perform this test or special inspection shall be submitted to and approved by the Office prior to proceeding with the work that requires this test or special inspection.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

Facility Name	Project Number	Sub Number
---------------	----------------	------------

B	TESTS – DOCUMENTATION / CERTIFICATION REQUIRED			CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	FIRE PROTECTION EQUIPMENT TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Wet chem extng sys. CFC 907.17, NFPA 17A-2002 Ch. 6 Acceptance testing				FLSO:
	Clean agent extng sys. CFC 907.17, NFPA 2001-2004 Acceptance testing				FLSO:
	CO <sub>2</sub> extng sys. CFC 907.17, NFPA 12-2005 Acceptance testing				FLSO:
	Dry chem extng sys. CFC 907.17, NFPA 17-2002 Ch. 10 Acceptance testing				FLSO:
	Halon 1301 extng sys. CFC 907.17, NFPA 12A-2004 – 6.72 Acceptance testing				FLSO:
	OTHER TESTS	RESPONSIBLE FIRM OR INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Underground fuel tank CFC 3404.2.12 Pressure testing				FLSO:
	Underground fuel storage tank CFC 3404.2.7.9 Testing of corrosion protection				FLSO:
	Liquid fuel piping CFC 3403.6.3 Pressure testing				FLSO:

C	SPECIAL INSPECTIONS – DOCUMENTATION / CERTIFICATION REQUIRED			CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	STRUCTURAL INSPECTIONS	RESPONSIBLE INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Foundation CBC 1704.7 Fill for structures				DSE:
	Concrete CBC 1704.4 Placement of concrete				DSE:
	Foundation CBC 1704.8 & 1704.9 Piles & Piers				DSE:

TBD To Be Determined-The name of the firm or individual to perform this test or special inspection shall be submitted to and approved by the Office prior to proceeding with the work that requires this test or special inspection.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

Facility Name	Project Number	Sub Number
---------------	----------------	------------

C	SPECIAL INSPECTIONS – DOCUMENTATION / CERTIFICATION REQUIRED			CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	STRUCTURAL INSPECTIONS	RESPONSIBLE INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Concrete CBC 1704.4 Reinforcing steel and prestressing steel				DSE:
	Concrete CBC 1704.3 & 1704.4 Welding of reinforcing bars				DSE:
	Concrete CBC 1701.5, item 2 Bolts installed in concrete (All anchor bolts require continuous inspection UNO)				DSE:
	Steel CBC 1704.3 Structural welding				DSE:
	Bolts CBC 1704.3 High strength bolting				DSE:
	Structural Masonry CBC 1704.5				DSE:
	Reinforced Gypsum Concrete CBC 1704.4				DSE:
	Insulating Concrete Fill CBC 1704.4 & 1704.13				DSE:
	Wood CBC 1704.6.2 Manufactured trusses				DSE:
	Miscellaneous CBC 1912.2 & ICC-ERS Installation of expansion & epoxy anchors				DSE:
	Miscellaneous CBC 1704.13 Site work where special hazards exist				FDD:
	MECHANICAL INSPECTIONS	RESPONSIBLE INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Visually inspect for torn media and bypass in filter frames CMC 408.1.3				ACO
	Pressure vessels CMC 1006.5 Welding				ACO:
	Process piping CMC 1406.3 Installation				ACO:
	PLUMBING INSPECTIONS	RESPONSIBLE INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Medical gas CBC 1224.4.6.2, NFPA 99-2005 Ch. 5 Brazing and labeling of systems				ACO:
	FIRE PROTECTION INSPECTIONS	RESPONSIBLE INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE
	Fire resistive materials CBC 1704A.10 Spray applied fireproofing				FLSO:
	Smoke control systems CBC 1704A.14 Ductwork and operation				FLSO:
	Sprinkler system piping CFC 907.17, NFPA 13-2002 Welded pipe and fittings				FLSO:
	Standpipe system piping CFC 907.17, NFPA 14-2003 Welded pipe and fittings				FLSO:

TBD To Be Determined-The name of the firm or individual to perform this test or special inspection shall be submitted to and approved by the Office prior to proceeding with the work that requires this test or special inspection.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

Facility Name	Project Number	Sub Number
---------------	----------------	------------

<b>C</b>	SPECIAL INSPECTIONS – DOCUMENTATION / CERTIFICATION REQUIRED			CONSTRUCTION VERIFICATION	OFFICE USE ONLY
	OTHER SPECIAL INSPECTIONS	RESPONSIBLE INDIVIDUAL	TBD	IOR	FDD CONST ACCEPTANCE

TBD To Be Determined-The name of the firm or individual to perform this test or special inspection shall be submitted to and approved by the Office prior to proceeding with the work that requires this test or special inspection.

<b>D</b>	CONSTRUCTION OBSERVATION AND REPORTING										
	Ref. No.	REQUIRED CONSTRUCTION OBSERVATION (See "PERSONAL KNOWLEDGE" as defined in CAC Section 7-151)	VERIFIED COMPLIANCE REPORT REQUIRED AS INDICATED (OSH-FD-123)								FOR OFFICE USE ONLY
		MILESTONES	GEOR	AOR	SEOR	MEOR	EEOR	CONT	SP INSP	IOR	OSHPD FDD
		FINAL VERIFIED COMPLIANCE REPORT AT COMPLETION									

AOR: Architect of Record CONT: Contractor or Owner/Builder IOR: Inspector of Record EEOR: Electrical Engineer of Record MEOR: Mechanical Engineer of Record SEOR: Structural Engineer of Record GEOR: Geotechnical Engineer of Record SP INSP: Special Inspector

NOTE: Construction observation may be scheduled at specific intervals or at project milestones or a combination of both.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

TESTING, INSPECTION AND OBSERVATION PROGRAM – 2007 CALIFORNIA BUILDING STANDARDS CODE - OSHPD 2

Page 7 of 11

Facility Name	Project Number	Sub Number
---------------	----------------	------------

D	CONSTRUCTION OBSERVATION AND REPORTING									
	Ref. No.	REQUIRED CONSTRUCTION OBSERVATION (See "PERSONAL KNOWLEDGE" as defined in CAC Section 7-151)	VERIFIED COMPLIANCE REPORT REQUIRED AS INDICATED (OSH-FD-123)							FOR OFFICE USE ONLY
	INTERVALS	GEOR	AOR	SEOR	MEOR	EEOR	CONT	SP INSP	IOR	OSHPD FDD
	FINAL VERIFIED COMPLIANCE REPORT AT COMPLETION									

AOR: Architect of Record CONT: Contractor or Owner/Builder IOR: Inspector of Record EEOR: Electrical Engineer of Record MEOR: Mechanical Engineer of Record SEOR: Structural Engineer of Record GEOR: Geotechnical Engineer of Record SP INSP: Special Inspector

NOTE: Construction observation may be scheduled at specific intervals or at project milestones or a combination of both.

# OSHPD

State of California – Health and Human Services Agency



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

TESTING, INSPECTION AND OBSERVATION PROGRAM – 2007 CALIFORNIA BUILDING STANDARDS CODE - OSHPD 2

Page 8 of 11

### **Samples of test and inspection reports are:**

Attached

To be provided following determination of responsible firm(s) or individual(s) – Samples shall be submitted to and approved by the Office prior to proceeding with the work that requires tests or special inspections.

Not Applicable – Project has no required tests or special inspections.

**Required test and inspection reports shall be prepared and submitted to OSHPD FDD within \_\_\_ days of the completion of all tests and inspections. If not designated, all reports shall be submitted to the Office within 15 calendar days.**

In addition to the preprinted tests and special inspections identified on this form, this program includes additional tests and special inspections as indicated:

Other Tests

Other Special Inspections

See Attachment

**This program has been prepared and submitted for an OSHPD 2 project. OSHPD 2 projects are limited to construction and remodel projects for skilled nursing facilities and/or intermediate care facilities of single-story, Type V, wood or light steel-frame construction.**

<b>E</b>	<b>SUBMITTED BY:</b> _____ <small>Architect/Engineer of Record                      Date</small>	<b>OSHPD FIELD APPROVAL:</b> _____ <small>Name    Date</small>
	<b>PRINT NAME:</b> _____	<b>OSHPD PERMIT APPROVAL:</b> _____ <small>Name    Date</small>

### FDD COMMENTS:

### FDD STAMP OFFICE USE ONLY

_____ Architectural	_____ Date	A	AC	D
_____ Structural	_____ Date	A	AC	D
_____ Mechanical	_____ Date	A	AC	D
_____ Electrical	_____ Date	A	AC	D
_____ Fire Marshal	_____ Date	A	AC	D





## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

TESTING, INSPECTION AND OBSERVATION PROGRAM – 2007 CALIFORNIA BUILDING STANDARDS CODE - OSHPD 2

Page 9 of 11

# INSTRUCTIONS FOR TESTING, INSPECTION AND OBSERVATION PROGRAM FORM (Sections A – E)

## General Instructions

This form is intended to assist design professionals in organizing the requirements of 2007 California Administrative Code (CAC), (Sections 7-141, 7-145, 7-149, 7-151), in regards to a Testing, Inspection, and Observation (TIO) Program. When approved for a specific project by the Office of Statewide Health Planning and Development (OSHPD), Facilities Development Division (FDD), this TIO Program is considered to be part of the approved construction documents. This generic format may be reproduced and edited, but the essential elements described in the CAC, must be maintained. The TIO Program must be made specifically appropriate for either OSHPD 1(Hospitals) or OSHPD 2 (typically Skilled Nursing Facilities) projects. Tests or inspections not specifically listed in Sections B or C may be added to the appropriate section under OTHER TESTS or OTHER INSPECTIONS.

Before the Building Permit may be approved and issued, OSHPD/FDD must have approved the following documents:

- Construction drawings and specifications
- Inspector(s) of Record (IOR). See 7-141(f)
- A Testing, Inspection, and Observation Program.

## Section A

This section identifies the specific project that the TIO Program form applies to:

- FACILITY NAME – As shown on the Facility License issued by the Department of Health Services
- ADDRESS/STREET - The physical location of the construction project
- CITY – The city where the project is located
- TITLE OF PROJECT – As shown on the Application for Plan Review
- PROJECT NUMBER – As assigned by OSHPD
- INCREMENT, PHASE OR SUB NUMBER – As assigned by OSHPD
- FACILITY ID NUMBER – As assigned by OSHPD (a five character ID)

## Section B

This section shall identify specific tests required by California Building Standards Code (CBSC), Parts 2, 3, 4, or 5 for the above project. Many tests required by CBSC are included. Some documents referenced by the designer (pre-approvals, IRs) may require special testing not directly required by Title 24, these must also be referenced and included. Tests may be grouped by subject matter for clarity. OSHPD Plan Review staff will review and approve this list of tests for accuracy and completeness. OSHPD Field Staff will review and approve the firms or individuals conducting the tests prior to issuing the Building Permit or prior to related work commencing. Section B layout shall include the following:

- TESTS COLUMN- A description by the design professional of the required tests grouped by discipline or subject matter. Reference the code section for required tests or reference approved plans or specifications for designer required tests.
- RESPONSIBLE FIRM OR INDIVIDUAL – When a test is required, indicate which firm or individual is responsible to carry out the test. This shall be a testing laboratory or qualified individual. When a testing laboratory or certified inspector is not required by other regulations, the firm or individual may be the contractor or installer. This information must be provided before the commencement of related work.
- TBD COLUMN – If the firm or individual performing the required test(s) has not been determined at the time of preparation of the program, place a check mark or an x in this column.



## OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT

TESTING, INSPECTION AND OBSERVATION PROGRAM – 2007 CALIFORNIA BUILDING STANDARDS CODE - OSHPD 2

Page 10 of 11

- CONSTRUCTION VERIFICATION / IOR - Once all tests of this specific kind are satisfactorily completed and documented, the IOR shall verify the completion with an initial and date.
- OFFICE USE ONLY CONSTRUCTION ACCEPTANCE / FDD – Upon completion of required tests, at least one OSHPD field staff; (Area Compliance Officer (ACO), Fire & Life Safety Officer (FLSO), or District Structural Engineer (DSE)) will review for compliance with the TIO program and indicate their acceptance with an initial and date. If no DSE is assigned to a particular project, the ACO shall initial acceptance of a test designated for DSE.

### Section C

This section shall identify specific special inspections required by the CBSC, Parts 2, 3, 4, or 5 for the above project. Some inspections required by Title 24 are included. Inspections may be grouped by subject matter for clarity. OSHPD Plan Review staff will review and approve this list of inspections for accuracy and completeness. OSHPD Field Staff will also review and approve the individuals conducting the inspections prior to issuing the Building Permit or prior to related work commencing. Section C layout shall include the following:

- INSPECTIONS COLUMN- A description by the design professional of the required inspections grouped by discipline or subject matter. Reference the code section for required inspections or reference approved plans or specifications for designer required inspections.
- RESPONSIBLE INDIVIDUAL – When an inspection is required, indicate which individual is responsible to carry out the inspections. This shall be a qualified individual. This information must be provided before the commencement of related work.
- TBD COLUMN – If the individual performing the required special inspection(s) has not been determined at the time of preparation of the program, place a check mark or an x in this column.
- CONSTRUCTION VERIFICATION / IOR - Once all inspections of this specific kind are satisfactorily completed and documented, the IOR shall verify the completion with an initial and date.
- OFFICE USE ONLY CONSTRUCTION ACCEPTANCE / FDD – Upon completion of required special inspections, at least one OSHPD field staff; (Area Compliance Officer (ACO), Fire & Life Safety Officer (FLSO), or District Structural Engineer (DSE)) will review for compliance with the TIO program and indicate their acceptance with an initial and date. If no DSE is assigned to a particular project, the ACO shall initial acceptance of an inspection designated for DSE.

### Section D

The design professional in charge is responsible for fully describing the observations being proposed for OSHPD acceptance and for identifying who shall observe the elements of construction and when they shall be observed. Section D coordinates this effort into a table.

The rows of the table are the individual elements of construction to be observed. The columns of the table are the individuals, who must perform the observations. The required individuals are identified in 2007 California Administrative Code (CAC), and may include: Geotechnical Engineer, Architect, Structural Engineer, Mechanical Engineer, Electrical Engineer, Contractor (or Owner/Builder), Inspector of Record, and all Special Inspectors. Each box marked with an 'X', indicates that a Verified Compliance Report must be filed at the described milestone or interval.

Elements of Construction may include but are not limited to; Construction Preparation, Site Work, Foundation, Concrete, Masonry, Steel, Wood, Roofing, Fire Rated Construction, Above Ceiling Components, Architectural Elements, Equipment Anchorage, Fire Protection Systems, Miscellaneous Systems, Plumbing Systems, Mechanical Systems, Electrical Systems, and Substantial Completion. OSHPD Plan Review must accept this list of observations as complete.

The Inspector of Record shall maintain copies of all Verified Compliance Report forms. Work to be observed shall not be covered, occupied, or used until written acceptance by all individuals identified in the table and the OSHPD field staff has been received.



## **OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT**

TESTING, INSPECTION AND OBSERVATION PROGRAM – 2007 CALIFORNIA BUILDING STANDARDS CODE - OSHPD 2 Page 11 of 11  
A MILESTONE method for establishing observations of construction means the project is observed based upon the progress of the work. An INTERVAL method for establishing observations of construction means the project is observed based upon calendar frequency. Section D layout shall include the following:

- REFERENCE NO. (Ref. No.) – A reference number must be included for coordination with the Verified Compliance Report (see form OSH-FD-123).
- REQUIRED CONSTRUCTION OBSERVATION / MILESTONE OR INTERVAL- A complete description of the specific milestone (element or system) or interval to be observed.
- VERIFIED COMPLIANCE REPORT REQUIRED AS INDICATED / OSH-FD-123 - The specified individuals are as required by CAC, Section 7-151. This table identifies which individuals are required to submit the OSHPD Verified Compliance Report form (OSH-FD-123) for each milestone defined by the design professional. This form replaces the discontinued Verified Report Form. The Verified Compliance Report is based upon 'personal knowledge' as defined in Section 7-151. Each box marked with an 'X', indicates that a Verified Compliance Report must be filed.
- FOR OFFICE USE ONLY / OSHPD-FDD – OSHPD field staff may at any time review the accumulated Verified Compliance Reports at the project site, against the required Reports. Field Staff will initial and date lines they verify as in compliance. Projects with Reports not submitted to the field are subject to Stop Work Orders.

NOTE: Final Verified Compliance Reports are required on all projects from all individuals identified in Title 24, Part One. At a minimum, a Final Verified Compliance Report is required from the contractor (who may be an owner/builder) and the IOR.

After completion of Section D, the last page includes a location where the Architect or Engineer in responsible charge indicates that either: 1) samples of test and inspection forms required by Section 7-141 (h) have been attached, or 2) submittal of sample reports will be provided following the determination of responsible firm(s) and or individual(s), or 3) samples are not required, because the scope of the project does not require tests or special inspections.

Prior to signing in Section E, the Architect or Engineer in responsible charge shall also indicate the time limit for the submission of required test and inspection reports to OSHPD FDD. If a time limit is not selected, all reports shall be submitted to the office within fifteen (15) calendar days.

A place is provided following Section D for the Architect or Engineer in responsible charge to indicate if additional tests or special inspections are required, and where they have been included in the TIO program.

### **Section E**

This section provides for the signature of the Architect or Engineer in responsible charge of the project. It is this individual who is responsible for submitting the Tests, Inspection and Observation Program to OSHPD. OSHPD FDD staff will sign in this section upon plan approval and building permit approval.

- Architect or Engineer in responsible charge of the project shall sign and date the Tests, Inspection, and Observation Program submittal. Print first and last name and indicate profession license number.
- OSHPD Plan Review shall sign and date, indicating the acceptance and approval of all listed Tests, Inspections, and Observations.
- OSHPD Field Staff shall sign and date, indicating the acceptance and approval of the firms or individuals proposed to perform the tests and special inspections.